

CHEMICAL SAFETY DATA SHEET  
according to 2020/878/EC (1907/2006/EC Article 31)

2601002

Reviewed on: 25.01.2023  
Printing date: 25.01.2023

**SECTION 01: Identification of the substance/mixture and of the company/undertaking**

## 1.1 Product identifier

- Trade name:  
CAMPHOR OIL
- Article number:  
205
- CAS Number:  
8008-51-3
- EC Number:  
295-980-1
- No CAS EINECS:  
92201-50-8

1.2 Relevant identified uses of the substance or mixture and uses advised against  
Application of the substance / the preparation  
Only for industrial use

## 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:  
GOLGEMMA TEL: +33(0)4.68.74.17.89  
Route de FA email: fds@golgemma.com  
11260 ESPERAZA  
FRANCE

1.4 Emergency telephone number:  
FR-ORFILA (INRS):+33(0)1 45 42 59 59

**SECTION 02: Hazards identification**

## 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008



GHS08

Muta. 2 - H341 Suspected of causing genetic defects.  
Carc. 1B - H350 May cause cancer.  
STOT SE 2 - H371 May cause damage to organs.  
Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways.



GHS02

Flam. Liq. 3 - H226 Flammable liquid and vapour.



GHS07

Acute Tox. 4 - H332 Harmful if inhaled.  
Skin Irrit. 2 - H315 Causes skin irritation.  
Skin Sens. 1 - H317 May cause an allergic skin reaction.



GHS09

Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

## 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms

(continued on page 2)

2601002

Reviewed on: 25.01.2023  
Printing date: 25.01.2023

**PRODUCT : CAMPHOR OIL**

*(continued of page 1)*



GHS08    GHS02    GHS07    GHS09

- Signal word  
Danger

- Hazard statements  
H226 Flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H332 Harmful if inhaled.  
H341 Suspected of causing genetic defects.  
H350 May cause cancer.  
H371 May cause damage to organs.  
H411 Toxic to aquatic life with long lasting effects.

- Precautionary statements  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P403+P235 Store in a well-ventilated place. Keep cool.  
P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

2.3 Other hazards

- Results of PBT and vPvB assessment
- PBT:  
Not applicable.
- vPvB:  
Not applicable.
- Determination of endocrine-disrupting properties  
Substance is not listed.





**SECTION 03: Composition/information on ingredients**

3.1 Substances

**CAS No.                      Description**  
8008-51-3    Cinnamomum camphora (L.) J.Presl

- Identification number(s)
- EC number:  
295-980-1

• Dangerous components:

<b>CAS Number</b>		<b>%</b>
76-22-2	<b>1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one</b> <b>EC number: 200-945-0</b> 	20,001-50,00
94-59-7	<b>5-allyl-1,3-benzodioxole</b> <b>EC number: 202-345-4</b> 	10,001-20,00
470-82-6	<b>Eucalyptol</b> <b>EC number: 207-431-5</b> 	10,001-20,00
98-55-5	<b>p-menth-1-en-8-ol</b> <b>EC number: 202-680-6</b> 	5,001-10,00

*(continued on page 3)*

CHEMICAL SAFETY DATA SHEET  
according to 2020/878/EC (1907/2006/EC Article 31)

2601002

Reviewed on: 25.01.2023  
Printing date: 25.01.2023

**PRODUCT :      CAMPHOR OIL**

(continued of page 2)

78-70-6	<b>H319</b> <b>Linalool</b> EC number: 201-134-4 ⚠ Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317	5,001-10,00
562-74-3	<b>4-Carvomenthenol</b> EC number: 209-235-5 ⚠ Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319	5,001-10,00
5989-27-5	<b>d-limonene</b> EC number: 227-813-5 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Skin Irrit. 2 - H315, Skin Sens. 1B - H317; ⚠ Aquatic Acute 1 - H400; Aquatic Chronic 3 - H412	5,001-10,00
555-10-2	<b>beta-Phellandrene</b> EC number: 209-081-9 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226	1,001- 5,00
87-44-5	<b>beta-Caryophyllene</b> EC number: 201-746-1 ⚠ Asp. Tox. 1 - H304; ⚠ Skin Sens. 1B - H317	1,001- 5,00
7212-44-4	<b>Nerolidol (isomer unspecified)</b> EC number: 230-597-5 ⚠ Skin Sens. 1B - H317; ⚠ Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	1,001- 5,00
80-56-8	<b>pin-2(3)-ene</b> EC number: 201-291-9 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317	1,001- 5,00
3387-41-5	<b>sabinene</b> EC number: 222-212-4 ⚠ Acute Tox. 4 - H302	1,001- 5,00
79-92-5	<b>camphene</b> EC number: 201-234-8 ⚠ Flam. Sol. 1 - H228; ⚠ Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	1,001- 5,00
123-35-3	<b>Myrcene</b> EC number: 204-622-5 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Skin Irrit. 2 - H315, Eye Irrit. 2 - H319	1,001- 5,00
13877-91-3	<b>3,7-Dimethyl-1,3,6-octatriene</b> EC number: 237-641-2 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Skin Irrit. 2 - H315	1,001- 5,00
99-87-6	<b>p-cymene</b> EC number: 202-796-7	1,001- 5,00

(continued on page 4)
























CHEMICAL SAFETY DATA SHEET  
according to 2020/878/EC (1907/2006/EC Article 31)

2601002

Reviewed on: 25.01.2023  
Printing date: 25.01.2023

**PRODUCT : CAMPHOR OIL**

(continued of page 3)

	<p>  Acute Tox. 3 - H331;  Asp. Tox. 1 - H304;  Flam. Liq. 3 - H226;  </p>	
127-91-3	<p> <b>Aquatic Chronic 2 - H411</b>  <b>beta-Pinene</b>  <b>EC number: 204-872-5</b>   Asp. Tox. 1 - H304;  Flam. Liq. 3 - H226;  Skin Irrit. 2 - H315, Skin Sens. 1B - H317         </p>	1,001- 5,00
99-83-2	<p> <b>Alpha phellandrene</b>  <b>EC number: 202-792-5</b>   Asp. Tox. 1 - H304;  Flam. Liq. 3 - H226         </p>	1,001- 5,00
586-62-9	<p> <b>Terpinolene</b>  <b>EC number: 209-578-0</b>   Asp. Tox. 1 - H304;  Skin Sens. 1B - H317;  Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410         </p>	0,101-1,00
106-24-1	<p> <b>geraniol</b>  <b>EC number: 203-377-1</b>   Eye Dam. 1 - H318;  Skin Irrit. 2 - H315, Skin Sens. 1 - H317         </p>	0,101-1,00
99-86-5	<p> <b>1-isopropyl-4-methylcyclohexa-1,3-diene</b>  <b>EC number: 202-795-1</b>   Asp. Tox. 1 - H304;  Flam. Liq. 3 - H226;  Acute Tox. 4 - H302, Skin Sens. 1 - H317;  Aquatic Chronic 2 - H411         </p>	0,101-1,00
99-85-4	<p> <b>Oral: ATE = 1680 mg/kg</b>  <b>p-Mentha-1,4-diene</b>  <b>EC number: 202-794-6</b>   Asp. Tox. 1 - H304;  Flam. Liq. 3 - H226         </p>	0,101-1,00
93-15-2	<p> <b>methyl eugenol</b>  <b>EC number: 202-223-0</b>   Acute Tox. 4 - H302;  Muta. 2 - H341, Carc. 2 - H351         </p>	0,101-1,00
106-25-2	<p> <b>Nerol</b>  <b>EC number: 203-378-7</b>   Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317         </p>	0,101-1,00

#### SECTION 04: First aid measures

##### 4.1 Description of first aid measures

- General information:  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.  
Seek immediate medical advice.
- After inhalation:  
Supply fresh air and to be sure call for a doctor.
- After skin contact:  
If skin irritation continues, consult a doctor.

(continued on page 5)

**CHEMICAL SAFETY DATA SHEET**  
according to 2020/878/EC (1907/2006/EC Article 31)

2601002

Reviewed on: 25.01.2023  
Printing date: 25.01.2023**PRODUCT : CAMPHOR OIL***(continued of page 4)*

- Immediately wash with water and soap and rinse thoroughly.
- After eye contact:  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
  - After swallowing:  
Seek immediate medical advice.
  - Information for doctor:

4.2 Most important symptoms and effects, both acute and delayed  
No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed  
No further relevant information available.

**SECTION 05: Firefighting measures****5.1 Extinguishing media**

- Suitable extinguishing agents:  
CO<sub>2</sub>, sand, extinguishing powder. Do not use water.  
Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents:  
Water with full jet

5.2 Special hazards arising from the substance or mixture  
Formation of toxic gases is possible during heating or in case of fire.

**5.3 Advice for firefighters**

- Protective equipment:  
Mount respiratory protective device.  
Do not inhale explosion gases or combustion gases.
- Additional information  
Cool endangered receptacles with water spray.

**SECTION 06: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
Keep away from ignition sources.

**6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.

**6.3 Methods and material for containment and cleaning up:**

Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.

**6.4 Reference to other sections**

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**SECTION 07: Handling and storage****7.1 Precautions for safe handling**

Keep receptacles tightly sealed.  
Keep away from heat and direct sunlight.  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
Handle with care. Avoid jolting, friction and impact.

- Information about fire - and explosion protection:  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities

*(continued on page 6)*

2601002

Reviewed on: 25.01.2023  
Printing date: 25.01.2023

**PRODUCT : CAMPHOR OIL**

*(continued of page 5)*

**Storage:**

- Requirements to be met by storerooms and receptacles:  
Store only in the original receptacle.  
Prevent any seepage into the ground.  
Use only receptacles specifically permitted for this substance/ product.
- Information about storage in one common storage facility:  
Not required.
- Further information about storage conditions:  
Keep container tightly sealed.  
Protect from heat and direct sunlight.  
Store receptacle in a well ventilated area.

**7.3 Specific end use(s)**

No further relevant information available.

**SECTION 08: Exposure controls/personal protection**

**8.1 Control parameters**

- Ingredients with limit values that require monitoring at the workplace:  
Not required.
- Additional information:  
The lists valid during the making were used as basis.

**8.2 Exposure controls**

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:  
The usual precautionary measures are to be adhered to when handling chemicals.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the skin.
- Respiratory protection:  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.  
Suitable respiratory protective device recommended.  
Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:  
Protective gloves  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- Material of gloves  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- Penetration time of glove material  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye/face protection  
Safety glasses

**SECTION 09: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**General Information**

<b>Physical state</b>	Fluid
<b>Colour:</b>	colourless to pale yellow
<b>Odour:</b>	aromatic
<b>Odour threshold:</b>	Not determined.
<b>Melting point/freezing point:</b>	179,0 °C
<b>Boiling point or initial boiling point and boiling range</b>	204,0 °C

*(continued on page 7)*

2601002

Reviewed on: 25.01.2023  
Printing date: 25.01.2023

**PRODUCT : CAMPHOR OIL**

*(continued of page 6)*

<b>Flammability</b>	Not determined.
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Flash point:</b>	43,0 °C NFT 60-103 CC
<b>Decomposition temperature:</b>	Not determined.
<b>pH</b>	Not determined.
<b>Viscosity:</b>	
<b>Kinematic viscosity</b>	Not determined.
<b>Dynamic:</b>	Not determined.
<b>Solubility</b>	
<b>water:</b>	Not determined.
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
<b>Vapour pressure:</b>	Not determined.
<b>Density and/or relative density</b>	
<b>Density:</b>	Not determined.
<b>Relative density</b>	0,9350 0,9600 D20/20
<b>Vapour density</b>	Not determined.
<b>9.2 Other information</b>	No further relevant information available.
<b>Appearance:</b>	
<b>Form:</b>	liquid to semi-crystallized
<b>Important information on protection of health and environment, and on safety.</b>	
<b>Auto-ignition temperature:</b>	Not determined.
<b>Explosive properties:</b>	Not determined.
<b>Solvent content:</b>	
<b>Solids content:</b>	0,00 %
<b>Change in condition</b>	
<b>Evaporation rate</b>	<=1,0
<b>Information with regard to physical hazard classes</b>	
<b>Explosives</b>	not applicable
<b>Flammable gases</b>	not applicable
<b>Aerosols</b>	not applicable
<b>Oxidising gases</b>	not applicable
<b>Gases under pressure</b>	not applicable
<b>Flammable liquids</b>	Flammable liquid and vapour.
<b>Flammable solids</b>	not applicable
<b>Self-reactive substances and mixtures</b>	not applicable
<b>Pyrophoric liquids</b>	not applicable
<b>Pyrophoric solids</b>	not applicable
<b>Self-heating substances and mixtures</b>	not applicable
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	not applicable
<b>Oxidising liquids</b>	not applicable
<b>Oxidising solids</b>	not applicable
<b>Organic peroxides</b>	not applicable
<b>Corrosive to metals</b>	not applicable
<b>Desensitised explosives</b>	not applicable

EU

*(continued on page 8)*

2601002

Reviewed on: 25.01.2023  
Printing date: 25.01.2023

**PRODUCT : CAMPHOR OIL**

*(continued of page 7)*

### SECTION 10: Stability and reactivity

**10.1 Reactivity**

No further relevant information available.

**10.2 Chemical stability**

**10.3 Possibility of hazardous reactions**

No dangerous reactions known.

**10.4 Conditions to avoid**

No further relevant information available.

**10.5 Incompatible materials:**

No further relevant information available.

**10.6 Hazardous decomposition products:**

Not determined.

### SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

• Acute toxicity

LD/LC50 values relevant for classification:

**ISO LD/LC**

**8008-51-3 Cinnamomum camphora (L.) J.Presl**

Oral, LD50: 5100 mg/kg (rat)

Dermal, LD50: >=5000 mg/kg (Rabbit)

**76-22-2 1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one**

Oral, LD50: >5000 mg/kg (rat) (Opdyke 1978)

Dermal, LD50: >1000 mg/kg (mouse) (NTP 1998)

**94-59-7 safrole**

Oral, LD50: 1950 mg/kg (rat)

Dermal, LD50: >5000 mg/kg (Rabbit)

**470-82-6 Eucalyptol**

Oral, LD50: 3849 mg/kg (mouse) (Jiao Xu, 2014)

**98-55-5 p-menth-1-en-8-ol**

Oral, LD50: 4300 mg/kg (rat)

**78-70-6 Linalool**

Oral, LD50: 2790 mg/kg (rat)

Dermal, LD50: 5610 mg/kg (Rabbit)

**5989-27-5 (R)-p-mentha-1,8-diene**

Oral, LD50: 4400 mg/kg (rat)

**87-44-5 beta-Caryophyllene**

Oral, LD50: > 5000 mg/kg (rat) (Hart and Wong 1971)

**7212-44-4 Nerolidol (isomer unspecified)**

Oral, LD50: >5000 mg/kg (rat) (RIFM 1973)

Oral, LD50: 9626 mg/kg (mouse) (RIFM 1967)

Dermal, LD50: >5000 mg/kg (Rabbit) (RIFM 1973)

**79-92-5 camphene**

Oral, LD50: 5000 mg/kg (rat)

Dermal, LD50: 2500 mg/kg (Rabbit)

**99-83-2 Alpha phellandrene**

Oral, LD50: > 5700 mg/kg (rat) (Moreno 1972)

**99-86-5 p-mentha-1,3-diene**

Oral, LD50: 1680 mg/kg (ATE)

**93-15-2 methyl eugenol**

Oral, LD50: 810 mg/kg (rat) (Beroza and al., 1975)

• Primary irritant effect:

- Skin corrosion/irritation

Irritant to skin and mucous membranes.

Causes skin irritation.

- Serious eye damage/irritation

**7212-44-4 Nerolidol (isomer unspecified)**

*(continued on page 9)*



2601002

Reviewed on: 25.01.2023  
Printing date: 25.01.2023

**PRODUCT : CAMPHOR OIL**

*(continued of page 8)*

- Irritation of eyes, OECD 405 DRAIZE: NOT CLASSIFIED (Rabbit) (RIFM 1967)
- Respiratory or skin sensitisation  
Sensitization possible through skin contact.
  - Germ cell mutagenicity
- 76-22-2**                    **1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one**  
OECD 471 AMES: NEGATIVE (in vitro) (Anderson and Styles 1978)
- 470-82-6**                    **Eucalyptol**  
OECD 471 AMES: NEGATIVE (in vitro) (Haworth, 1983)
- 78-70-6**                    **Linalool**  
OECD 471 AMES: NEGATIVE (in vitro) (Letizia and al., 2007)
- 87-44-5**                    **beta-Caryophyllene**  
OECD 471 AMES: NEGATIVE (in vitro) (Heck and al., 1989)  
Suspected of causing genetic defects.
- Carcinogenicity
- 76-22-2**                    **1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one**  
Micronoyau: NEGATIVE (mouse) (NTP 1999)
- 78-70-6**                    **Linalool**  
Micronoyau: NEGATIVE (mouse) (in vivo, Letizia and al., 2007)  
Micronoyau: NEGATIVE (in vitro) (DiSotto and al., 2011)  
May cause cancer.
- Reproductive toxicity  
Not determined.
  - STOT-single exposure  
May cause damage to organs.
  - STOT-repeated exposure  
Not determined.
  - Aspiration hazard  
May be fatal if swallowed and enters airways.  
May be fatal if swallowed and enters airways.
  - Subacute to chronic toxicity:
- 76-22-2**                    **1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one**  
Oral, NOAEL: >800 mg/kg (rat) (fetal toxicity GD 6 to 15, NTP 1992)
- 78-70-6**                    **Linalool**  
Oral, NOAEL: 200 mg/kg (rat) (maternal toxicity, Politano and al., 2008)
- 87-44-5**                    **beta-Caryophyllene**  
Oral, NOAEL: 700 mg/kg (rat) (90 days Schmitt 2016)
- 11.2 Information on other hazards
- Endocrine disrupting properties  
Substance is not listed.

**SECTION 12: Ecological information**

- 12.1 Toxicity
- Aquatic toxicity:
- 8008-51-3**                    **Cinnamomum camphora (L.) J.Presl**  
CE50/48h: 112,2 mg/l (daphnia)
- 76-22-2**                    **1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one**  
CE50/48h: 26,82 mg/l (daphnia)  
ErC50(0-72h): 23,8 mg/l (algae)
- 78-70-6**                    **Linalool**  
LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991)  
ErC50(0-72h): 156,7 mg/l (algae)  
ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202)
- 5989-27-5**                    **(R)-p-mentha-1,8-diene**  
LD50: 0,71 mg/l (fish) (OECD 203)
- 123-35-3**                    **Myrcene**  
LD50: 0,51 mg/l (fish) (OECD 203)  
CE50/48h: 0,65 mg/l (daphnia)
- 99-87-6**                    **p-cymene**  
LD50: 1,63 mg/l (fish) (OECD 203)
- 93-15-2**                    **methyl eugenol**  
CE50/48h: 38 mg/l (daphnia) (Ministry of the Environment of Japan)

*(continued on page 10)*

2601002

Reviewed on: 25.01.2023  
Printing date: 25.01.2023

**PRODUCT : CAMPHOR OIL**

*(continued of page 9)*

2018)  
ErC50(0-72h): 22 mg/l (algae) (Ministry of the Environment of Japan  
2018)  
96h-LC50: 14 mg/l (fish) (Ministry of the Environment of Japan 2018)

**12.2 Persistence and degradability**

No further relevant information available.

- Behaviour in environmental systems:  
Not determined.

**12.3 Bioaccumulative potential**

No further relevant information available.

**12.4 Mobility in soil**

No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

- PBT:  
Not applicable.
- vPvB:  
Not applicable.

**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**12.6 Other adverse effects**

No further relevant information available.

- Ecotoxicological effects:  
Not determined.
- Remark:  
Toxic for fish
- Additional ecological information:
- General notes:  
Toxic for aquatic organisms  
The material is harmful to the environment.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

- Recommendation  
Must be specially treated adhering to official regulations.
- Uncleaned packaging:
- Recommendation:  
Disposal must be made according to official regulations.

**SECTION 14: Transport information**

**14.1 UN number or ID number**

*	<b>ADR</b>	UN1197
*	<b>IMDG</b>	UN1197
*	<b>IATA</b>	UN1197

**14.2 UN proper shipping name**

*	<b>ADR</b>	1197 EXTRACTS, LIQUID
*	<b>IMDG</b>	EXTRACTS, LIQUID
*	<b>IATA</b>	EXTRACTS, LIQUID

**14.3 Transport hazard class(es)**

**ADR**  
**Class** 3 (F1) Flammable liquids.

*(continued on page 11)*


2601002

Reviewed on: 25.01.2023  
Printing date: 25.01.2023

**PRODUCT : CAMPHOR OIL**

*(continued of page 10)*

**Label**




**IMDG**

**Class**

3 Flammable liquids.

**Label**



**IATA**

**Class**

3 Flammable liquids.

**Label**



14.4 Packing group

**ADR**

III

**IMDG**

III

**IATA**

III

14.5 Environmental hazards:

**Marine pollutant:**

Yes

14.6 Special precautions for user

Warning: Flammable liquids.

**Danger code (Kemler):**

30

**EMS Number:**

F-E,S-D

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

• Transport/Additional information:

Not applicable.

**ADR**

**Excepted quantities (EQ):**

E1

**Limited quantities (LQ)**

5L

**Transport category**

3

**Tunnel restriction code**

D/E

**IMDG**

**Limited quantities (LQ)**

5L

**Excepted quantities (EQ)**

E1

• UN "Model Regulation":

\* UN 1197 EXTRACTS, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUS

EU

*(continued on page 12)*

**CHEMICAL SAFETY DATA SHEET**  
according to 2020/878/EC (1907/2006/EC Article 31)

2601002

Reviewed on: 25.01.2023  
Printing date: 25.01.2023

**PRODUCT : CAMPHOR OIL***(continued of page 11)***SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II  
Substance is not listed.
  - REGULATION (EU) 2019/1148
  - Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))  
Substance is not listed.
  - Annex II - REPORTABLE EXPLOSIVES PRECURSORS  
Substance is not listed.
  - Regulation (EC) No 273/2004 on drug precursors  
Substance is not listed.
  - Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors  
Substance is not listed.
  
  - National regulations:
  - Additional classification according to Decree on Hazardous Materials, Annex II:  
Carcinogenic hazardous material group I (extremely dangerous).  
Carcinogenic hazardous material group II (very dangerous).  
Carcinogenic hazardous material group III (dangerous).
  
  - Information about limitation of use:  
Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.
  
  - Technical instructions (air):
  - Class Share in %  
I           68,00
  
  - Waterhazard class:  
Generally not hazardous for water.
- 15.2 Chemical safety assessment:  
A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

- Relevant phrases
 

H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H351	Suspected of causing cancer.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

*(continued on page 13)*

CHEMICAL SAFETY DATA SHEET  
according to 2020/878/EC (1907/2006/EC Article 31)

2601002

Reviewed on: 25.01.2023  
Printing date: 25.01.2023

**PRODUCT : CAMPHOR OIL***(continued of page 12)*

- Training hints  
Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.
- Abbreviations and acronyms:  
IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
IMDG: International Maritime Code for Dangerous Goods IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation DOT: US Department of Transportation  
IATA: International Air Transport Association IATA: International Air Transport Association  
ICAO: International Civil Aviation Organisation ICAO: International Civil Aviation Organisation  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society) CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative vPvB: very Persistent and very Bioaccumulative  
CE50: effective concentration at 50% ErC50:concentration of test substance which results in a 50 percent reduction in either growth rate (ErC50)relative to the control within 72hrs exposure.
- Sources  
IFRA/IOFI Labelling Manual,REACH registration dossier,supplier information
- \* Data compared to the previous version altered.