Reviewed on: 12.09.2024




1.1 Product identifier

2894401

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

Printing date: 12.09.2024 SECTION 01: Identification of the substance/mixture and of the company/undertaking



(continued on page 2)



2894401

		Printing date: 12.09
PRODUCT : JU	NIPER twigs OIL	
		(continued of page 1)
	e liquid and vapour. al if swallowed and enters airways.	
H315 Causes sk		
	an allergic skin reaction. to aquatic life with long lasting effects.	
- Precautionary	statements	
P210 Keep away P233 Keep cont	r from heat, hot surfaces, sparks, open flames and other ignit niner tightly closed.	ion sources. No smoking.
P240 Ground an	d bond container and receiving equipment.	
	WALLOWED: Immediately call a POISON CENTER/ doctor. e in a well-ventilated place. Keep cool.	
	contents/container in accordance with local/regional/ national	al/international regulations.
2.3 Other hazar	ts	
	and vPvB assessment	
- PBT:		
Not applicable. - vPvB:		
Not applicable.		
	of endocrine-disrupting properties	
None of the ing	redients is listed.	
SECTION 03: Co	mposition/information on ingredients	
3.1 Substances	Description	
CAS No. 8002-68-4	Description Juniperus communis L.	
 Identification 	•	
 EC number: 		
283-268-3		
• Dangerous co	mponents:	
CAS Number		%
80-56-8	ALPHA-PINENE	50,001-100
	EC number: 201-291-9	
	🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 🔅 Acute Tox. 4 - H302, Skin	
	Irrit. 2 - H315, Skin Sens. 1B - H317	
127-91-3	BETA-PINENE	10,001-20,00
	EC number: 204-872-5	
	🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 🚸 Skin Irrit. 2 - H315, Skin	
	Sens. 1B - H317	
123-35-3	Myrcene	5,001-10,00
	EC number: 204-622-5	-,,
	🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 🏈 Skin Irrit. 2 - H315, Eye	
	Irrit. 2 - H319	
5989-27-5	d-limonene	5,001-10,00
JJUJ-21-J	C number: 227-813-5	5,001-10,00
	Asp. Tox. 1 - H304; Flam. Liq. 3	
	- H226; (V) Skin Irrit. 2 - H315, Skin	
	Sens. 1B - H317; 🔄 Aquatic Acute 1 -	
2207 44 5	H400 (M=1); Aquatic Chronic 3 - H412	
3387-41-5	sabinene	1,001- 5,000
	EC number: 222-212-4	
	✓ ACULE I OX. 4 - H3UZ	(continued on normal)
		(continued on page 3)

٦



CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

2894401

Reviewed on: 12.09.2024

Printing	date:	12.09.2024

PRODUCT :	JUNIPER twigs OIL	
		(continued of page 2)
87-44-5	BETA-CARYOPHYLLENE EC number: 201-746-1 � Asp. Tox. 1 - H304; � Skin Sens.	1,001- 5,000
586-62-9	1B - H317 TERPINOLENE EC number: 209-578-0 � Asp. Tox. 1 - H304; ♥ Skin Sens.	1,001- 5,000
79-92-5	1B - H317;	1,001- 5,000
99-87-6	, Aquatic Chronic 1 - H410 (M=1) p-cymene EC number: 202-796-7 � Acute Tox. 3 - H331;	1,001- 5,000
562-74-3	- H304; Flam. Liq. 3 - H226; Aquatic Chronic 2 - H411 p-Menth-1-en-4-ol EC number: 209-235-5 Acute Tox. 4 - H302, Acute Tox. 4 -	1,001- 5,000
99-85-4	H332, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317, STOT SE 3 - H336 p-Mentha-1,4-diene EC number: 202-794-6 � Asp. Tox. 1 - H304; � Flam. Liq. 3	1,001- 5,000
475-20-7	- H226 Iongifolene EC number: 207-491-2 � Asp. Tox. 1 - H304; � Skin Irrit.	1,001- 5,000
555-10-2	2 - H315, Skin Sens. 1B - H317; Aquatic Acute 1 - H400 (M=10), Aquatic Chronic 1 - H410 (M=10) beta-Phellandrene EC number: 209-081-9 Asp. Tox. 1 - H304; Flam. Liq. 3	1,001- 5,000
98-55-5	- H226 p-menth-1-en-8-ol EC number: 202-680-6 Skin Irrit. 2 - H315, Eye Irrit. 2 -	1,001- 5,000
1139-30-6	H319 Caryophyllene oxide EC number: 214-519-7 ألاف Aquatic Chronic 2 - H411	0,101-1,000
99-86-5	1-isopropyI-4-methylcyclohexa-1,3-diene EC number: 202-795-1 � Asp. Tox. 1 - H304; � Flam. Liq. 3	0,101-1,000
———— FU ————	- H226; 🔅 Acute Tox. 4 - H302, Skin	(continued on page 4)



2894401

Reviewed on: 12.09.2024

Printing date: 12.09.2024

	UNIPER twigs OIL	
	A	(continued of page 3)
	Sens. 1 - H317; 🔅 Aquatic Chronic 2 -	
	H411	
13466-78-9	delta-3-Carene	0,101-1,000
	EC number: 236-719-3	-, - ,
	🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226;	
	Sens. 1B - H317	
	rst aid measures	
	of first aid measures	
General infor		
	e medical advice.	
 After inhalati 		
	r and to be sure call for a doctor.	
 After skin co If skin irritatio 	ntact: n continues, consult a doctor.	
	ash with water and soap and rinse thoroughly.	
 After eye cor 	itact:	
	eye for several minutes under running water. If symptoms pers	sist, consult a doctor.
 After swallow Seek immediat 	/ing: e medical advice.	
 Information 1 		
1		
	tant symptoms and effects, both acute and delayed at information available.	
	f any immediate medical attention and special treatm trian treatm to formation available.	ent needed
No further relevar		ent needed
No further relevar	refighting measures	ent needed
No further relevant SECTION 05: Fi 5.1 Extinguishin • Suitable exti	refighting measures ng media nguishing agents:	ent needed
No further relevant SECTION 05: Fi 5.1 Extinguishin • Suitable exti CO2, sand, exti	refighting measures ng media nguishing agents: inguishing powder. Do not use water.	ent needed
No further relevant SECTION 05: Fi 5.1 Extinguishin • Suitable exti CO2, sand, exti Use fire exting	refighting measures ng media nguishing agents: inguishing powder. Do not use water. uishing methods suitable to surrounding conditions.	ent needed
No further relevant SECTION 05: Fi 5.1 Extinguishin • Suitable exti CO2, sand, exti Use fire exting	refighting measures ng media nguishing agents: inguishing powder. Do not use water. uishing methods suitable to surrounding conditions. asons unsuitable extinguishing agents:	ent needed
No further relevant SECTION 05: Fi 5.1 Extinguishin • Suitable exti CO2, sand, ext Use fire exting • For safety re Water with full	nt information available. refighting measures ng media nguishing agents: inguishing powder. Do not use water. uishing methods suitable to surrounding conditions. asons unsuitable extinguishing agents: jet	ent needed
No further relevant SECTION 05: Fi 5.1 Extinguishin • Suitable exti CO2, sand, ext Use fire exting • For safety re Water with full 5.2 Special haz	refighting measures ng media nguishing agents: inguishing powder. Do not use water. uishing methods suitable to surrounding conditions. asons unsuitable extinguishing agents: jet ards arising from the substance or mixture	ent needed
No further relevant SECTION 05: Fi 5.1 Extinguishin • Suitable exti CO2, sand, ext Use fire exting • For safety re Water with full 5.2 Special haz	nt information available. refighting measures ng media nguishing agents: inguishing powder. Do not use water. uishing methods suitable to surrounding conditions. asons unsuitable extinguishing agents: jet	ent needed
No further relevant SECTION 05: Fi 5.1 Extinguishin • Suitable exti CO2, sand, ext Use fire exting • For safety re Water with full 5.2 Special haz	refighting measures ng media nguishing agents: inguishing powder. Do not use water. uishing methods suitable to surrounding conditions. asons unsuitable extinguishing agents: jet ards arising from the substance or mixture c gases is possible during heating or in case of fire.	ent needed
No further relevant SECTION 05: Fi 5.1 Extinguishin • Suitable exting CO2, sand, exting Use fire exting • For safety re Water with full 5.2 Special haz Formation of toxin 5.3 Advice for fi • Protective ecting	refighting measures ng media nguishing agents: inguishing powder. Do not use water. uishing methods suitable to surrounding conditions. asons unsuitable extinguishing agents: jet ards arising from the substance or mixture c gases is possible during heating or in case of fire. iirefighters uipment:	ent needed
No further relevant SECTION 05: Fi 5.1 Extinguishin • Suitable exting CO2, sand, exting Use fire exting • For safety re Water with full 5.2 Special haz Formation of toxin 5.3 Advice for fi • Protective ection on the formation of toxing Do not inhale of the formation of the form	refighting measures ng media nguishing agents: inguishing powder. Do not use water. uishing methods suitable to surrounding conditions. asons unsuitable extinguishing agents: jet ards arising from the substance or mixture c gases is possible during heating or in case of fire. iirefighters uipment: explosion gases or combustion gases.	ent needed
No further relevant SECTION 05: Fi 5.1 Extinguishin • Suitable extin CO2, sand, exting • For safety re Water with full 5.2 Special haz Formation of toxin 5.3 Advice for f • Protective ection Do not inhale e • Additional int	refighting measures ng media nguishing agents: inguishing powder. Do not use water. uishing methods suitable to surrounding conditions. asons unsuitable extinguishing agents: jet ards arising from the substance or mixture c gases is possible during heating or in case of fire. iirefighters uipment: explosion gases or combustion gases.	ent needed
No further relevant SECTION 05: Fi 5.1 Extinguishin • Suitable exti CO2, sand, exti Use fire exting • For safety re Water with full 5.2 Special haz Formation of toxic 5.3 Advice for f • Protective ection Do not inhale e • Additional int Cool endanger	ng media nguishing agents: inguishing powder. Do not use water. uishing methods suitable to surrounding conditions. asons unsuitable extinguishing agents: jet ards arising from the substance or mixture c gases is possible during heating or in case of fire. irefighters uipment: explosion gases or combustion gases. formation ed receptacles with water spray.	ent needed
No further relevant SECTION 05: Fi 5.1 Extinguishin • Suitable exti CO2, sand, ext Use fire exting • For safety re Water with full 5.2 Special haz Formation of toxic 5.3 Advice for f • Protective ec Do not inhale • Additional inf Cool endanger	nt information available. refighting measures inguishing agents: inguishing powder. Do not use water. uishing methods suitable to surrounding conditions. asons unsuitable extinguishing agents: jet ards arising from the substance or mixture c gases is possible during heating or in case of fire. irefighters uipment: explosion gases or combustion gases. formation ed receptacles with water spray. ccidental release measures	
No further relevant SECTION 05: Fi 5.1 Extinguishin • Suitable exti CO2, sand, ext Use fire exting • For safety re Water with full 5.2 Special haz Formation of toxid 5.3 Advice for f • Protective ec Do not inhale • Additional int Cool endanger SECTION 06: Ad 6.1 Personal pr	nt information available. refighting measures inguishing agents: inguishing powder. Do not use water. uishing methods suitable to surrounding conditions. asons unsuitable extinguishing agents: jet ards arising from the substance or mixture c gases is possible during heating or in case of fire. irefighters uipment: explosion gases or combustion gases. formation ed receptacles with water spray. ccidental release measures ecautions, protective equipment and emergency proce	
No further relevant SECTION 05: Fi 5.1 Extinguishin • Suitable exti CO2, sand, ext Use fire exting • For safety re Water with full 5.2 Special haz Formation of toxid 5.3 Advice for f • Protective ec Do not inhale • Additional int Cool endanger SECTION 06: Ad 6.1 Personal pr	refighting measures ng media nguishing agents: inguishing powder. Do not use water. uishing methods suitable to surrounding conditions. asons unsuitable extinguishing agents: jet ards arising from the substance or mixture c gases is possible during heating or in case of fire. irefighters uipment: explosion gases or combustion gases. formation ed receptacles with water spray. ccidental release measures ecautions, protective equipment and emergency proce quipment. Keep unprotected persons away.	
No further relevant SECTION 05: Fi 5.1 Extinguishin • Suitable exting CO2, sand, exting use fire exting • For safety re Water with full 5.2 Special haz Formation of toxin 5.3 Advice for fi • Protective ection Do not inhale ei • Additional int Cool endanger	ng media nguishing agents: inguishing powder. Do not use water. uishing methods suitable to surrounding conditions. asons unsuitable extinguishing agents: jet ards arising from the substance or mixture c gases is possible during heating or in case of fire. irefighters uipment: explosion gases or combustion gases. formation ed receptacles with water spray. ccidental release measures ecautions, protective equipment and emergency proce quipment. Keep unprotected persons away. ventilation	
No further relevant SECTION 05: Fi 5.1 Extinguishin • Suitable exting CO2, sand, exting befire exting • For safety re Water with full 5.2 Special haz Formation of toxin 5.3 Advice for fi • Protective ection Do not inhale exting • Additional into Cool endanger SECTION 06: Add 6.1 Personal proversion of the term Wear protective exting Security and the term of the term Wear protective exting Security and the term of the term of the term Security and the term of the term of the term of the term Security and the term of term of the term of the term of t	ng media nguishing agents: inguishing powder. Do not use water. uishing methods suitable to surrounding conditions. asons unsuitable extinguishing agents: jet ards arising from the substance or mixture c gases is possible during heating or in case of fire. irefighters uipment: explosion gases or combustion gases. formation ed receptacles with water spray. ccidental release measures ecautions, protective equipment and emergency proce quipment. Keep unprotected persons away. ventilation gnition sources.	
No further relevant SECTION 05: Fi 5.1 Extinguishin • Suitable exti CO2, sand, ext Use fire exting • For safety re Water with full 5.2 Special haz Formation of toxic 5.3 Advice for f • Protective ec Do not inhale e • Additional inf Cool endanger SECTION 06: Ad 6.1 Personal pr Wear protective e Ensure adequate Keep away from i 6.2 Environmer	nt information available. refighting measures inguishing agents: inguishing powder. Do not use water. uishing methods suitable to surrounding conditions. asons unsuitable extinguishing agents: jet ards arising from the substance or mixture c gases is possible during heating or in case of fire. irefighters uipment: explosion gases or combustion gases. formation ed receptacles with water spray. ccidental release measures ecautions, protective equipment and emergency proce quipment. Keep unprotected persons away. ventilation gnition sources. atal precautions:	
No further relevant SECTION 05: Fi 5.1 Extinguishin • Suitable exti CO2, sand, ext Use fire exting • For safety re Water with full 5.2 Special haz Formation of toxic 5.3 Advice for f • Protective ect Do not inhale e • Additional inf Cool endanger SECTION 06: Ad 6.1 Personal pr Wear protective e Ensure adequate Keep away from i 6.2 Environmer Do not allow proc	ng media nguishing agents: inguishing powder. Do not use water. uishing methods suitable to surrounding conditions. asons unsuitable extinguishing agents: jet ards arising from the substance or mixture c gases is possible during heating or in case of fire. irefighters uipment: explosion gases or combustion gases. formation ed receptacles with water spray. ccidental release measures ecautions, protective equipment and emergency proce quipment. Keep unprotected persons away. ventilation gnition sources.	edures
No further relevant SECTION 05: Fi 5.1 Extinguishin • Suitable extin CO2, sand, ext Use fire exting • For safety re Water with full 5.2 Special haz Formation of toxid 5.3 Advice for f • Protective ec Do not inhale of • Additional int Cool endanger SECTION 06: Ad 6.1 Personal pr Wear protective ec Ensure adequate of Keep away from i 6.2 Environmer Do not allow prod Inform respective	nt information available. refighting measures inguishing agents: inguishing powder. Do not use water. uishing methods suitable to surrounding conditions. aasons unsuitable extinguishing agents: jet ards arising from the substance or mixture c gases is possible during heating or in case of fire. irefighters uipment: explosion gases or combustion gases. formation ed receptacles with water spray. ccidental release measures ecautions, protective equipment and emergency proce quipment. Keep unprotected persons away. ventilation gnition sources. atal precautions: uct to reach sewage system or any water course.	edures
No further relevant SECTION 05: Fi 5.1 Extinguishin • Suitable exting CO2, sand, exting • For safety re Water with full 5.2 Special haz Formation of toxin 5.3 Advice for f • Protective ec Do not inhale of • Additional int Cool endanger SECTION 06: AC 6.1 Personal pr Wear protective ec Ensure adequate Keep away from i 6.2 Environmer Do not allow proc Inform respective 6.3 Methods ant	nt information available. refighting measures ng media nguishing agents: inguishing powder. Do not use water. uishing methods suitable to surrounding conditions. asons unsuitable extinguishing agents: jet ards arising from the substance or mixture c gases is possible during heating or in case of fire. irefighters uipment: explosion gases or combustion gases. formation ed receptacles with water spray. ccidental release measures ecautions, protective equipment and emergency proce quipment. Keep unprotected persons away. ventilation gnition sources. authorities in case of seepage into water course. authorities in case of seepage into water course or sewage sy d material for containment and cleaning up: ated material as waste according to item 13.	edures



2894401

	(continued of page 4
6.4 Reference to other sections	
See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
ECTION 07: Handling and storage	
7.1 Precautions for safe handling	
Keep receptacles tightly sealed. Keep away from heat and direct sunlight.	
Ensure good ventilation/exhaustion at the workplace.	
Handle with care. Avoid jolting, friction and impact.	
 Information about fire - and explosion protection: 	
Keep ignition sources away - Do not smoke.	
Protect against electrostatic charges.	
7.2 Conditions for safe storage, including any incompatibilities	
Storage:Requirements to be met by storerooms and receptacles:	
Store only in the original receptacle.	
Prevent any seepage into the ground.	
Use only receptacles specifically permitted for this substance/ product.	
 Information about storage in one common storage facility: Not required. 	
 Further information about storage conditions: 	
Keep container tightly sealed.	
Protect from heat and direct sunlight.	
Store receptacle in a well ventilated area.	
7.3 Specific end use(s)	
No further relevant information available.	
8.1 Control parameters	
• Ingredients with limit values that require monitoring at the workplace:	
• Ingredients with limit values that require monitoring at the workplace: Not required.	
• Ingredients with limit values that require monitoring at the workplace:	
 Ingredients with limit values that require monitoring at the workplace: Not required. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls 	
 Ingredients with limit values that require monitoring at the workplace: Not required. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Individual protection measures, such as personal protective equipment 	
 Ingredients with limit values that require monitoring at the workplace: Not required. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Individual protection measures, such as personal protective equipment General protective and hygienic measures: 	
 Ingredients with limit values that require monitoring at the workplace: Not required. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. 	
 Ingredients with limit values that require monitoring at the workplace: Not required. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. 	
 Ingredients with limit values that require monitoring at the workplace: Not required. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. 	
 Ingredients with limit values that require monitoring at the workplace: Not required. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. 	
 Ingredients with limit values that require monitoring at the workplace: Not required. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Respiratory protection: 	
 Ingredients with limit values that require monitoring at the workplace: Not required. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. 	
 Ingredients with limit values that require monitoring at the workplace: Not required. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Respiratory protection: 	
 Ingredients with limit values that require monitoring at the workplace: Not required. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. Protection of hands: Protection of hands: The glove material has to be impermeable and resistant to the product/ the substa 	
 Ingredients with limit values that require monitoring at the workplace: Not required. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substa Due to missing tests no recommendation to the glove material can be given for 	
 Ingredients with limit values that require monitoring at the workplace: Not required. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. Protection of hands: Protection of hands: The glove material has to be impermeable and resistant to the product/ the substa 	the product/ the preparation/ 1
 Ingredients with limit values that require monitoring at the workplace: Not required. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substa Due to missing tests no recommendation to the glove material can be given for chemical mixture. 	the product/ the preparation/ t
 Ingredients with limit values that require monitoring at the workplace: Not required. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substa Due to missing tests no recommendation to the glove material can be given for chemical mixture. Selection of the glove material on consideration of the penetration times, rates of a Material of gloves The selection of the suitable gloves does not only depend on the material, but als 	the product/ the preparation/ t
 Ingredients with limit values that require monitoring at the workplace: Not required. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. Protection of hands: Protection of hands: Due to missing tests no recommendation to the glove material can be given for chemical mixture. Selection of the glove material on consideration of the penetration times, rates of the Material of gloves The selection of the suitable gloves does not only depend on the material, but als varies from manufacturer to manufacturer. 	the product/ the preparation/ t
 Ingredients with limit values that require monitoring at the workplace: Not required. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. Protection of hands: Protection of hands: Due to missing tests no recommendation to the glove material can be given for chemical mixture. Selection of the glove material on consideration of the penetration times, rates of Material of gloves The selection of the suitable gloves does not only depend on the material, but als varies from manufacturer to manufacturer. Penetration time of glove material 	the product/ the preparation/ t diffusion and the degradation o on further marks of quality ar
 Ingredients with limit values that require monitoring at the workplace: Not required. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. Protection of hands: Protection of hands: Due to missing tests no recommendation to the glove material can be given for chemical mixture. Selection of the glove material on consideration of the penetration times, rates of the Material of gloves The selection of the suitable gloves does not only depend on the material, but als varies from manufacturer to manufacturer. 	the product/ the preparation/ t diffusion and the degradation o on further marks of quality ar
 Ingredients with limit values that require monitoring at the workplace: Not required. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substa Due to missing tests no recommendation to the glove material can be given for chemical mixture. Selection of the glove material on consideration of the penetration times, rates of a Material of gloves The selection of the suitable gloves does not only depend on the material, but als varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the observed. Eye/face protection 	the product/ the preparation/ t diffusion and the degradation o on further marks of quality ar
 Ingredients with limit values that require monitoring at the workplace: Not required. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. Protection of hands: Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substa Due to missing tests no recommendation to the glove material can be given for chemical mixture. Selection of the glove material on consideration of the penetration times, rates of a Material of gloves The selection of the suitable gloves does not only depend on the material, but als varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the observed. Eye/face protection Safety glasses 	the product/ the preparation/ t diffusion and the degradation o on further marks of quality ar
 Ingredients with limit values that require monitoring at the workplace: Not required. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substa Due to missing tests no recommendation to the glove material can be given for chemical mixture. Selection of the glove material on consideration of the penetration times, rates of a Material of gloves The selection of the suitable gloves does not only depend on the material, but als varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the observed. Eye/face protection 	the product/ the preparation/ t diffusion and the degradation o on further marks of quality ar



2894401

Printing date:	12.09.2024

Boots	(continued of page 5
DUUIS	
SECTION 09: Physical and chemical	properties
9.1 Information on basic physical and chemic	
General Information	
Physical state	Fluid
Colour:	colourless to light yellow
Odour:	balsamic
Odour threshold:	Not determined.
Boiling point or initial boiling point and boiling range	Not determined.
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	41,0 °C NFT 60-103 CC
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not determined.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	0,8570 0,872 D20/20
Vapour density	Not determined.
9.2 Other information	No further relevant information available.
Appearance:	6 · · ·
Form:	fluid
Important information on protection of health	
Auto-ignition temperature:	Not determined.
Explosive properties: Solvent content:	Not determined.
Solids content:	0.00 %
Change in condition	0,00 /0
-	
Evaporation rate	Not determined.
Information with regard to physical hazard cl	
Explosives	not applicable
Flammable gases Aerosols	not applicable
	not applicable
Oxidising gases	not applicable
Gases under pressure Flammable liquids	not applicable Flammable liquid and vapour.
Flammable solids	not applicable
Self-reactive substances and mixtures	not applicable
Pyrophoric liquids	not applicable
i Jiophono ngulua	



2894401

Reviewed on: 12.09.2024 Printing date: 12.09.2024

Printing date: 12	.09.2024
-------------------	----------

		(continued of page 6)
Self-heating substances and mixtures	not applicable	
Substances and mixtures, which emit flammable gases in contact with water	not applicable	
Oxidising liquids	not applicable	
Oxidising solids	not applicable	
Organic peroxides	not applicable	
Corrosive to metals	not applicable	
Desensitised explosives	not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Not determined.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

ISO LD/LC

(continued on page 8)

• LD/LC50 values relevant for classification:

8002-68-4 Juniperus communis L. Oral, LD50: >=5000 mg/kg (rat) Dermal, LD50: >=5000 mg/kg (Rabbit) 5989-27-5 (R)-p-mentha-1,8-diene Oral, LD50: 4400 mg/kg (rat) 87-44-5 **BETA-CARYOPHYLLENE** Oral, LD50: > 5000 mg/kg (rat) (Hart and Wong 1971) 79-92-5 camphene Oral, LD50: 5000 mg/kg (rat) Dermal, LD50: 2500 mg/kg (Rabbit) 98-55-5 p-menth-1-en-8-ol Oral, LD50: 4300 mg/kg (rat) 1139-30-6 Caryophyllene oxide Oral, LD50: >5000 mg/kg (rat) (Moreno 1978) 99-86-5 ALPHA-TERPINENE Oral, LD50: 1680 mg/kg (ATE) 13466-78-9 delta-3-Carene Oral, LD50: 4800 mg/kg (rat) (Moreno 1975) Primary irritant effect: Skin corrosion/irritation Irritant to skin and mucous membranes. Causes skin irritation. Serious eye damage/irritation No irritating effect. Respiratory or skin sensitisation Sensitization possible through skin contact. Germ cell mutagenicity

Acute toxicity




2894401

	Reviewed on: 12. Printing date: 12.
PRODUCT : JUNIPER twigs OIL	
	(continued of page 7)
87-44-5 BETA-CARYOPHYLLENE	
OECD 471 AMES: NEGATIVE (in vitro) (Heck and al., 1989)	
1139-30-6 Caryophyllene oxide	
OECD 471 AMES: NEGATIVE (in vitro) (Richold and al, 1979)	
Carcinogenicity Not determined.	
Reproductive toxicity	
Not determined.	
 STOT-single exposure Not determined. 	
STOT-repeated exposure	
Not determined.	
Aspiration hazard	
May be fatal if swallowed and enters airways. May be fatal if swallowed and enters airways.	
 Subacute to chronic toxicity: 	
87-44-5 BETA-CARYOPHYLLENE	
Oral, NOAEL: 700 mg/kg (rat) (90 days Schmitt 2016)	
• 11.2 Information on other hazards	
Endocrine disrupting properties	
None of the ingredients is listed.	
CECTION 12, Ecological information	
SECTION 12: Ecological information	
12.1 ToxicityAquatic toxicity:	
8002-68-4 Juniperus communis L.	
CE50/48h: 21,995 mg/l (daphnia) (OECD 202 / EU Method C.2)	
ErC50(0-72h): 13 mg/l (algae) (OECD 201)	
96h-LC50: 29,173 mg/l (fish) (OECD 203 / EU Method C.1)	
123-35-3 Myrcene LD50: 0,51 mg/l (fish) (OECD 203)	
CE50/48h: 0,65 mg/l (daphnia)	
5989-27-5 (R)-p-mentha-1,8-diene	
LD50: 0,71 mg/l (fish) (OECD 203)	
99-87-6 p-cymene	
LD50: 1,63 mg/l (fish) (OECD 203)	
12.2 Persistence and degradability	
No further relevant information available.	
Behaviour in environmental systems:	
Not determined.	
12.3 Bioaccumulative potential	
No further relevant information available.	
12.4 Mobility in soil No further relevant information available.	
12.5 Results of PBT and vPvB assessment	
• PBT:	
Not applicable.	
 vPvB: Not applicable. 	
12.6 Endocrine disrupting properties	
The product does not contain substances with endocrine disrupting properties.	
12.6 Other adverse effects	
No further relevant information available.	
Ecotoxical effects:	
Not determined.Additional ecological information:	
General notes:	
The material is harmful to the environment.	
EU	
	(continued on page 9



2894401





2894401

Reviewed on: 12.09.2024 Printing date: 12.09.2024

	ulk according to IMO instruments	(continued of page 9)
Not applicable.		
Transport/Additional inform	nation:	
ADR		
Excepted quantities (EQ):	E1	
Limited quantities (LQ)	5L	
. Transport category	3	
. Tunnel restriction code	D/E	
. IMDG		
Limited quantities (LQ)	5L	
Excepted quantities (EQ)	E1	
• UN "Model Regulation": UN 1197 EXTRACTS, LIQUID,	3, III, ENVIRONMENTALLY HAZARDOUS	

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II
- None of the ingredients is listed.REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
- None of the ingredients is listed.
 Annex II REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed.
- Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed.

- National regulations:
- Waterhazard class: Generally not hazardous for water.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

- Relevant phrases
 - H226 Flammable liquid and vapour.
 - H228 Flammable solid.
 - H302 Harmful if swallowed.
 - H304 May be fatal if swallowed and enters airways.
 - H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H336May cause drowsiness or dizziness.H400Very toxic to aquatic life.
- H400Very toxic to aquatic life.H410Very toxic to aquatic life with long lasting effects.

(continued on page 11)



2894401

	PRODUCT :	JUNIPER twigs OIL
	H411 H412	(continued of page 10) Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.
* * *	purpose o labeling of Date of p 08.07.202	training in occupational risk prevention is recommended for personnel who will handle this product, in the f facilitating the understanding and interpretation of this form of safety data in the same way as the the product. The product. Direvious version:
	IFRA:Inter ADR: Acco the Interna RID: Règle Concernin IMDG: Int DOT: US I IATA: Inte ICAO: Inte GHS: Glob EINECS: E ELINCS: E CAS: Cher LC50: Lett PBT: Persi	tions and acronyms: mational Fragrance Association IOFI:International Organization of the Flavor Industry ord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning ational Carriage of Dangerous Goods by Road) ement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations g the International Transport of Dangerous Goods by Rail) ernational Maritime Code for Dangerous Goods Department of Transportation ernational Air Transport Association ernational Civil Aviation Organisation vally Harmonised System of Classification and Labelling of Chemicals turopean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances nical Abstracts Service (division of the American Chemical Society) hal concentration, 50 percent hald ose, 50 percent stent, Bioaccumulative and Toxic / Persistent and very Bioaccumulative
	Sources IFRA/IOFI	Labelling Manual, REACH registration dossier, supplier information
	• * Data co	ompared to the previous version altered.