


2874800





2874800

RODUCT :	GERANIUM EGYPT OIL	
H318 Causes	serious eye damage.	(continued of page 1
H412 Harmfu	l to aquatic life with long lasting effects.	
	ıry statements reathing dust/fume/gas/mist/vapours/spray.	
P264 Wash th	noroughly after handling.	
P272 Contam	inated work clothing should not be allowed out of the workplace. F SWALLOWED: Immediately call a POISON CENTER/ doctor.	
P405 Store lo		
P501 Dispose	of contents/container in accordance with local/regional/ national	l/international regulations.
2.3 Other haz	ards	
	PBT and vPvB assessment	
 PBT: Not applicabl 	0	
- vPvB:	е.	
Not applicabl		
	ion of endocrine-disrupting properties ngredients is listed.	
ECTION 03: (Composition/information on ingredients	
3.1 Substance CAS No.	2S Description	
8000-46-2	Pelargonium graveolens L'Hér. (syn: Pelargonium X	
	asperum Ehrhart ex Willdenow)	
Identificatio		
• EC number 290-140-0	:	
Dangerous	components:	
CAS Number		%
106-22-9	CITRONELLOL	20,001-50,00
	EC number: 203-375-0 🚸 Skin Irrit. 2 - H315, Eye Irrit. 2 -	
400.04.4	H319, Skin Sens. 1B - H317	40 004 00 00
106-24-1	GERANIOL EC number: 203-377-1	10,001-20,00
	♦ Eye Dam. 1 - H318; ♦ Skin Irrit. 2	
	- H315, Skin Sens. 1 - H317	
105-85-1	Citronellyl formate	5,001-10,00
103-03-1	EC number: 203-338-9	3,001-10,00
	Skin Irrit. 2 - H315, Skin Sens. 1B -	
	H317	
491-07-6	d,I-Isomenthone	5,001-10,00
	EC number: 207-727-4	-,
	Skin Irrit. 2 - H315, Skin Sens. 1B -	
	H317	
78-70-6	LINALOOL	1,001- 5,000
	EC number: 201-134-4	.,
	Skin Irrit. 2 - H315, Eye Irrit. 2 -	
	H319, Skin Sens. 1B - H317	
105-86-2	Geranyl formate	1,001- 5,000
	EC number: 203-339-4	.,
	Skin Sens. 1B - H317; Aquatic	
	Acute 1 - H400 (M=1), Aquatic Chronic 2 -	
10458-14-7	H411 Menthone	1,001- 5,000



2874800

Reviewed on: 25.04.2024 Printing date: 25.04.2024

PRODUCT :	GERANIUM EGYPT OIL	
		(continued of page 2)
	EC number: 233-944-9	
	🔅 Skin Irrit. 2 - H315, Skin Sens. 1B -	
	H317	
87-44-5	BETA-CARYOPHYLLENE	1,001- 5,000
	EC number: 201-746-1	
	🚸 Asp. Tox. 1 - H304; 🚺 Skin Sens.	
	1B - H317	
5392-40-5	CITRAL	0,101-1,000
	EC number: 226-394-6	
	🔅 Skin Irrit. 2 - H315, Eye Irrit. 2 -	
	H319, Skin Sens. 1B - H317	
106-25-2	Nerol	0,101-1,000
	EC number: 203-378-7	
	🔅 Skin Irrit. 2 - H315, Eye Irrit. 2 -	
	H319, Skin Sens. 1B - H317	
80-56-8	ALPHA-PINENE	0,101-1,000
	EC number: 201-291-9	
	🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 🕚 Acute Tox. 4 - H302, Skin	
	Irrit. 2 - H315, Skin Sens. 1B - H317	
105-87-3	GERANYL ACETATE	0,101-1,000
	EC number: 203-341-5	
	😲 Skin Irrit. 2 - H315, Skin Sens. 1B -	
	H317; Aquatic Chronic 3 - H412	
106-23-0	CITRONELLAL	0,101-1,000
	EC number: 203-376-6	
	🚸 Skin Irrit. 2 - H315, Eye Irrit. 2 -	
	H319, Skin Sens. 1B - H317	
13877-91-3	3,7-Dimethyl-1,3,6-octatriene	0,101-1,000
	EC number: 237-641-2	
	🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 🚸 Skin Irrit. 2 - H315; 🚸	
	Aquatic Acute 1 - H400 (M=1), Aquatic	
	Chronic 2 - H411	
5989-27-5	d-limonene	0,101-1,000
	EC number: 227-813-5	
	🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 🚸 Skin Irrit. 2 - H315, Skin	
	Sens. 1B - H317; 🔖 Aquatic Acute 1 -	
	H400 (M=1); Aquatic Chronic 3 - H412	

SECTION 04: First aid measures

- 4.1 Description of first aid measures
- General information:
 - Seek immediate medical advice.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.After skin contact:
- If skin irritation continues, consult a doctor.
- Immediately wash with water and soap and rinse thoroughly.

After eye contact:



2874800

	Printing date: 25.04.202
PRODUCT :	GERANIUM EGYPT OIL
5.	(continued of page 3)
After swa	ned eye for several minutes under running water. If symptoms persist, consult a doctor. allowing:
Seek imm	ediate medical advice.
 Informat 	ion for doctor:
	portant symptoms and effects, both acute and delayed
No further re	levant information available.
	on of any immediate medical attention and special treatment needed levant information available.
SECTION 05:	Firefighting measures
	ishing media
	extinguishing agents:
	l, extinguishing powder. Do not use water. ktinguishing methods suitable to surrounding conditions.
 For safet 	y reasons unsuitable extinguishing agents:
Water with	n full jet
	hazards arising from the substance or mixture
Formation of	toxic gases is possible during heating or in case of fire.
	for firefighters
	e equipment: hale explosion gases or combustion gases.
	al information
Cool enda	ngered receptacles with water spray.
SECTION 06:	Accidental release measures
	al precautions, protective equipment and emergency procedures
	ive equipment. Keep unprotected persons away. Iate ventilation
	om ignition sources.
6.2 Environ	mental precautions:
Do not allow	product to reach sewage system or any water course.
Inform respe	ctive authorities in case of seepage into water course or sewage system.
	s and material for containment and cleaning up:
	aminated material as waste according to item 13. Jate ventilation.
6 4 Deferer	nce to other sections
	7 for information on safe handling.
	3 for information on personal protection equipment. 13 for disposal information.
	Llandling and storage
	Handling and storage
	ions for safe handling cles tightly sealed.
Keep away fr	om heat and direct sunlight.
Prevent form	ventilation/exhaustion at the workplace. ation of aerosols.
	care. Avoid jolting, friction and impact. ion about fire - and explosion protection:
Keep ignit	ion sources away - Do not smoke.
Protect ag	ainst electrostatic charges.
7.2 Condition	ons for safe storage, including any incompatibilities
Storage: • Requirem	nents to be met by storerooms and receptacles:
	in the original receptacle.
	(continued on page 5)



2874800

PRODUCT :	GERANIUM EGYPT OIL
D	(continued of page 4)
	y seepage into the ground. eceptacles specifically permitted for this substance/ product.
	on about storage in one common storage facility:
Not require	u. Iformation about storage conditions:
	iner tightly sealed.
	n heat and direct sunlight.
	ptacle in a well ventilated area.
7.3 Specific	end use(s) evant information available.
SECTION 08:	Exposure controls/personal protection
8.1 Control	
 Ingredien Not require 	ts with limit values that require monitoring at the workplace:
	l information:
	alid during the making were used as basis.
8.2 Exposur	e controls
	l protection measures, such as personal protective equipment
 General p 	protective and hygienic measures:
The usual	precautionary measures are to be adhered to when handling chemicals.
	from foodstuffs, beverages and feed.
	ly remove all soiled and contaminated clothing
	s before breaks and at the end of work.
	ale gases / fumes / aerosols.
	ale dust / smoke / mist. act with the skin.
	act with the eyes.
	ry protection:
	e respiratory protective device in case of insufficient ventilation.
	brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use
	ned respiratory protective device.
 Protection 	
Protective	
	material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to mis	ssing tests no recommendation to the glove material can be given for the product/ the preparation/ th
chemical n Selection of	nxture. If the glove material on consideration of the penetration times, rates of diffusion and the degradation
 Material d 	
	on of the suitable gloves does not only depend on the material, but also on further marks of quality and
	n manufacturer to manufacturer.
	on time of glove material
	break through time has to be found out by the manufacturer of the protective gloves and has to be
observed.	
 Eye/face 	protection
Safety glas	
Safety glas	
 Body prof 	
	s protective clothing
Boots	
Doots	

General Information		
Physical state	Fluid	
Colour:	yellow to green	
Odour:	rose	
Odour threshold:	Not determined.	
Boiling point or initial boiling point and boiling range	Not determined.	



2874800

		(continued of page 5)
Flammability	Not determined.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	64,0 °C NFT 60-103 CC	
Decomposition temperature:	Not determined.	
pH	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
Dynamic:	Not determined.	
Solubility		
water:	Not determined.	
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure:	Not determined.	
Density and/or relative density		
Density:	Not determined.	
Relative density	0,8830 0,905 D20/20	
Vapour density	Not determined.	
9.2 Other information	No further relevant information available.	
Appearance:		
Form:	fluid	
Important information on protection of health	and environment, and on safety.	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Not determined.	
Solvent content:		
Solids content:	0,00 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard cl	asses	
Explosives	not applicable	
Flammable gases	not applicable	
Aerosols	not applicable	
Oxidising gases	not applicable	
Gases under pressure	not applicable	
Flammable liquids	not applicable	
Flammable solids	not applicable	
Self-reactive substances and mixtures	not applicable	
Pyrophoric liquids	not applicable	
Pyrophoric solids	not applicable	
Self-heating substances and mixtures	not applicable	
Substances and mixtures, which emit flammable gases in contact with water	not applicable	
Oxidising liquids	not applicable	
Oxidising solids	not applicable	
Organic peroxides	not applicable	
Corrosive to metals	not applicable	



2874800

		Printing date: 25.04.
PRODUCT : G	ERANIUM EGYPT OIL	
		(continued of page 6)
SECTION 10: St	ability and reactivity	
10.1 Reactivity		
No further relevan	t information available.	
10.2 Chemical s	tability	
10.3 Possibility	of hazardous reactions	
No dangerous rea	tions known.	
10.4 Conditions	to avoid	
No further relevan	t information available.	
10.5 Incompatil		
No further relevan	t information available.	
10.6 Hazardous	decomposition products:	
Not determined.		
SECTION 11: To	xicological information	
11.1 Informatio	n on hazard classes as defined in Regulatio	on (EC) No 1272/2008
 Acute toxicity 	,	
 LD/LC50 valu 	es relevant for classification:	
8000-46-2	Polorgonium groupolono L'Hér, (ouni Poloi	ISO LD/LC
0000-40-2	Pelargonium graveolens L'Hér. (syn: Pelar asperum Ehrhart ex Willdenow)	gomum x
	5000 mg/kg (rat)	
	2500 mg/kg (Rabbit)	
106-22-9 Oral, LD50: 34	CITRONELLOL 50 mg/kg (rat)	
Dermal, LD50:	2650 mg/kg (Rabbit)	
78-70-6 Oral, LD50: 27	LINALOOL 90 mg/kg (rat)	
	5610 mg/kg (Rabbit)	
87-44-5 Oral LD50' > 1	BETA-CARYOPHYLLENE 5000 mg/kg (rat) (Hart and Wong 1971)	
5392-40-5	CITRAL	
Oral, LD50: 49		
105-87-3 Oral, LD50: >4	GERANYL ACETATE 000 mg/kg (rat) (NTP 1987)	
5989-27-5	(R)-p-mentha-1,8-diene	
Oral, LD50: 44		
 Primary irrita Skin corrosio 		
	and mucous membranes.	
Causes skin irriSerious eye of	lamage/irritation	
Strong irritant Causes serious	with the danger of severe eye injury.	
	r skin sensitisation	
Sensitization pGerm cell mu	ossible through skin contact. tagenicity	
• Gerni cen mu 78-70-6	LINALOOL	
OECD 471 AME	S: NEGATIVE (in vitro) (Letizia and al., 2007)	
87-44-5 OFCD 471 AME	BETA-CARYOPHYLLENE S: NEGATIVE (in vitro) (Heck and al., 1989)	
105-87-3	GERANYL ACETATE	
OECD 471 AME	S: NEGATIVE (in vitro) (NTP 1987)	
 Carcinogenici 78-70-6 	ty LINALOOL	
Micronoyau: NI	EGATIVE (mouse) (in vivo, Letizia and al., 2007)	
	EGATIVE (in vitro) (DiSotto and al., 2011)	
Micronoyau: NI 105-87-3	GERANYL ACETATE	



2874800

	Printing date: 25
PRODUCT : GERANIUM EGYPT OIL	
Micropolyau NECATIVE (maura) (in viva Challey 1002)	(continued of page 7
Micronoyau: NEGATIVE (mouse) (in vivo, Shelby 1993) Reproductive toxicity 	
Not determined.	
STOT-single exposure	
Not determined.	
 STOT-repeated exposure 	
Not determined.	
 Aspiration hazard 	
May be fatal if swallowed and enters airways.	
May be fatal if swallowed and enters airways.	
 Subacute to chronic toxicity: 	
78-70-6 LINALOOL	
Oral, NOAEL: 200 mg/kg (rat) (maternal toxicity, Politano and al.,	
2008)	
87-44-5 BETA-CARYOPHYLLENE	
Oral, NOAEL: 700 mg/kg (rat) (90 days Schmitt 2016)	
11.2 Information on other hazards	
Endocrine disrupting properties	
None of the ingredients is listed.	
SECTION 12: Ecological information	
12.1 Toxicity	
Aquatic toxicity:	
8000-46-2 Pelargonium graveolens L'Hér. (syn: Pelargonium X	
asperum Ehrhart ex Willdenow)	
CE50/48h: 7,6 mg/l (daphnia)	
78-70-6 LINALOOL	
LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991)	
ErC50(0-72h): 156,7 mg/l (algae)	
ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202)	
5989-27-5 (R)-p-mentha-1,8-diene	
LD50: 0,71 mg/l (fish) (OECD 203)	
12.2 Persistence and degradability	
No further relevant information available.	
Behaviour in environmental systems:	
Not determined.	
12.3 Bioaccumulative potential	
No further relevant information available.	
12.4 Mobility in soil	
No further relevant information available.	
12.5 Results of PBT and vPvB assessment	
PBT: Not applicable.	
• vPvB:	
Not applicable.	
12.6 Endocrine disrupting properties	
The product does not contain substances with endocrine disrupting properties.	
12.6 Other adverse effects	
No further relevant information available.	
Ecotoxical effects:	
Not determined.	
Remark: Homeful to fish	
Harmful to fish	
 Additional ecological information: 	
Additional ecological information:General notes:	
 Additional ecological information: 	



2874800

Reviewed on: 25.04.2024

PRODUCT : GERA	NIUM EGYPT OIL	
		(continued of page
SECTION 13: Dispo	sal considerations	
12 1 Wasta traatm	ant mathada	
13.1 Waste treatmeRecommendation		
	eated adhering to official regulations.	
 Uncleaned packa Recommendation 		
	nade according to official regulations.	
SECTION 14: Trans		
14.1 UN number or . ADR	ID number Not classified	
IMDG	Not classified	
	Not classified	
14.2 UN proper shi		
. ADR	Not classified	
IMDG	Not classified	
. IATA	Not classified	
14.3 Transport haz	ard class(es)	
Class	Not classified	
IMDG		
. Class	Not classified	
. IATA		
. Class	Not classified	
14.4 Packing group		
. ADR	Not classified	
. IMDG	Not classified	
. IATA	Not classified	
14.5 Environmenta Not applicable.	hazards:	
14.6 Special precau	itions for user	

Not applicable.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II None of the ingredients is listed.
- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed.
- Annex II REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed.
- Regulation (EC) No 273/2004 on drug precursors ٠ None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed.
- National regulations:

(continued on page 10)



2874800

Reviewed on: 25.04.2024 Printing date: 25.04.2024

PRODUCT : GERANIUM EGYPT OIL (continued of page 9) Technical instructions (air): • Class Share in % • Waterhazard class: Generally not hazardous for water. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out. SECTION 16: Other information The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document. The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force. Relevant phrases H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. H411 H412 Harmful to aquatic life with long lasting effects. Training hints Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product. Abbreviations and acronyms: IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Sources IFRA/IOFI Labelling Manual, REACH registration dossier, supplier information • * Data compared to the previous version altered.