

1744406

Reviewed on: 22.03.2024 Printing date: 22.03.2024

			Printing date: 22.03
ECTION 01: Identific	tion of the substance/mix	ture and of the comp	oany/undertaking
1.1 Product identifier			
<ul> <li>Trade name: CEDAR ATLAS OIL</li> <li>Article number: A0250</li> <li>CAS Number: 8023-85-6</li> </ul>			
<ul> <li>EC Number: 295-985-9</li> <li>No CAS EINECS: 92201-55-3</li> <li>Registration number</li> </ul>			
01-2120141735-57-00 1.2 Relevant identified Application of the subs Perfume ingredient Only for industrial use	uses of the substance or mixt	ure and uses advised a	gainst
1.3 Details of the supp Manufacturer/Supplier	er of the safety data sheet		
BIOLANDES, BP2 2760 Route de Bélis 40420 LE SEN FRANCE	TEL: +33(0)5.58.51.00.00 email: fds@biolandes.com		
1.4 Emergency telepho FR-ORFILA (INRS):+33(0			
ECTION 02: Hazards			
2.1 Classification of the		2/2008	
<ul><li>2.1 Classification of th</li><li>Classification accord</li><li>GHS08</li></ul>	substance or mixture		
<ul><li>2.1 Classification of th</li><li>Classification accord</li><li>GHS08</li></ul>	substance or mixture ng to Regulation (EC) No 127		
2.1 Classification of the Classification accord GHS08 Asp. Tox. 1 - H304 May GHS07	substance or mixture ng to Regulation (EC) No 127	irways.	
2.1 Classification of the Classification accord GHS08 Asp. Tox. 1 - H304 May GHS07	substance or mixture ng to Regulation (EC) No 127 be fatal if swallowed and enters a	irways.	
2.1 Classification of the Classification accord GHS08 Asp. Tox. 1 - H304 May GHS07 Skin Sens. 1B - H317 M GHS09	substance or mixture ng to Regulation (EC) No 127 be fatal if swallowed and enters a	irways.	
<ul> <li>2.1 Classification of th</li> <li>Classification accord</li> <li>GHS08</li> <li>Asp. Tox. 1 - H304 May</li> <li>GHS07</li> <li>Skin Sens. 1B - H317 N</li> <li>GHS09</li> <li>Aquatic Chronic 2 - H4 effects.</li> <li>2.2 Label elements</li> </ul>	substance or mixture ng to Regulation (EC) No 127 be fatal if swallowed and enters a ay cause an allergic skin reaction.	irways. sting	
<ul> <li>2.1 Classification of th.</li> <li>Classification accord</li> <li>GHS08</li> <li>Asp. Tox. 1 - H304 May</li> <li>GHS07</li> <li>Skin Sens. 1B - H317 N</li> <li>GHS09</li> <li>Aquatic Chronic 2 - H4 effects.</li> <li>2.2 Label elements</li> <li>Labelling according</li> </ul>	substance or mixture ng to Regulation (EC) No 127 be fatal if swallowed and enters a ay cause an allergic skin reaction. 1 Toxic to aquatic life with long la	irways. sting	
<ul> <li>2.1 Classification of the</li> <li>Classification accord</li> <li>GHS08</li> <li>Asp. Tox. 1 - H304 May</li> <li>GHS07</li> <li>GHS07</li> <li>Skin Sens. 1B - H317 N</li> <li>GHS09</li> <li>Aquatic Chronic 2 - H4 effects.</li> <li>2.2 Label elements</li> <li>Labelling according</li> <li>Hazard pictograms</li> <li>GHS08 GHS07</li> <li>Signal word</li> </ul>	substance or mixture ng to Regulation (EC) No 127 be fatal if swallowed and enters a ay cause an allergic skin reaction. 1 Toxic to aquatic life with long la	irways. sting	
<ul> <li>2.1 Classification of th.</li> <li>Classification accord</li> <li>GHS08</li> <li>Asp. Tox. 1 - H304 May</li> <li>GHS07</li> <li>Skin Sens. 1B - H317 N</li> <li>GHS09</li> <li>Aquatic Chronic 2 - H4 effects.</li> <li>2.2 Label elements</li> <li>Labelling according</li> <li>Hazard pictograms</li> <li>GHS08 GHS07</li> <li>Signal word Danger</li> <li>Hazard statements H304 May be fatal if sw H317 May cause an allog</li> </ul>	substance or mixture ng to Regulation (EC) No 127 be fatal if swallowed and enters a ay cause an allergic skin reaction. 1 Toxic to aquatic life with long la co Regulation (EC) No 1272/20 GHS09 Ilowed and enters airways.	irways. sting	



1744406

Reviewed on: 22.03.2024 Printing date: 22.03.2024

		(continued of page 1
P272 Contam P273 Avoid r P301+P310 I P405 Store Ic	reathing dust/fume/gas/mist/vapours/spray. nated work clothing should not be allowed out of the workplace. elease to the environment. F SWALLOWED: Immediately call a POISON CENTER/ doctor. ocked up. e of contents/container in accordance with local/regional/ national/i	
<ul> <li>PBT: Not applicabl</li> <li>vPvB: Not applicabl</li> <li>Determinat</li> </ul>	PBT and vPvB assessment e.	
8023-85-6 • Identification • EC number		
295-985-9		
		%
295-985-9 • Dangerous	components: Iongifolene EC number: 207-491-2 Asp. Tox. 1 - H304; O Skin Irrit.	% 0,101-1,000
295-985-9 • Dangerous CAS Number	components: Iongifolene EC number: 207-491-2 Asp. Tox. 1 - H304; Skin Irrit. 2 - H315, Skin Sens. 1B - H317; Aquatic	
295-985-9 • Dangerous CAS Number	components: <b>longifolene</b> EC number: 207-491-2 Asp. Tox. 1 - H304; Skin Irrit. 2 - H315, Skin Sens. 1B - H317;	
295-985-9 • Dangerous CAS Number 475-20-7	components: Iongifolene EC number: 207-491-2	0,101-1,000

### SECTION 04: First aid measures

- 4.1 Description of first aid measures
- General information:
- Seek immediate medical advice. • After inhalation:
- Supply fresh air and to be sure call for a doctor.
- After skin contact: If skin irritation continues, consult a doctor.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing:
- Seek immediate medical advice.
- Information for doctor:

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(continued on page 3)



#### 1744406

Reviewed on: 22.03.2024 Printing date: 22.03.2024

# **PRODUCT**: **CEDAR ATLAS OIL**

(continued of page 2)

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Water with full iet

5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

- Protective equipment:
- Do not inhale explosion gases or combustion gases.
- Additional information Cool endangered receptacles with water spray.

#### SECTION 06: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away Ensure adequate ventilation Keep away from ignition sources.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 07: Handling and storage

7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Handle with care. Avoid jolting, friction and impact.

Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities Storage:

- Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Prevent any seepage into the ground.
- Use only receptacles specifically permitted for this substance/ product. Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed. Protect from heat and direct sunlight. Store receptacle in a well ventilated area.

(continued on page 4)



1744406

Reviewed on: 22.03.2024 Printing date: 22.03.2024

	(continued of page 3)
	7.3 Specific end use(s)
	No further relevant information available.
c	ECTION 09. Expective controls/personal protection
5	ECTION 08: Exposure controls/personal protection
	8.1 Control parameters
	<ul> <li>Ingredients with limit values that require monitoring at the workplace: Not required.</li> </ul>
	Additional information:
	The lists valid during the making were used as basis.
	8.2 Exposure controls
	<ul> <li>Individual protection measures, such as personal protective equipment</li> <li>General protective and hygienic measures:</li> </ul>
	The usual precautionary measures are to be adhered to when handling chemicals.
	Keep away from foodstuffs, beverages and feed.
	Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols.
	Do not inhale dust / smoke / mist.
	Respiratory protection:
	Use suitable respiratory protective device in case of insufficient ventilation. In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us
	self-contained respiratory protective device.
	Protection of hands:
	Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ th chemical mixture.
	<ul><li>Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation</li><li>Material of gloves</li></ul>
	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
	Penetration time of glove material
	The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
	Eye/face protection
	Safety glasses
	Body protection:     Impervious protective clothing
	Boots

### SECTION 09: Physical and chemical properties

9.1 Information on basic physical and chemical properties			
General Information			
Physical state	Fluid		
Colour:	yellow, orange to brown		
Odour:	cedar		
Odour threshold:	Not determined.		
Melting point/freezing point:	< -80,0 °C		
Boiling point or initial boiling point and boiling range	240,00 - 246,00 °C		
Flammability	Not determined.		
Lower and upper explosion limit			
Lower:	Not determined.		
Upper:	Not determined.		
Flash point:	112,0 °C NFT 60-103 CC		
Ignition temperature:	235,00 °C		
Decomposition temperature:	Not determined.		
Not determined.			



1744406

Reviewed on: 22.03.2024

Printing da	ate: 22.0	)3.2024
-------------	-----------	---------

	(continued of )	bage 4
Viscosity:	· · · ·	
Kinematic viscosity	Not determined.	
Dynamic:	Not determined.	
Solubility		
water:	Not determined.	
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure:	Not determined.	
Density and/or relative density		
Density:	Not determined.	
Relative density	0,9200 0,9400 D20/20	
Vapour density	Not determined.	
9.2 Other information	No further relevant information available.	
Appearance:		
Form:	fluid	
Important information on protection of health	h and environment, and on safety.	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Not determined.	
Solvent content:		
Solids content:	0,00 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard c	lasses	
Explosives	not applicable	
Flammable gases	not applicable	
Aerosols	not applicable	
Oxidising gases	not applicable	
Gases under pressure	not applicable	
Flammable liquids	not applicable	
Flammable solids	not applicable	
Self-reactive substances and mixtures	not applicable	
Pyrophoric liquids	not applicable	
Pyrophoric solids	not applicable	
Self-heating substances and mixtures	not applicable	
Substances and mixtures, which emit flammable gases in contact with water	not applicable	
Oxidising liquids	not applicable	
Oxidising solids	not applicable	
Organic peroxides	not applicable	
Corrosive to metals	not applicable	

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

- No further relevant information available.
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.



1744406

Reviewed on: 22.03.2024 Printing date: 22.03.2024

PRODUCT : CEDAR ATLAS OIL	
	(continued of page 5)
10.5 Incompatible materials: No further relevant information available.	
10.6 Hazardous decomposition products: Not determined.	
ECTION 11: Toxicological information	
<ul> <li>11.1 Information on hazard classes as defined in Reg</li> <li>Acute toxicity</li> <li>LD(LCE0 values relevant for classification)</li> </ul>	ulation (EC) No 1272/2008
LD/LC50 values relevant for classification:	ISO LD/LC
8023-85-6 Cedrus atlantica (Endl.) Manetti ex C	
Oral, LD50: 5000 mg/kg (rat)	
77-53-2 Cedrol	
<ul> <li>Dermal, LD50: &gt;5000 mg/kg (Rabbit) (RIFM 1973)</li> <li>Primary irritant effect:</li> </ul>	
<ul> <li>Skin corrosion/irritation</li> </ul>	
No irritant effect.	
<ul> <li>Serious eye damage/irritation No irritating effect.</li> </ul>	
<ul> <li>Respiratory or skin sensitisation</li> </ul>	
No sensitizing effects known.	
<ul> <li>Germ cell mutagenicity Not determined.</li> </ul>	
Carcinogenicity	
Not determined.	
<ul> <li>Reproductive toxicity Not determined.</li> </ul>	
STOT-single exposure	
Not determined.	
<ul> <li>STOT-repeated exposure Not determined.</li> </ul>	
Aspiration hazard	
May be fatal if swallowed and enters airways.	
May be fatal if swallowed and enters airways.	
Subacute to chronic toxicity: <b>77-53-2 Cedrol</b>	
Oral, NOAEL: 8,4 mg/kg (rat) (28 days, RIFM 2006)	
11.2 Information on other hazards	
• Endocrine disrupting properties None of the ingredients is listed.	
ECTION 12: Ecological information	
12.1 Toxicity	
Aquatic toxicity:	
8023-85-6 Cedrus atlantica (Endl.) Manetti ex C	Carrière
CE50/48h: 2,0 mg/l (daphnia) (OECD 202) ErC50(0-72h): >100 mg/l (algae) (OECD 201)	
469-61-4 alpha-Cedrene	
LD50: 0,099 mg/l (daphnia)	

8023-85-6Cedrus atlantica (Endl.) Manetti ex CarrièreOECD 301: 45 % (in vitro) (301F 28 days)Not easily biodegradable• Behaviour in environmental systems:

Not determined.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil



1744406

Reviewed on: 22.03.2024 Printing date: 22.03.2024

		Printing date: 22.03.2
PRODUCT :	CEDAR ATLAS OIL	
		(continued of page 6)
No further re	levant information available.	
12.5 Result	s of PBT and vPvB assessment	
<ul> <li>PBT:</li> </ul>		
Not applie	able.	
<ul> <li>vPvB:</li> </ul>		
Not applie	able.	
12.6 Endoc	rine disrupting properties	
	does not contain substances with endocrine disrupting pro	operties.
12.6 Other	adverse effects	
	levant information available.	
<ul> <li>Ecotoxic</li> </ul>		
Not deter		
<ul> <li>Remark:</li> </ul>		
Toxic for	rish 🛛	
<ul> <li>Addition</li> </ul>	al ecological information:	
<ul> <li>General</li> </ul>	5	
Toxic for	aquatic organisms	
	rial is harmful to the environment.	

### SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation
- Must be specially treated adhering to official regulations.
- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

### SECTION 14: Transport information

14.1 UN number or ID nu	imbor
. ADR	UN3082
IMDG	UN3082
	UN3082
14.2 UN proper shipping . <b>ADR</b>	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CEDRUS ATLANTICA)
. IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CEDRUS ATLANTICA)
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CEDRUS ATLANTICA)
14.3 Transport hazard class(es) ADR	
Class	9 (M6) Miscellaneous dangerous substances and articles.
. Label	
IMDG	UNIX T
. Class	9 Miscellaneous dangerous substances and articles.
	(continued on page 8)
- EU	



**PRODUCT**:

**CEDAR ATLAS OIL** 

# CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

1744406

Reviewed on: 22.03.2024 Printing date: 22.03.2024

		-	(continued of page 7)
	. Label		
		$\mathbb{V}$ $\vee$	
		O Missellensous departure substances and articles	
	. Class . Label	9 Miscellaneous dangerous substances and articles.	
	14.4 Packing group		
	ADR	III	
	. IMDG	III	
	IATA	III	
	14.5 Environmental hazards: . Marine pollutant:	Yes	
	14.6 Special precautions for Warning: Miscellaneous dangeron <b>Danger code (Kemler):</b>	user us substances and articles. 90	
	EMS Number:	F-A,S-F	
*	<ul> <li>14.7 Maritime transport in bi Not applicable.</li> <li>Transport/Additional inform ADR</li> </ul>	ulk according to IMO instruments nation:	
	. Excepted quantities (EQ):	E1	
	. Limited quantities (LQ)	5L	
	. Transport category	3	
	. Tunnel restriction code	E	
	. IMDG	EI.	
	Limited quantities (LQ)	5L E1	
	<ul> <li>Excepted quantities (EQ)</li> <li>UN "Model Regulation":</li> </ul>	EI	
*		HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CEDRUS	
	SECTION 15: Regulatory inf	ormation	
*	<ul> <li>DIRECTIVE 2011/65/EU or and electronic equipment None of the ingredients is listed</li> </ul>	ed.	
*	under Article 5(3))	PLOSIVES PRECURSORS (Upper limit value for the p	urpose of licensing
*	<ul> <li>None of the ingredients is liste</li> <li>Annex II - REPORTABLE E None of the ingredients is liste</li> </ul>	XPLOSIVES PRECURSORS	

- None of the ingredients is listed.
  Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed.
  - Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors •

(continued on page 9)

\*



1744406

und any 22 02 2024 .....

		Reviewed on: 22.03.20 Printing date: 22.03.20
PRODUCT :	CEDAR ATLAS OIL	
News of the	in such in links d	(continued of page 8)
None of the	ingredients is listed.	
<ul> <li>National re</li> </ul>	gulations:	
Technical i	nstructions (air):	
Class Shar		
I		
Waterhaza	rd class:	
Generally no	t hazardous for water.	
	Il safety assessment:	
A Chemical Sat	ety Assessment has not been carried out.	
SECTION 16:	Other information	
to be consider areas thereof. I not be valid wi of this docume The required i applying all the • Relevant p H304 H315 H317 H400 H410 H411	nformation complies with EU regulations in force. I e national regulations in force. hrases May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Very toxic to aquatic life. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects.	contractual value on properties and application elate to the specific material designated and may oduct or process, unless it is specified in the text It does not exempt the user from knowing and
purpose of labeling of t Date of pro 19.12.2022	ining in occupational risk prevention is recommende facilitating the understanding and interpretation of	
	ons and acronyms: ational Fragrance Association IOFI:International Orga	anization of the Flavor Industry

IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
- Sources
- IFRA/IOFI Labelling Manual, REACH registration dossier, supplier information
- \* Data compared to the previous version altered.