

2288601

Reviewed on: 21.12.2022
Printing date: 21.12.2022**SECTION 01: Identification of the substance/mixture and of the company/undertaking**

1.1 Product identifier

- Trade name:
BASIL METHYLCHA ORG OIL FFL
- Article number:
B090F
- CAS Number:
8015-73-4
- EC Number:
283-900-8
- No CAS EINECS:
84775-71-3

1.2 Relevant identified uses of the substance or mixture and uses advised against
Application of the substance / the preparation
Only for industrial use

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:
GOLGEMMA TEL: +33(0)4.68.74.17.89
Route de FA email: fds@golgemma.com
11260 ESPERAZA
FRANCE

1.4 Emergency telephone number:
FR-ORFILA (INRS):+33(0)1 45 42 59 59

SECTION 02: Hazards identification

2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008



GHS07

Acute Tox. 4 - H302 Harmful if swallowed.
Skin Sens. 1 - H317 May cause an allergic skin reaction.



GHS08

Muta. 2 - H341 Suspected of causing genetic defects.
Carc. 2 - H351 Suspected of causing cancer.
Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms



GHS07 GHS08

- Signal word
Warning
- Hazard statements
H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.
H351 Suspected of causing cancer.
H412 Harmful to aquatic life with long lasting effects.
- Precautionary statements
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

(continued on page 2)

2288601

Reviewed on: 21.12.2022
Printing date: 21.12.2022

PRODUCT : BASIL METHYLCHA ORG OIL FFL

(continued of page 1)

P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

2.3 Other hazards

- Results of PBT and vPvB assessment
- PBT:
Not applicable.
- vPvB:
Not applicable.
- Determination of endocrine-disrupting properties
Substance is not listed.

SECTION 03: Composition/information on ingredients

3.1 Substances

- | CAS No. | Description |
|-----------|----------------------------|
| 8015-73-4 | Ocimum basilicum L. |
| | • Identification number(s) |
| | • EC number:
283-900-8 |

- Dangerous components:

CAS Number		%
140-67-0	Estragole EC number: 205-427-8 ⚠ Acute Tox. 4 - H302, Skin Sens. 1B - H317; ⚠ Muta. 2 - H341, Carc. 2 - H351	50,001-100
470-82-6	Eucalyptol EC number: 207-431-5 ⚠ Flam. Liq. 3 - H226; ⚠ Skin Sens. 1B - H317	5,001-10,00
93-15-2	methyl eugenol EC number: 202-223-0 ⚠ Acute Tox. 4 - H302; ⚠ Muta. 2 - H341, Carc. 2 - H351	1,001- 5,00
13877-91-3	3,7-Dimethyl-1,3,6-octatriene EC number: 237-641-2 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Skin Irrit. 2 - H315	1,001- 5,00
562-74-3	4-Carvomenthenol EC number: 209-235-5 ⚠ Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319	1,001- 5,00
98-55-5	p-menth-1-en-8-ol EC number: 202-680-6 ⚠ Skin Irrit. 2 - H315, Eye Irrit. 2 - H319	1,001- 5,00
78-70-6	Linalool EC number: 201-134-4 ⚠ Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317	1,001- 5,00
123-35-3	Myrcene EC number: 204-622-5 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Skin Irrit. 2 - H315, Eye	1,001- 5,00

(continued on page 3)

2288601

Reviewed on: 21.12.2022
Printing date: 21.12.2022

PRODUCT : BASIL METHYLCHA ORG OIL FFL

(continued of page 2)

80-56-8	Irrit. 2 - H319 pin-2(3)-ene EC number: 201-291-9 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Acute Tox. 4 - H302, Skin	1,001- 5,00
127-91-3	Irrit. 2 - H315, Skin Sens. 1B - H317 beta-Pinene EC number: 204-872-5 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Skin Irrit. 2 - H315, Skin Sens. 1B - H317	1,001- 5,00
495-61-4	I-.beta.-Bisabolene EC number: 610-461-5 ⚠ Asp. Tox. 1 - H304; ⚠ Skin Irrit. 2 - H315, Skin Sens. 1 - H317	0,101-1,00
79-92-5	camphene EC number: 201-234-8 ⚠ Flam. Sol. 1 - H228; ⚠ Aquatic	0,101-1,00
76-22-2	Acute 1 - H400, Aquatic Chronic 1 - H410 1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one EC number: 200-945-0 ⚠ Flam. Sol. 2 - H228; ⚠ Acute Tox. 4 - H302, Acute Tox. 4 - H332; ⚠ STOT SE 2 - H371	0,101-1,00
87-44-5	beta-Caryophyllene EC number: 201-746-1 ⚠ Asp. Tox. 1 - H304; ⚠ Skin Sens. 1B - H317	0,101-1,00
97-53-0	Eugenol EC number: 202-589-1 ⚠ Eye Irrit. 2 - H319, Skin Sens. 1B - H317	0,101-1,00
586-62-9	Terpinolene EC number: 209-578-0 ⚠ Asp. Tox. 1 - H304; ⚠ Skin Sens. 1B - H317; ⚠ Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	0,101-1,00
99-87-6	p-cymene EC number: 202-796-7 ⚠ Acute Tox. 3 - H331; ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Aquatic Chronic 2 - H411	0,101-1,00
99-86-5	1-isopropyl-4-methylcyclohexa-1,3-diene EC number: 202-795-1 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Acute Tox. 4 - H302, Skin Sens. 1 - H317; ⚠ Aquatic Chronic 2 - H411 Oral: ATE = 1680 mg/kg	0,101-1,00

(continued on page 4)

CHEMICAL SAFETY DATA SHEET
according to 2020/878/EC (1907/2006/EC Article 31)

2288601

Reviewed on: 21.12.2022
Printing date: 21.12.2022

PRODUCT : BASIL METHYLCHA ORG OIL FFL

5989-27-5

d-limonene

EC number: 227-813-5

☠ Asp. Tox. 1 - H304; 🔥 Flam. Liq. 3

- H226; ⚠ Skin Irrit. 2 - H315, Skin

Sens. 1B - H317; 🐟 Aquatic Acute 1 -

H400; Aquatic Chronic 3 - H412

(continued of page 3)

0,101-1,00

SECTION 04: First aid measures

4.1 Description of first aid measures

- **General information:**
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
Seek immediate medical advice.
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
- **After skin contact:**
If skin irritation continues, consult a doctor.
Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Call for a doctor immediately.
- **Information for doctor:**

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 05: Firefighting measures

5.1 Extinguishing media

- **Suitable extinguishing agents:**
CO₂, sand, extinguishing powder. Do not use water.
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:**
Water with full jet

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

- **Protective equipment:**
Do not inhale explosion gases or combustion gases.
- **Additional information**
Cool endangered receptacles with water spray.

SECTION 06: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.

(continued on page 5)

CHEMICAL SAFETY DATA SHEET
according to 2020/878/EC (1907/2006/EC Article 31)

2288601

Reviewed on: 21.12.2022
Printing date: 21.12.2022

PRODUCT : BASIL METHYLCHA ORG OIL FFL

(continued of page 4)

6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 07: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.
Keep away from heat and direct sunlight.
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
Handle with care. Avoid jolting, friction and impact.

- Information about fire - and explosion protection:
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

- Requirements to be met by storerooms and receptacles:
Store only in the original receptacle.
Prevent any seepage into the ground.
Use only receptacles specifically permitted for this substance/ product.
- Information about storage in one common storage facility:
Not required.
- Further information about storage conditions:
Keep container tightly sealed.
Protect from heat and direct sunlight.
Store receptacle in a well ventilated area.

7.3 Specific end use(s)

No further relevant information available.

SECTION 08: Exposure controls/personal protection

8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:
Not required.
- Additional information:
The lists valid during the making were used as basis.

8.2 Exposure controls

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Do not inhale gases / fumes / aerosols.
Do not inhale dust / smoke / mist.
Avoid contact with the skin.
- Respiratory protection:
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- Penetration time of glove material

(continued on page 6)

CHEMICAL SAFETY DATA SHEET
according to 2020/878/EC (1907/2006/EC Article 31)

2288601

Reviewed on: 21.12.2022
Printing date: 21.12.2022

PRODUCT : BASIL METHYLCHA ORG OIL FFL

(continued of page 5)

- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye/face protection
Safety glasses

SECTION 09: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state	Fluid
Colour:	pale yellow to amber-yellow
Odour:	spicy
Odour threshold:	Not determined.
Boiling point or initial boiling point and boiling range	Not determined.
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	75,0 °C NFT 60-103 CC
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not determined.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	0,9480 0,970 D20/20
Vapour density	Not determined.
9.2 Other information	No further relevant information available.
Appearance:	
Form:	fluid
Important information on protection of health and environment, and on safety.	
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Solvent content:	
Solids content:	0,00 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	not applicable
Flammable gases	not applicable
Aerosols	not applicable
Oxidising gases	not applicable
Gases under pressure	not applicable
Flammable liquids	not applicable
Flammable solids	not applicable
Self-reactive substances and mixtures	not applicable

(continued on page 7)

2288601

Reviewed on: 21.12.2022
Printing date: 21.12.2022

PRODUCT : BASIL METHYLCHA ORG OIL FFL

(continued of page 6)

Pyrophoric liquids	not applicable
Pyrophoric solids	not applicable
Self-heating substances and mixtures	not applicable
Substances and mixtures, which emit flammable gases in contact with water	not applicable
Oxidising liquids	not applicable
Oxidising solids	not applicable
Organic peroxides	not applicable
Corrosive to metals	not applicable
Desensitised explosives	not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions

No dangerous reactions known.

10.4 Conditions to avoid

No further relevant information available.

10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous decomposition products:

Not determined.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity

Harmful if swallowed.

LD/LC50 values relevant for classification:

ISO LD/LC

8015-73-4 Ocimum basilicum L.

Oral, LD50: 1400 mg/kg (rat)

Dermal, LD50: >=5000 mg/kg (Rabbit)

140-67-0 Estragole

Oral, LD50: 1230 mg/kg (rat) (Moreno 1972)

470-82-6 Eucalyptol

Oral, LD50: 3849 mg/kg (mouse) (Jiao Xu, 2014)

93-15-2 methyl eugenol

Oral, LD50: 810 mg/kg (rat) (Beroza and al., 1975)

98-55-5 p-menth-1-en-8-ol

Oral, LD50: 4300 mg/kg (rat)

78-70-6 Linalool

Oral, LD50: 2790 mg/kg (rat)

Dermal, LD50: 5610 mg/kg (Rabbit)

79-92-5 camphene

Oral, LD50: 5000 mg/kg (rat)

Dermal, LD50: 2500 mg/kg (Rabbit)

76-22-2 1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one

Oral, LD50: >5000 mg/kg (rat) (Opdyke 1978)

Dermal, LD50: >1000 mg/kg (mouse) (NTP 1998)

87-44-5 beta-Caryophyllene

Oral, LD50: > 5000 mg/kg (rat) (Hart and Wong 1971)

97-53-0 Eugenol

(continued on page 8)

2288601

Reviewed on: 21.12.2022
Printing date: 21.12.2022

PRODUCT : BASIL METHYLCHA ORG OIL FFL

(continued of page 7)

Oral, LD50: 1930 mg/kg (rat)

99-86-5 p-mentha-1,3-diene

Oral, LD50: 1680 mg/kg (ATE)

5989-27-5 (R)-p-mentha-1,8-diene

Oral, LD50: 4400 mg/kg (rat)

- Primary irritant effect:
 - Skin corrosion/irritation
No irritant effect.
 - Serious eye damage/irritation
No irritating effect.
- Respiratory or skin sensitisation
Sensitization possible through skin contact.
- Germ cell mutagenicity

470-82-6 Eucalyptol

OECD 471 AMES: NEGATIVE (in vitro) (Haworth, 1983)

78-70-6 Linalool

OECD 471 AMES: NEGATIVE (in vitro) (Letizia and al., 2007)

76-22-2 1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one

OECD 471 AMES: NEGATIVE (in vitro) (Anderson and Styles 1978)

87-44-5 beta-Caryophyllene

OECD 471 AMES: NEGATIVE (in vitro) (Heck and al., 1989)
Suspected of causing genetic defects.

- Carcinogenicity

140-67-0 Estragole

Micronoyau: NEGATIVE (mouse) (NTP 2008)

78-70-6 Linalool

Micronoyau: NEGATIVE (mouse) (in vivo, Letizia and al., 2007)
Micronoyau: NEGATIVE (in vitro) (DiSotto and al., 2011)

76-22-2 1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one

Micronoyau: NEGATIVE (mouse) (NTP 1999)
Suspected of causing cancer.

- Reproductive toxicity
Not determined.
- STOT-single exposure
Not determined.
- STOT-repeated exposure
Not determined.
- Aspiration hazard
Not determined.
- Subacute to chronic toxicity:

140-67-0 Estragole

Oral, NOAEL: 37,5 mg/kg (rat) (NTP 2008)

78-70-6 Linalool

Oral, NOAEL: 200 mg/kg (rat) (maternal toxicity, Politano and al., 2008)

76-22-2 1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one

Oral, NOAEL: >800 mg/kg (rat) (fetal toxicity GD 6 to 15, NTP 1992)

87-44-5 beta-Caryophyllene

Oral, NOAEL: 700 mg/kg (rat) (90 days Schmitt 2016)

11.2 Information on other hazards

- Endocrine disrupting properties
Substance is not listed.

SECTION 12: Ecological information

12.1 Toxicity

- Aquatic toxicity:

8015-73-4 Ocimum basilicum L.

CE50/48h: 22,2 mg/l (daphnia)

93-15-2 methyl eugenol

CE50/48h: 38 mg/l (daphnia) (Ministry of the Environment of Japan 2018)

ErC50(0-72h): 22 mg/l (algae) (Ministry of the Environment of Japan 2018)

(continued on page 9)

2288601

Reviewed on: 21.12.2022
Printing date: 21.12.2022

PRODUCT : BASIL METHYLCHA ORG OIL FFL

(continued of page 8)

96h-LC50: 14 mg/l (fish) (Ministry of the Environment of Japan 2018)

78-70-6 Linalool
LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991)
ErC50(0-72h): 156,7 mg/l (algae)
ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202)

123-35-3 Myrcene
LD50: 0,51 mg/l (fish) (OECD 203)
CE50/48h: 0,65 mg/l (daphnia)

76-22-2 1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one
CE50/48h: 26,82 mg/l (daphnia)
ErC50(0-72h): 23,8 mg/l (algae)

99-87-6 p-cymene
LD50: 1,63 mg/l (fish) (OECD 203)

5989-27-5 (R)-p-mentha-1,8-diene
LD50: 0,71 mg/l (fish) (OECD 203)

12.2 Persistence and degradability
No further relevant information available.

- Behaviour in environmental systems:
Not determined.

12.3 Bioaccumulative potential
No further relevant information available.

12.4 Mobility in soil
No further relevant information available.

12.5 Results of PBT and vPvB assessment

- PBT:
Not applicable.
- vPvB:
Not applicable.

12.6 Endocrine disrupting properties
The product does not contain substances with endocrine disrupting properties.

12.6 Other adverse effects
No further relevant information available.

- Ecotoxicological effects:
Not determined.
- Remark:
Harmful to fish
- Additional ecological information:
- General notes:
Harmful to aquatic organisms
The material is harmful to the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Recommendation
Must be specially treated adhering to official regulations.
- Uncleaned packaging:
- Recommendation:
Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR Void

IMDG Void

IATA Void

14.2 UN proper shipping name

ADR Void

(continued on page 10)

CHEMICAL SAFETY DATA SHEET
according to 2020/878/EC (1907/2006/EC Article 31)

2288601

Reviewed on: 21.12.2022
 Printing date: 21.12.2022

PRODUCT : BASIL METHYLCHA ORG OIL FFL

(continued of page 9)

IMDG Void

IATA Void

14.3 Transport hazard class(es)

ADR

Class Void

IMDG

Class Void

IATA

Class Void

14.4 Packing group

ADR Void

IMDG Void

IATA Void

14.5 Environmental hazards:
 Not applicable.

14.6 Special precautions for user
 Not applicable.

14.7 Maritime transport in bulk according to IMO instruments
 Not applicable.

- Transport/Additional information:
 Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II
 Substance is not listed.
- REGULATION (EU) 2019/1148
- Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
 Substance is not listed.
- Annex II - REPORTABLE EXPLOSIVES PRECURSORS
 Substance is not listed.
- Regulation (EC) No 273/2004 on drug precursors
 Substance is not listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
 Substance is not listed.

- National regulations:

- Technical instructions (air):
- Class Share in %
 I 1,00

- Waterhazard class:
 Generally not hazardous for water.

15.2 Chemical safety assessment:
 A Chemical Safety Assessment has not been carried out.

EU

(continued on page 11)

CHEMICAL SAFETY DATA SHEET
according to 2020/878/EC (1907/2006/EC Article 31)

2288601

Reviewed on: 21.12.2022
Printing date: 21.12.2022

PRODUCT : BASIL METHYLCHA ORG OIL FFL

(continued of page 10)

SECTION 16: Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

- **Relevant phrases**

H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

- **Training hints**

Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.

- **Abbreviations and acronyms:**

IFRA: International Fragrance Association IOFI: International Organization of the Flavor Industry IFRA: International Fragrance Association IOFI: International Organization of the Flavor Industry
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 IMDG: International Maritime Code for Dangerous Goods IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation DOT: US Department of Transportation
 IATA: International Air Transport Association IATA: International Air Transport Association
 ICAO: International Civil Aviation Organisation ICAO: International Civil Aviation Organisation
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society) CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative vPvB: very Persistent and very Bioaccumulative
 CE50: effective concentration at 50% ErC50: concentration of test substance which results in a 50 percent reduction in either growth rate (ErC50) relative to the control within 72hrs exposure.

- **Sources**

IFRA/IOFI Labelling Manual, REACH registration dossier, supplier information

- * Data compared to the previous version altered.