





CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

Reviewed on:	30.07.2024
Printing date:	30.07.2024

PRODUCT :	BASIL METHYLCHA ORG OIL FFL	
		(continued of page 1)
P405 Store P501 Dispos	ocked up. e of contents/container in accordance with local/regional/ nationa	al/international regulations.
2.3 Other ha	zards	
	PBT and vPvB assessment	
 PBT: Not applicat 	le.	
- vPvB:		
Not applicat	le. tion of endocrine-disrupting properties	
None of the	ingredients is listed.	
SECTION 03:	Composition/information on ingredients	
3.1 Substand	es	
CAS No. 8015-73-4	Description Ocimum basilicum L.	
	ion number(s)	
• EC numbe 283-900-8		
-	s components:	
CAS Number		%
140-67-0	ESTRAGOL	50,001-100
	EC number: 205-427-8	
	H317; 🚸 Muta. 2 - H341, Carc. 2 - H351	
470-82-6	Eucalyptol	1,001- 5,000
	EC number: 207-431-5	
	🚸 Flam. Liq. 3 - H226; 🔱 Skin Sens.	
	1B - H317	
78-70-6	LINALOOL	1,001- 5,000
	EC number: 201-134-4	
	Skin Irrit. 2 - H315, Eye Irrit. 2 -	
	H319, Skin Sens. 1B - H317	
93-15-2		1,001- 5,000
	EC number: 202-223-0 ♦ Acute Tox. 4 - H302; ♦ Muta. 2 -	
13877-91-3	H341, Carc. 2 - H351	0 404 4 000
13077-91-3	3,7-Dimethyl-1,3,6-octatriene EC number: 237-641-2	0,101-1,000
	Asp. Tox. 1 - H304;	
	- H226; (*) Skin Irrit. 2 - H315; (*)	
	Aquatic Acute 1 - H400 (M=1), Aquatic	
127-91-3	Chronic 2 - H411 BETA-PINENE	0,101-1,000
127-91-3	EC number: 204-872-5	0,101-1,000
	Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 🔮 Skin Irrit. 2 - H315, Skin	
	Sens. 1B - H317	
87-44-5	BETA-CARYOPHYLLENE	0,101-1,000
	EC number: 201-746-1 � Asp. Tox. 1 - H304; 🚸 Skin Sens.	
	1B - H317	_
80-56-8	ALPHA-PINENE	0,101-1,000



2288602

Reviewed on: 30.07.2024 Printing date: 30.07.2024

			· · · · · · · · · · · · · · · · · · ·
	PRODUCT :	BASIL METHYLCHA ORG OIL FFL	
			(continued of page 2)
*		EC number: 201-291-9	
*		🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
*		- H226; 🚸 Acute Tox. 4 - H302, Skin	
*		Irrit. 2 - H315, Skin Sens. 1B - H317	
*	5989-27-5	d-limonene	0,101-1,000
*		EC number: 227-813-5	
*		🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
*		- H226; 🚸 Skin Irrit. 2 - H315, Skin	
*		Sens. 1B - H317; 🌜 Aquatic Acute 1 -	
*		H400 (M=1); Aquatic Chronic 3 - H412	

SECTION 04: First aid measures

- 4.1 Description of first aid measures
- General information:
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- Seek immediate medical advice. • After inhalation:
- Supply fresh air and to be sure call for a doctor.
- After skin contact: If skin irritation continues, consult a doctor.
 Immediately wash with water and soan and rinse thereit
- Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
 Disco opened eye for coveral minutes under running wate
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing:
- Call for a doctor immediately.
- Information for doctor:

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:
- Do not inhale explosion gases or combustion gases. • Additional information

Cool endangered receptacles with water spray.

SECTION 06: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources.

6.2 Environmental precautions:

(continued on page 4)



CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

RODUCT :	BASIL METHYLCHA ORG OIL FFL
Do not allow	product to reach sewage system or any water course. (continued of page 3)
	ctive authorities in case of seepage into water course or sewage system.
	s and material for containment and cleaning up: aminated material as waste according to item 13.
	late ventilation.
	nce to other sections 7 for information on safe handling.
	3 for information on personal protection equipment.
	13 for disposal information.
ECTION 07:	Handling and storage
7.1 Precaut	ions for safe handling
	cles tightly sealed.
	om heat and direct sunlight.
	ventilation/exhaustion at the workplace. ndle receptacle with care.
	ation of aerosols.
	care. Avoid jolting, friction and impact.
	ion about fire - and explosion protection:
	ion sources away - Do not smoke. ainst electrostatic charges.
Frotect ag	anist electrostatic charges.
	ons for safe storage, including any incompatibilities
Storage:	ants to be met by staronome and vesselast
	nents to be met by storerooms and receptacles: r in the original receptacle.
	in the original receptacie.
Use only r	eceptacles specifically permitted for this substance/ product.
	ion about storage in one common storage facility:
Not requir	
	nformation about storage conditions:
	ainer tightly sealed. Im heat and direct sunlight.
	ptacle in a well ventilated area.
7.3 Specific	c end use(s)
No further re	levant information available.
ECTION 08:	Exposure controls/personal protection
8 1 Control	parameters
	parameters nts with limit values that require monitoring at the workplace:
Not requir	ed.
	al information:
The lists v	alid during the making were used as basis.
8.2 Exposu	re controls
 Individua 	al protection measures, such as personal protective equipment
	protective and hygienic measures:
	precautionary measures are to be adhered to when handling chemicals.
	y from foodstuffs, beverages and feed. ely remove all soiled and contaminated clothing
	ds before breaks and at the end of work.
Store prot	ective clothing separately.
	ale gases / fumes / aerosols.
	hale dust / smoke / mist.
A	tact with the skin.
	ory protection: le respiratory protective device in case of insufficient ventilation.
 Respirato 	is respirately protective device in case of moundaint ventilation.
 Respirato 	
 Respirato Use suitab Filter P3 In case of 	brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us ined respiratory protective device.
 Respirato Use suitab Filter P3 In case of self-conta 	brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us ined respiratory protective device. n of hands: (continued on page 5)



2288602

PR	RODUCT : BASIL METHYLCHA ORG OIL FFL
* * * *	 (continued of page 4) Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye/face protection Safety glasses Body protection: Impervious protective clothing Boots
_	ECTION 09: Physical and chemical properties

General Information			
Physical state	Fluid		
Colour:	pale yellow to amber-yellow	· · · ·	
Odour:	spicy		
Odour threshold:	Not determined.		
Boiling point or initial boiling point and boiling range	Not determined.		
Flammability	Not determined.		
Lower and upper explosion limit			
Lower:	Not determined.		
Upper:	Not determined.		
Flash point:	75,0 °C NFT 60-103 CC		
Decomposition temperature:	Not determined.		
рН	Not determined.		
Viscosity:			
Kinematic viscosity	Not determined.		
Dynamic:	Not determined.		
Solubility			
water:	Not determined.		
Partition coefficient n-octanol/water (log value)	Not determined.		
Vapour pressure:	Not determined.		
Density and/or relative density			
Density:	Not determined.		
Relative density	0,9480 0,970 D20/20		
Vapour density	Not determined.		
9.2 Other information	No further relevant information available.		
Appearance:			
Form:	fluid		
Important information on protection of health	and environment, and on safety.		
Auto-ignition temperature:	Not determined.		
Explosive properties:	Not determined.		
Solvent content:			
Solids content:	0,00 %		
Change in condition			
Evaporation rate	Not determined.		



2288602

Reviewed on: 30.07.2024

Printing	date:	30.07.2024
----------	-------	------------

s not applicable not
not applicable not applicable not applicable not applicable not applicable not applicable not applicable not applicable
not applicable not applicable not applicable not applicable not applicable not applicable not applicable
not applicable not applicable not applicable not applicable not applicable
not applicable not applicable not applicable not applicable
not applicable not applicable not applicable
not applicable not applicable
not applicable
not applicable
not applicable
רר

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Not determined.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

8015-73-4

140-67-0

470-82-6

78-70-6

93-15-2

87-44-5

Harmful if swallowed.

Oral, LD50: 1400 mg/kg (rat) Dermal, LD50: >=5000 mg/kg (Rabbit)

Oral, LD50: 2790 mg/kg (rat)

Dermal, LD50: 5610 mg/kg (Rabbit)

• LD/LC50 values relevant for classification:

Oral, LD50: 1230 mg/kg (rat) (Moreno 1972)

ESTRAGOL

Eucalyptol Oral, LD50: 3849 mg/kg (mouse) (Jiao Xu, 2014)

LINALOOL

Oral, LD50: 810 mg/kg (rat) (Beroza and al., 1975)

Ocimum basilicum L.

METHYL EUGENOL

BETA-CARYOPHYLLENE

ISO LD/LC

(continued on page 7)

*

*

*

* *

*

*

*



2288602

Reviewed on: 30.07.2024 Printing date: 30.07.2024

(continued on page 8)

 PRODUCT :	BASIL METHYLCHA ORG OIL FFL	(a sufficient of the second se
Oral, LD5(D: > 5000 mg/kg (rat) (Hart and Wong 1971)	(continued of page 6,
5989-27-5	(R)-p-mentha-1,8-diene	
	(1,7) p month (1,6) are the first (1,6) are	
,	irritant effect:	
 Skin corr 	osion/irritation	
No irritant		
	eye damage/irritation	
No irritatii	ng effect. Dry or skin sensitisation	
	ion possible through skin contact.	
	Il mutagenicity	
470-82-6	Eucalyptol	
	AMES: NEGATIVE (in vitro) (Haworth, 1983)	
78-70-6	LINALOOL	
OECD 471	AMES: NEGATIVE (in vitro) (Letizia and al., 2007)	
87-44-5	BETA-CARYOPHYLLENE	
	AMES: NEGATIVE (in vitro) (Heck and al., 1989)	
	l of causing genetic defects.	
 Carcinog 		
140-67-0 Micronoya	ESTRAGOL u: NEGATIVE (mouse) (NTP 2008)	
78-70-6	LINALOOL	
	u: NEGATIVE (mouse) (in vivo, Letizia and al., 2007)	
	u: NEGATIVE (in vitro) (DiSotto and al., 2011)	
	l of causing cancer. ctive toxicity	
Not deterr		
	ale exposure	
Not deterr		
	peated exposure	
Not deterr		
 Aspiratio Not deterr 		
	e to chronic toxicity:	
140-67-0	ESTRAGOL	
	EL: 37,5 mg/kg (rat) (NTP 2008)	
78-70-6	LINALOOL	
	EL: 200 mg/kg (rat) (maternal toxicity, Politano and al.,	
2008)		
 11.2 Info 	ormation on other hazards	
	e disrupting properties	
None or	f the ingredients is listed.	
SECTION 12:	Ecological information	
12.1 Toxicit	TV .	

	Ocimum basilicum L. 2,2 mg/l (daphnia)
ErC50(0-72h	LINALOOL mg/l (fish) ((OECD 203) RIFM 1991) i): 156,7 mg/l (algae) i): 59 mg/l (daphnia) ((OECD 202)
2018) ErC50(0-72h 2018)	METHYL EUGENOL 8 mg/l (daphnia) (Ministry of the Environment of Japan a): 22 mg/l (algae) (Ministry of the Environment of Japan 4 mg/l (fish) (Ministry of the Environment of Japan 2018)
5989-27-5 LD50: 0,71	(R)-p-mentha-1,8-diene ng/l (fish) (OECD 203)
No further rele	nce and degradability vant information available. in environmental systems:

*

*

* * * * * * * *

*



2288602

Reviewed on: 30.07.2024 Printing date: 30.07.2024

(continued on page 9)

PRODUC		SIL METHYLCHA ORG OIL FFL	
Not	t determined.		(continued of page 7)
		tive potential	
No fur	ther relevant	information available.	
	Mobility in s	oil information available.	
• PB		BT and vPvB assessment	
	t applicable.		
• vP Not	vы: t applicable.		
12.6	Endocrine d	srupting properties	
The pr	roduct does no	ot contain substances with endocrine disrupting properties.	
	Other adver		
	ther relevant otoxical effe	information available.	
	t determined.		
	mark:		
	rmful to fish ditional ecol	ogical information:	
• Ge	neral notes:		
Hai	rmful to aquat	ic organisms armful to the environment.	
13.1		posal considerations	
• Re	Waste treat	ment methods on	
 Re Mu Un 	Waste treat commendati st be specially cleaned pac	ment methods on • treated adhering to official regulations. kaging:	
 Re Mu: Un Re 	Waste treat commendati st be specially cleaned pac commendati	ment methods on • treated adhering to official regulations. kaging:	
 Re Mu: Un Re Dis 	Waste treat commendati st be specially cleaned pac commendati posal must be	ment methods on treated adhering to official regulations. kaging: on: e made according to official regulations.	
Re Mu Un Re Dis	Waste treat commendati st be specially cleaned pac commendati posal must be N 14: Tra	ment methods on treated adhering to official regulations. kaging: on: made according to official regulations.	
Re Mu Un Re Dis	Waste treat commendati st be specially cleaned pac commendati posal must be N 14: Tra UN number	ment methods on treated adhering to official regulations. kaging: on: e made according to official regulations.	
Re Mu: Un Re Dis	Waste treat commendati st be specially cleaned pac commendati posal must be N 14: Tra UN number R	ment methods on treated adhering to official regulations. kaging: on: made according to official regulations. nsport information or ID number	
Re Mu Un Re Dis	Waste treat commendati st be specially cleaned pac commendati posal must be N 14: Tra UN number R OG	ment methods on treated adhering to official regulations. kaging: on: made according to official regulations. nsport information or ID number Not classified	
 Re Mu. Un Re Dis SECTIO 14.1 ADI IME IAT 	Waste treat commendati st be specially cleaned pac commendati sposal must be M 14: Tra UN number R OG A	ment methods on treated adhering to official regulations. kaging: on: made according to official regulations. nsport information or ID number Not classified Not classified	
 Re Mu. Un Re Dis SECTIO 14.1 ADI IME IAT 14.2 ADI 	Waste treat commendati st be specially cleaned pac commendati posal must be M 14: Tra UN number R OG A UN proper s R	ment methods on treated adhering to official regulations. kaging: on: made according to official regulations. nsport information or ID number Not classified Not classified Not classified hipping name Not classified	
 Re Mu. Un Re Dis SECTIO 14.1 ADI IME IAT 14.2 ADI IME IME 	Waste treat commendati st be specially cleaned pac commendati posal must be N 14: Tra UN number R OG A UN proper s R OG	ment methods on treated adhering to official regulations. kaging: on: made according to official regulations. nsport information or ID number Not classified Not classified hipping name Not classified Not classified Not classified Not classified Not classified	
 Re Mu Un Re Dis SECTIO 14.1 ADI IME IAT 14.2 ADI IME IAT 	Waste treat commendati st be specially cleaned pac commendati posal must be N 14: Tra UN number R OG A UN proper s R OG A	ment methods on treated adhering to official regulations. kaging: on: made according to official regulations. nsport information or ID number Not classified Not classified	
 Re Mu Un Re Dis SECTIO 14.1 ADI IME IAT 14.2 ADI IME IAT 	Waste treat commendati st be specially cleaned pac commendati posal must be N 14: Tra UN number R OG A UN proper s R OG A Transport ha	ment methods on treated adhering to official regulations. kaging: on: made according to official regulations. nsport information or ID number Not classified Not classified hipping name Not classified Not classified Not classified Not classified Not classified	
 Re Mu. Un Re Dis SECTIO 14.1 ADI IME IAT 14.2 ADI IME IAT 14.3 	Waste treat commendati st be specially cleaned pac commendati posal must be N 14: Tra UN number R OG A UN proper s R OG A Transport ha R	ment methods on treated adhering to official regulations. kaging: on: made according to official regulations. nsport information or ID number Not classified Not classified	
 Re Mu. Un Re Dis SECTIO 14.1 ADI IME IAT 14.2 ADI IME IAT 14.3 ADI 	Waste treat commendati st be specially cleaned pac commendati posal must be N 14: Tra UN number R OG A UN proper s R OG A Transport has ss	ment methods on treated adhering to official regulations. kaging: on: made according to official regulations. hsport information or ID number Not classified Not classified Not classified Not classified Not classified Not classified Not classified azard class(es)	
 Re Mu. Un Re Dis SECTIO 14.1 ADI IME IAT 14.2 ADI IME IAT 14.3 ADI Class 	Waste treat commendati st be specially cleaned pac commendati posal must be M 14: Tra UN number R OG A UN proper s R OG A Transport has ss OG	ment methods on treated adhering to official regulations. kaging: on: made according to official regulations. hsport information or ID number Not classified Not classified Not classified Not classified Not classified Not classified Not classified azard class(es)	
 Re Mu. Un Re Dis SECTIO 14.1 ADI IME IAT 14.2 ADI IAT 14.3 ADI Class IME IME 	Waste treat commendati st be specially cleaned pac commendati posal must be UN number R OG A UN proper s R OG A Transport has ss OG ss	ment methods on treated adhering to official regulations. kaging: on: made according to official regulations. nsport information or ID number Not classified Not classified	
 Re Mu. Un Re Dis SECTIO 14.1 ADI IME IAT 14.2 ADI IAT 14.3 ADI IAT 14.3 ADI IAT 14.3 IAT 14.3 IAT 	Waste treat: commendati st be specially cleaned pac commendati sposal must be M 14: Trai UN number R OG A UN proper s CG A Transport has ss OG Ss A Ss A	ment methods on treated adhering to official regulations. kaging: on: made according to official regulations. rsport information or ID number Not classified Not classified	
 Re Mu. Un Re Dis SECTIO 14.1 ADI IME IAT 14.2 ADI IAT 14.3 ADI IAT 14.3 ADI Class IAT Class IAT Class IAT Class IAT Class IAT Class IAT 	Waste treat: commendati st be specially cleaned pac commendati sposal must be must be UN number R OG A UN proper s R OG A Transport has ss OG Ss A Ss Packing grou	ment methods on treated adhering to official regulations. kaging: on: made according to official regulations. rsport information or ID number Not classified Not classified	
 Re Mu. Un Re Dis SECTIO 14.1 ADI IME IAT 14.2 ADI IME IAT 14.3 ADI IAT 14.3 ADI IAT 14.3 ADI IAT 14.4 ADI 	Waste treat: commendati st be specially cleaned pac commendati posal must be UN number R OG A UN proper s OG A Transport ha S S S A S S S A Packing grow R	ment methods on 'treated adhering to official regulations. kaging: on: made according to official regulations. hyport information or ID number Not classified Not classified Not classified Not classified Not classified Not classified At classified Not classified	
 Re Mu. Un Re Dis SECTIO 14.1 ADI IME IAT 14.2 ADI IAT 14.3 ADI IAT 14.3 ADI Class IAT Class IAT Class IAT Class IAT Class IAT 	Waste treat: commendati st be specially cleaned pac commendati posal must be N 14: Tra UN number R OG A UN proper s R OG A Transport has ss OG ss A Packing gro R OG	ment methods on treated adhering to official regulations. kaging: on: made according to official regulations. rsport information or ID number Not classified Not classified	

Not applicable.



CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

> Reviewed on: 30.07.2024 Printing date: 30.07.2024

PRODUCT :	BASIL METHYLCHA ORG OIL FFL
1460	(continued of page 8)
14.6 Specia Not applicabl	Il precautions for user e.
14.7 Mariti Not applicabl	ne transport in bulk according to IMO instruments
	ے۔
SECTION 15:	Regulatory information
	, health and environmental regulations/legislation specific for the substance or mixture
	/E 2011/65/EU on the restriction of the use of certain hazardous substances in electrical ronic equipment - Annex II
	e ingredients is listed.
	ION (EU) 2019/1148
	RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing
	ticle 5(3)) e ingredients is listed.
	- REPORTABLE EXPLOSIVES PRECURSORS
None of th	e ingredients is listed.
	on (EC) No 273/2004 on drug precursors
	e ingredients is listed. In (EC) No 111/2005 laying down rules for the monitoring of trade between the
	ity and third countries in drug precursors
	e ingredients is listed.
National	regulations:
Technica	instructions (air):
 Class Sh 	
Ι	0,08
Waterha	zard class:
Generally	not hazardous for water.
15.2 Chem	cal safety assessment:
A Chemical S	afety Assessment has not been carried out.
SECTION 16	Other information
	ion in this safety data sheet is based on the state of our knowledge at the date indicated. The
	n this sheet must be regarded as a description of the safety requirements for the product, they are not ered a warranty or quality specification and have no contractual value on properties and application
areas thereof	. The information contained in this safety data sheet relate to the specific material designated and may
not be valid of this docun	with respect to the product associated with another product or process, unless it is specified in the text
	information complies with EU regulations in force. It does not exempt the user from knowing and
	he national regulations in force.
Relevant	
H226 H302	Flammable liquid and vapour. Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317 H319	May cause an allergic skin reaction. Causes serious eye irritation.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H400 H411	Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Training	
Minimum	training in occupational risk prevention is recommended for personnel who will handle this product, in the facilitating the understanding and interpretation of this form of safety data in the same way as t

Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.

Abbreviations and acronyms:

IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry

(continued on page 10)



2288602

PRODUCT :	BASIL METHYLCHA ORG OIL FFL
	(continued of page 9)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ICAO: International Civil Aviation Organisation	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
VPVB: very F	Persistent and very Bioaccumulative
 Sources 	
IFRA/IOFI Labelling Manual, REACH registration dossier, supplier information	
• * Data con	npared to the previous version altered.