


2300802

Reviewed on: 21.12.2022 Printing date: 21.12.2022





2300802

Reviewed on: 21.12.2022 Printing date: 21.12.2022

(continued on page 3)

RODUCT : J	AVA CITRONELLA PA ORGANIC OIL	
P272 Contamir	roughly after handling. hated work clothing should not be allowed out of the workplace. ease to the environment.	(continued of page 1
P302+P352 IF	ON SKIN: Wash with plenty of water. of contents/container in accordance with local/regional/ national	/international regulations.
	rds 3T and vPvB assessment	
 PBT: Not applicable. vPvB: 		
 Not applicable Determination Substance is not substance is not substance 	n of endocrine-disrupting properties	
	amposition /information on ingradiants	
3.1 Substances	omposition/information on ingredients	
CAS No. 8000-29-1 Cym	Description bopogon winterianus Jowitt	
 Identification EC number: 294-954-7 	n number(s)	
Dangerous c	omponents:	
CAS Number 106-23-0	Cityonellal	% 20.001 F0.00
106-23-0	Citronellal EC number: 203-376-6	20,001-50,00
	H319, Skin Sens. 1B - H317	00 004 50 00
106-24-1	geraniol EC number: 203-377-1 ঔ Eye Dam. 1 - H318;	20,001-50,00
106-22-9	- H315, Skin Sens. 1 - H317 dl-Citronellol	10,001-20,00
	EC number: 203-375-0	
105-87-3	H319, Skin Sens. 1B - H317 Geranyl acetate	5,001-10,00
	EC number: 203-341-5	-,,
450.04.5	H317; Aquatic Chronic 3 - H412	5 004 40 00
150-84-5	citronellyl acetate EC number: 205-775-0	5,001-10,00
5989-27-5	Chronic 2 - H411 d-limonene	1,001- 5,00
5565-27-5	EC number: 227-813-5	1,001-5,00
	- H226; 🗘 Skin Irrit. 2 - H315, Skin	
	Sens. 1B - H317; 🔅 Aquatic Acute 1 - H400; Aquatic Chronic 3 - H412	
5392-40-5	Citral	1,001- 5,00
	EC number: 226-394-6	



2300802

Reviewed on: 21.12.2022

iterica .			
Printing da	te: 21	.12.20)22

		Printing date: 21.1
PRODUCT :	JAVA CITRONELLA PA ORGANIC OIL	
		(continued of page 2)
89-79-2	isopulegol EC number: 201-940-6 � Acute Tox. 4 - H302, Skin Irrit. 2 -	1,001- 5,00
106-25-2	H315, Eye Irrit. 2 - H319 Nerol EC number: 203-378-7 ① Skin Irrit. 2 - H315, Eye Irrit. 2 -	1,001- 5,00
87-44-5	H319, Skin Sens. 1B - H317 beta-Caryophyllene EC number: 201-746-1 I Asp. Tox. 1 - H304; I Skin Sens.	1,001- 5,00
97-53-0	1B - H317 Eugenol EC number: 202-589-1 ∲ Eye Irrit. 2 - H319, Skin Sens. 1B -	1,001- 5,00
78-70-6	H317 Linalool EC number: 201-134-4 ① Skin Irrit. 2 - H315, Eye Irrit. 2 -	1,001- 5,00
3338-55-4	H319, Skin Sens. 1B - H317 cis-beta-Ocimene EC number: 222-081-3 I Asp. Tox. 1 - H304; I Tam. Liq. 3	1,001- 5,00
4602-84-0	- H226 Farnesol EC number: 225-004-1 ① Skin Irrit. 2 - H315, Eye Irrit. 2 -	0,101-1,00
13877-91-3	H319, Skin Sens. 1B - H317 3,7-Dimethyl-1,3,6-octatriene EC number: 237-641-2 Asp. Tox. 1 - H304; Image Flam. Liq. 3	0,101-1,00
127-91-3	- H226; (1) Skin Irrit. 2 - H315 beta-Pinene EC number: 204-872-5 (2) Asp. Tox. 1 - H304; (2) Flam. Liq. 3	0,101-1,00
98-55-5	- H226;	0,101-1,00
586-62-9	H319 Terpinolene EC number: 209-578-0 Isp. Tox. 1 - H304; ISkin Sens.	0,101-1,00
470-82-6	1B - H317; Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410 Eucalyptol EC number: 207-431-5 Flam. Liq. 3 - H226; Skin Sens.	0,101-1,00
	1B - H317	(continued on page 4)



2300802

Reviewed on: 21.12.2022

PRODUCT: JAVA CITRONELLA PA ORGANIC OIL (continued of page 3) 80-56-3 pin-2(3)-ene 0,101-1,00 EC number: 201-291-9			
80-56-8 pin-2(3)-ene 0,101-1,00 EC number: 201-291-9	PRODUCT :	JAVA CITRONELLA PA ORGANIC OIL	
EC number: 201-291-9			
 Asp. Tox. 1 - H304;	80-56-8		0,101-1,00
 - H226; ⁽¹⁾ Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 methyl eugenol E c number: 202-223-0 Acute Tox. 4 - H302; ⁽²⁾ Muta. 2 - H341, Carc. 2 - H351 SECTION 04: First aid measures General information: Seek inmediate medical advice. A fter inhalation: Supply fresh air and to be sure call for a doctor. After skin contact: If skin inritation continues, consult a doctor. Immediately visual with water and scap and rinse thoroughly. Immediately rinse with water. After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After eyen information available. 1.1 Information for doctor: 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 5.1 Extinguishing media 9.1 Extinguishing methods suitable to surrounding conditions. For safety reasons unsultable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fre. 5.3 Advice for firefighters • Protective equipment: bo not indue explosion gases or combustion gases.<!--</td--><td></td><td></td><th></th>			
Bartis 2 Irrit. 2 - H315, Skin Sons. 1B - H317 methyl eugenol 0,101-1,00 EC number: 202-223-0 (Acute Tox. 4 - H302; Matta. 2 - H341, Carc. 2 - H351 0,101-1,00 SCECTON 04: First aid measures 0.101-1,00 C. General information: seek immediate medical advice. 0.101-1,00 A flat information: seek immediate medical advice. 0.101-1,00 A flat information: seek immediate medical advice. 0.101-1,00 A flat is in ortact: This in inflation: supply fresh air and to be sure call for a doctor. 0.101-1,00 A flat ey kin contact: This in inflation continues, consult a doctor. 0.101-1,00 A flat ey ve contact: This expende eye for several minutes under running water. If symptoms persist, consult a doctor. 0.101-1,00 A flat eye contact: Balse opened eye for several minutes under running water. If symptoms persist, consult a doctor. 0.101-1,00 A flat eye contact: Balse opened eye for several minutes under running water. If symptoms persist, consult a doctor. 0.101-1,00 A flat eye contact: Balse opened eye for several minutes under running water. If symptoms persist, consult a doctor. 0.101-1,00 A flat eye contact: Balse opened eye for several minutes under running water. If symptoms persist, consult a doctor. 0.101-1,00 A flat eye contact: Balse opened eye for several minutes under running water. If symptoms persist, consult a doctor. 0.101-1,00 <td></td> <td>🚸 Asp. Tox. 1 - H304; 🔅 Flam. Liq. 3</td> <th></th>		🚸 Asp. Tox. 1 - H304; 🔅 Flam. Liq. 3	
 93-15-2 methyl eugenol C, 10,100 EC number: 202-223-0 Acute Tox. 4 + H302; Ac		- H226; 🔅 Acute Tox. 4 - H302, Skin	
 93-15-2 methyl eugenol C, 10,100 EC number: 202-223-0 Acute Tox. 4 + H302; Ac		Irrit. 2 - H315. Skin Sens. 1B - H317	
EC number: 202-223-0 Acute Tors. 4 - H302; Muta. 2 - H341, Carc. 2 - H361 SECTION 04: First aid measures • General information: sek immediate medical advice. • After inhalation: supply resh air and to be sure call for a doctor. • After skin contact: If skin intration continues, consult a doctor. • After expendence for several minutes under running water. If symptoms persist, consult a doctor. • After expendence for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing: seek immediate medical advice. • Information for doctor: • Information for doctor: • Information for doctor: • After several minutes under running water. If symptoms persist, consult a doctor. • After swallowing: seek immediate medical advice. • Information for doctor: • 1. Information for doctor: • 1. Information for doctor: • 1. Information medical medical attention and special treatment needed No further relevant information available. SECTION 05: Firefighting measures • Suttable extinguishing agents: do2, sand, extinguishing agents: do2, sand, extinguishing agents: Water with ful jet • S. Special hazards arising from the substance or mixture formation of toxic gases is possible during heating or in case of fire. • Protective equipment: Do not inhale explosion gases or combustion gases. • Additional information Coll endangreed receptacles with water spray. SECTION 05: Accidental release measures SECTION 05: Accidental release measures • Protective equipment: Do not inhale explosion gases or combustion gases. • Additional information Coll endangreed receptacles with water spray.	93-15-2		0 101-1 00
 Acute Tox. 4 - H302; W Muta. 2 - H341, Carc. 2 - H341, Carc. 2 - H351 SECTION 04: First aid measures General information: Seek immediate medical advice. After inhalation: Supply fresh air and to be sure call for a doctor. After ishi contact: If skin irritation continues, consult a doctor. Immediately wash with water and soapa and rines thoroughly. Immediately wash with water. After sith contact: Runse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After sith water. Information for doctor: After sith modiate medical advice. Information for doctor: Also important symptoms and effects, both acute and delayed No further relevant information available. Souties information available. Statible extinguishing media Suitable extinguishing agents: Co2, sand, extinguishing agents: Co2, sand, extinguishing agents: Water with full jet Special hazards arising from the substance or mixture formation of toxic gases is possible during beating or in case of fire. Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Advice for furefighters Protective equipment and measures Section of any increation gases. Advice for furefighters Protective equipment and measures 			0,101-1,00
 H341, Carc. 2 - H351 SECTION 04: First aid measures General information: Bek immediate medical advice. After inhalation: Supply fresh air and to be sure call for a doctor. After sinhalation: Miritation continues, consult a doctor. After sinhalation: Miritation continues, consult a doctor. After eye contact: Miritation contact. Information for doctor: Information available. Souther relevant information available. Section of any immediate medical attention and special treatment needed No further relevant information available. Sutable extinguishing agents: Cody and, extinguishing powder. Do not use water. Use fire extinguishing agents: Cody and, extinguishing agents: Cody and cody agents is possible during heating or in case of fire. Soutice for firefighters Ord coding information Cody and cody agents is possible during heating or in case of fire. Southale extiplishing agents: Cody and cody cody a			
 SECTION 04: First aid measures 4.1 Description of first aid measures General information: Seek immediate medical advice. After inhalation: Supply fresh air and to be sure call for a doctor. After skin contact: If skin irritation continues, consult a doctor. Immediately vash with water and soap and rinse thoroughly. Immediately vash with water. After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Seek immediate medical advice. Information for doctor: 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. 5.1 Extinguishing media Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing agents: CO2, and, extinguishing powder. Do not use water. Use fire extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. 			
 4.1 Description of first aid measures General information: Seek immediate medical advice. After inhalation: Supply fresh air and to be sure call for a doctor. After rikin contact: If skin irritation continues, consult a doctor. Immediately wash with water. After rey contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After rewallowing: Seek immediate medical advice. Information for doctor: 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. 5.1 Extinguishing media Suitable extinguishing agents: CO2, sand, extinguishing gowder. Do not use water. Use fire settinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases. Additional information Acident relevase with water spray. 		H341, Carc. 2 - H351	
 4.1 Description of first aid measures General information: Seek immediate medical advice. After inhalation: Supply fresh air and to be sure call for a doctor. After rikin contact: If skin irritation continues, consult a doctor. Immediately wash with water. After rey contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After rewallowing: Seek immediate medical advice. Information for doctor: 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. 5.1 Extinguishing media Suitable extinguishing agents: CO2, sand, extinguishing gowder. Do not use water. Use fire settinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases. Additional information Acident relevase with water spray. 			
 General information: Seek immediate medical advice. After inhalation: Supply fresh air and to be sure call for a doctor. After skin contact: If skin irritation continues, consult a doctor. Immediately wash with water and soap and rinse thoroughly. Immediately wash with water. After eye contact: Rinse opend eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Seek immediate medical advice. Information for doctor: 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. SetCTION 05: Firefighting measures 5.1 Extinguishing media Suitable extinguishing agents: CO2, sand, extinguishing agents: CO2, sand, extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. 	SECTION 04:	First aid measures	
 Seek immediate medical advice. After inhalation: Supply fresh air and to be sure call for a doctor. After rinhaltion: Thiskin irritation continues, consult a doctor. Immediately wash with water and scap and rinse thoroughly. Immediately inse with water. After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Seek immediate medical advice. Information for doctor: 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. 5.1 Extinguishing media Suitable extinguishing agents: CO2, sand, extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. 			
 After inhalation: Supply fresh air and to be sure call for a doctor. After skin contact: If skin irritation continues, consult a doctor. Immediately wash with water and scop and rinse thoroughly. Immediately wash with water. After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Seek immediate medical advice. Information for doctor: 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. Section 05: Firefighting measures 5.1 Extinguishing media Suitable extinguishing agents: CO2, sand, extinguishing agents: CO2, sand, extinguishing movier. Do not use water. Use fire extinguishing mediaes: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosing agess. Additional information Cool endangered receptacles with water spray. 			
 After skin contact: If skin irritation continues, consult a doctor. Immediately wash with water and soap and rinse thoroughly. Immediately vash with water. After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Seek immediate medical advice. Information for doctor: 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. SECTION 05: Firefighting measures 5.1 Extinguishing media Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing media Suitable extinguishing powder. Do not use water. Use fire extinguishing media to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. SECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wer protective equipment, keep unprotected persons away.			
If skin irritation continues, consult a doctor. Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water. • After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing: Seek immediate medical advice. • Information for doctor: • 2.2 Most important symptoms and effects, both acute and delayed No further relevant information available. • 3.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. SECTION 05: Firefighting measures S.1 Extinguishing media • Suitable extinguishing agents: CO2, sand, extinguishing methods suitable to surrounding conditions. • For safety reasons unsuitable extinguishing agents: Water with full jet S.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. S.3 Advice for firefighters • Protective equipment: Do not inhale explosion gases. • Additional information Cool endangered receptacles with water spray. SECTION 06: Accidental release measures SECTION 07: Accidental release measures SECTION 06: Accidental release measures SECTION 06: Accidental release measures SECTION 07: Accidental release measures SECTION 07: Accidental release measures			
Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water. A fitter eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. A fitter swallowing: Seek immediate medical advice. Information for doctor: 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. 5.1 Extinguishing media SECTION 05: Firefighting measures 5.1 Extinguishing media Suitable extinguishing agents: CO2, sand, extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. S. Advice for firefighters Protective equipment: Do not inhale explosion gases. Additional information Cool endangered receptacles with water spray. SECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Weer protective equipment. Keep unprotected persons away.			
Immediately rinse with water. After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Seek immediate medical advice. Information for doctor: A.2 Most important symptoms and effects, both acute and delayed No further relevant information available. A.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. SECTION 05: Firefighting measures S.1 Extinguishing media Suitable extinguishing agents: CO2, sand, extinguishing mover. Do not use water. Use fire extinguishing mover. Do not use water. Use fire extinguishing mover. Do not use water. Water with full jet S.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. S.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. SECTION 06: Accidental release measures SECTION 06: Accidental release measures Additional precautions, protective equipment and emergency procedures Weer protective equipment. Keep unprotected persons away.			
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Seek immediate medical advice. Information for doctor: A.2 Most important symptoms and effects, both acute and delayed No further relevant information available. A.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. SECTION 05: Firefighting measures S.1 Extinguishing media Suitable extinguishing agents: C02, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet S.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. Additional information Cool endangered receptacles with water spray. SECTION 06: Accidental release measures SECTION 05: Accidental release measures SECTION 0			
 After swallowing: Seek immediate medical advice. Information for doctor: 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. 5.1 Extinguishing media Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. 			
 Seek immediate medical advice. Information for doctor: 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. SECTION 05: Firefighting measures 5.1 Extinguishing media Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. 			st, consult a doctor.
 Information for doctor: 1.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. SECTION 05: Firefighting measures 5.1 Extinguishing media Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. 			
No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. SECTION 05: Firefighting measures 5.1 Extinguishing media • Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. • For safety reasons unsultable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters • Protective equipment: Do not inhale explosion gases or combustion gases. • Additional information Cool endangered receptacles with water spray. SECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.			
No further relevant information available. SECTION 05: Firefighting measures 5.1 Extinguishing media • Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. • For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters • Protective equipment: Do not inhale explosion gases or combustion gases. • Additional information Cool endangered receptacles with water spray. SECTION 06: Accidental release measures Wear protective equipment. Keep unprotected persons away.			
 5.1 Extinguishing media Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. SECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. 	4.3 Indicatior No further relev	of any immediate medical attention and special treatme vant information available.	nt needed
 5.1 Extinguishing media Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. SECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. 			
 Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. SECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.			
CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. • For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters • Protective equipment: Do not inhale explosion gases or combustion gases. • Additional information Cool endangered receptacles with water spray. SECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.		5	
Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. SECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. 			
 Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. SECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. 			
 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. SECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. 	 For safety 	reasons unsuitable extinguishing agents:	
Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters • Protective equipment: Do not inhale explosion gases or combustion gases. • Additional information Cool endangered receptacles with water spray. SECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.	Water with f	ull jet	
Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters • Protective equipment: Do not inhale explosion gases or combustion gases. • Additional information Cool endangered receptacles with water spray. SECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.	5.2 Special h	azards arising from the substance or mixture	
 Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. SECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. 		5	
 Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. SECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. 			
Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. SECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.			
Additional information Cool endangered receptacles with water spray. SECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.			
Cool endangered receptacles with water spray. SECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.			
6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.			
6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.			
Wear protective equipment. Keep unprotected persons away.	SECTION 06:	Accidental release measures	
	6.1 Personal	precautions, protective equipment and emergency procec	lures

Keep away from ignition sources.

6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

(continued on page 5)



2300802

RODUCT :	JAVA CITRONELLA PA ORGANIC OIL	
Dispose con	ds and material for containment and cleaning up: taminated material as waste according to item 13. uate ventilation.	(continued of page 4)
See Section See Section	nce to other sections 7 for information on safe handling. 8 for information on personal protection equipment. 13 for disposal information.	
ECTION 07	: Handling and storage	
Keep recept Keep away f Ensure good Prevent forn Handle with Informa Keep igni	tions for safe handling acles tightly sealed. rom heat and direct sunlight. ventilation/exhaustion at the workplace. nation of aerosols. care. Avoid jolting, friction and impact. tion about fire - and explosion protection: tion sources away - Do not smoke. gainst electrostatic charges.	
Storage: • Required Store onl Prevent a Use only • Informa Not requi • Further Keep con Protect fr	ions for safe storage, including any incompatibilities ments to be met by storerooms and receptacles: y in the original receptacle. ny seepage into the ground. receptacles specifically permitted for this substance/ product. tion about storage in one common storage facility: red. information about storage conditions: tainer tightly sealed. om heat and direct sunlight. eptacle in a well ventilated area.	
	c end use(s) elevant information available.	

- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.

General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Do not inhale dust / smoke / mist. Avoid contact with the skin. Avoid contact with the eyes. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Use suitable respiratory protective device in case of insufficient ventilation. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(continued on page 6)

^{8.2} Exposure controls

[•] Individual protection measures, such as personal protective equipment



2300802

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

> Reviewed on: 21.12.2022 Printing date: 21.12.2022

	A CITRONELLA PA ORGANIC OIL
	(continued of page 5)
varies from manufPenetration time	he suitable gloves does not only depend on the material, but also on further marks of quality and facturer to manufacturer. e of glove material hrough time has to be found out by the manufacturer of the protective gloves and has to be
	sical and chemical properties sic physical and chemical properties
General Information on bas	

Physical state	Fluid	
Colour:	pale yellow to brown-yellow	
Odour:	herbal	
Odour threshold:	Not determined.	
Boiling point or initial boiling point and boiling range	Not determined.	
Flammability	Not determined.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	81,0 °C NFT 60-103 CC	
Decomposition temperature:	Not determined.	
рН	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
Dynamic:	Not determined.	
Solubility		
water:	Not determined.	
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure:	at 25,00 °C 10,0000 mbar	
Density and/or relative density		
Density:	Not determined.	
Relative density	0,8800 0,897 D20/20	
Vapour density	Not determined.	
9.2 Other information	No further relevant information available.	
Appearance:		
Form:	fluid	
Important information on protection of hea	Ith and environment, and on safety.	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Not determined.	
Solvent content:		
Solids content:	0,00 %	
Change in condition		
Evaporation rate	<= 1,0 (butyl acétate = 1)	
Information with regard to physical hazard		
Explosives	not applicable	
Flammable gases	not applicable	
Aerosols	not applicable	
Oxidising gases	not applicable	
Gases under pressure	not applicable	



2300802

Reviewed on: 21.12.2022 Printing date: 21.12.2022

Printing	date:	21.12.2022
----------	-------	------------

		<i></i>
		(continued of page 6)
Flammable liquids	not applicable	
Flammable solids	not applicable	
Self-reactive substances and mixtures	not applicable	
Pyrophoric liquids	not applicable	
Pyrophoric solids	not applicable	
Self-heating substances and mixtures	not applicable	
Substances and mixtures, which emit flammable gases in contact with water	not applicable	
Oxidising liquids	not applicable	
Oxidising solids	not applicable	
Organic peroxides	not applicable	
Corrosive to metals	not applicable	
Desensitised explosives	not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Not determined.

SECTION 11: Toxicological information

11.1 InformatiAcute toxicit	on on hazard classes as defined in Regu	ation (EC) No 1272/2008
	s relevant for classification:	
		ISO LD/LC
8000-29-1 Oral, LD50: >=5 Dermal, LD50: 4	Cymbopogon winterianus Jowitt 000 mg/kg (rat) 700 mg/kg (Rabbit)	
106-22-9 Oral, LD50: 3450 Dermal, LD50: 2	dl-Citronellol) mg/kg (rat) 650 mg/kg (Rabbit)	
105-87-3 Oral, LD50: >40	Geranyl acetate 00 mg/kg (rat) (NTP 1987)	
5989-27-5 Oral, LD50: 4400	(R)-p-mentha-1,8-diene) mg/kg (rat)	
5392-40-5 Oral, LD50: 4960	Citral) mg/kg (rat)	
87-44-5 Oral, LD50: > 50	beta-Caryophyllene 100 mg/kg (rat) (Hart and Wong 1971)	
97-53-0 Oral, LD50: 1930		
78-70-6 Oral, LD50: 2790 Dermal, LD50: 5	Linalool) mg/kg (rat) 610 mg/kg (Rabbit)	
4602-84-0 Oral, LD50: 2000	Farnesol 00 mg/kg (rat)	
·	,	(continued on page 8)



2300802

Reviewed on: 21.12.2022 Printing date: 21.12.2022

RODUCT :	JAVA CITRONELLA PA ORGANIC OIL	
Dermal 105	0: 15000 mg/kg (rat)	(continued of page 7)
98-55-5	p-menth-1-en-8-ol	
Oral, LD50:	4300 mg/kg (rat)	
470-82-6	Eucalyptol	
Oral, LD50:	3849 mg/kg (mouse) (Jiao Xu, 2014)	
93-15-2	methyl eugenol	
	810 mg/kg (rat) (Beroza and al., 1975) irritant effect:	
,	rosion/irritation	
	skin and mucous membranes.	
	in irritation. eye damage/irritation	
	tant with the danger of severe eye injury.	
	rious eye damage.	
	ory or skin sensitisation ion possible through skin contact.	
	Il mutagenicity	
105-87-3	Geranyl acetate	
OECD 471	. AMES: NEGATIVE (in vitro) (NTP 1987)	
87-44-5	beta-Caryophyllene	
78-70-6	. AMES: NEGATIVE (in vitro) (Heck and al., 1989) Linalool	
	AMES: NEGATIVE (in vitro) (Letizia and al., 2007)	
470-82-6	Eucalyptol	
	AMES: NEGATIVE (in vitro) (Haworth, 1983)	
Carcinog		
105-87-3 Micronova	Geranyl acetate au: NEGATIVE (mouse) (in vivo, Shelby 1993)	
78-70-6	Linalool	
	au: NEGATIVE (mouse) (in vivo, Letizia and al., 2007)	
	au: NEGATIVE (in vitro) (DiSotto and al., 2011)	
 Reprodu Not deter 	ctive toxicity	
	ngle exposure	
Not deter		
 STOT-re Not deter 	peated exposure	
 Aspiration 		
Not deter		
	e to chronic toxicity:	
87-44-5 Oral NO4	beta-Caryophyllene EL: 700 mg/kg (rat) (90 days Schmitt 2016)	
78-70-6	Linalool	
Oral, NOA	EL: 200 mg/kg (rat) (maternal toxicity, Politano and al.,	
2008)	nation on other bazarde	
	nation on other hazards e disrupting properties	
	nce is not listed.	
ECTION 1-2	: Ecological information	
12.1 Toxici		
 Aquatic 8000-29-1 		
	Cymbopogon winterianus Jowitt : 21,995 mg/l (daphnia) (OECD 202 / EU Method C.2)	

96h-LC50: 29,173 mg/l (fish) (OECD 203 / EU Method C.1) 5989-27-5

989-27-5 (R)-p-mentha-1,8-diene LD50: 0,71 mg/l (fish) (OECD 203)

78-70-6 Linalool LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991) ErC50(0-72h): 156,7 mg/l (algae) ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202) methyl eugenol



2300802

Reviewed on: 21.12.2022 Printing date: 21.12.2022

	(continued of page 8)
CE50/48h: 38 mg/l (daphnia) (Ministry of the Environment of Japan	(continued of page of
ErC50(0-72h): 22 mg/l (algae) (Ministry of the Environment of Japan 2018)	
96h-LC50: 14 mg/l (fish) (Ministry of the Environment of Japan 2018)	
12.2 Persistence and degradability	
No further relevant information available.	
Behaviour in environmental systems: Not determined.	
Not determined.	
12.3 Bioaccumulative potential	
No further relevant information available.	
12.4 Mobility in soil	
No further relevant information available.	
12.5 Results of PBT and vPvB assessment	
• PBT:	
Not applicable. • vPvB:	
Not applicable.	
12.6 Endocrine disrupting properties	
The product does not contain substances with endocrine disrupting properties.	
12.6 Other adverse effects	
No further relevant information available.	
Ecotoxical effects: Not determined.	
• Remark:	
Toxic for fish	
Additional ecological information:	
General notes: Tavia for aquatic erganisme	
Toxic for aquatic organisms The material is harmful to the environment.	
ECTION 13: Disposal considerations	

- Must be specially treated adhering to official regulations.
- Uncleaned packaging:
- Recommendation:
 - Disposal must be made according to official regulations.

SECTION 14: Transport information 14.1 UN number or ID number ADR UN3082 IMDG UN3082 ΙΑΤΑ UN3082 14.2 UN proper shipping name ADR 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CYMBOPOGON WINTERIANUS JOWITT) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. IMDG (CYMBOPOGON WINTERIANUS JOWITT) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CYMBOPOGON WINTERIANUS JOWITT) ΙΑΤΑ 14.3 Transport hazard class(es) ADR Class 9 (M6) Miscellaneous dangerous substances and articles. (continued on page 10) EU -



2300802

RODUCT : JAVA CITRO	ONELLA PA ORGANIC OIL	
		(continued of page 9)
Label		
IMDG	~ •	
Class	9 Miscellaneous dangerous substances and articles.	
Label		
ΙΑΤΑ		
	O Missellansous departure substances and articles	
Class Label	9 Miscellaneous dangerous substances and articles.	
14.4 Packing group ADR	111	
IMDG	III	
IATA	 III	
14.5 Environmental hazard	ts:	
Marine pollutant:	Yes	
14.6 Special precautions for Warning: Miscellaneous dange Danger code (Kemler):	or user rous substances and articles. 90	
EMS Number:	F-A,S-F	
14.7 Maritime transport in Not applicable.	bulk according to IMO instruments	
 Transport/Additional info Not applicable. ADR 	ormation:	
Excepted quantities (EQ):	E1	
Limited quantities (LQ)	5L	
Transport category IMDG	3	
Limited quantities (LQ)	5L	
Excepted quantities (EQ)	E1	
• UN "Model Regulation":	Y HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	

(continued on page 11)



2300802

Reviewed on: 21 12 2022

Reviewed on:	21.12.2022
Printing date:	21.12.2022

	(continued of page 10)
ECTION 15:	Regulatory information
15.1 Safety,DIRECTIV	, health and environmental regulations/legislation specific for the substance or mixture E 2011/65/EU on the restriction of the use of certain hazardous substances in electrical ronic equipment - Annex II
	is not listed.
	ION (EU) 2019/1148
under Art	RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing icle 5(3)) is not listed.
	- REPORTABLE EXPLOSIVES PRECURSORS
	is not listed.
	n (EC) No 273/2004 on drug precursors is not listed.
	n (EC) No 111/2005 laying down rules for the monitoring of trade between the
	ty and third countries in drug precursors
	is not listed.
National r	regulations:
Waterhaz Generally r	ard class: not hazardous for water.
	cal safety assessment:
	afety Assessment has not been carried out.
ECTION 16:	Other information
The informati	on in this safety data sheet is based on the state of our knowledge at the date indicated. The
information in	this sheet must be regarded as a description of the safety requirements for the product, they are not
	ed a warranty or quality specification and have no contractual value on properties and application The information contained in this safety data sheet relate to the specific material designated and may
	ith respect to the product associated with another product or process, unless it is specified in the text
of this docum	ent.
The required i	nformation complies with EU regulations in force. It does not exempt the user from knowing and
The required i applying all th	nformation complies with EU regulations in force. It does not exempt the user from knowing and ne national regulations in force.
The required i	nformation complies with EU regulations in force. It does not exempt the user from knowing and ne national regulations in force.
The required i applying all th • Relevant H226 H302	nformation complies with EU regulations in force. It does not exempt the user from knowing and ne national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed.
The required i applying all th • Relevant H226 H302 H304	nformation complies with EU regulations in force. It does not exempt the user from knowing and ne national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways.
The required i applying all th • Relevant H226 H302	nformation complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation.
The required i applying all th • Relevant H226 H302 H304 H315 H317 H318	nformation complies with EU regulations in force. It does not exempt the user from knowing and ne national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.
The required i applying all th • Relevant H226 H302 H304 H315 H317 H318 H319	nformation complies with EU regulations in force. It does not exempt the user from knowing and ne national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation.
The required i applying all th • Relevant H226 H302 H304 H315 H317 H318	nformation complies with EU regulations in force. It does not exempt the user from knowing and ne national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Suspected of causing genetic defects.
The required i applying all th • Relevant H226 H302 H304 H315 H317 H318 H319 H341 H351 H400	nformation complies with EU regulations in force. It does not exempt the user from knowing and ne national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye damage. Causes serious eye irritation. Suspected of causing genetic defects. Suspected of causing cancer. Very toxic to aquatic life.
The required i applying all th • Relevant H226 H302 H304 H315 H317 H318 H319 H341 H351 H400 H410	nformation complies with EU regulations in force. It does not exempt the user from knowing and ne national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye damage. Causes serious eye irritation. Suspected of causing genetic defects. Suspected of causing cancer. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
The required i applying all th • Relevant H226 H302 H304 H315 H317 H318 H319 H341 H351 H400 H410 H411	nformation complies with EU regulations in force. It does not exempt the user from knowing and ne national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Suspected of causing genetic defects. Suspected of causing genetic defects. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects.
The required i applying all th • Relevant H226 H302 H304 H315 H317 H318 H319 H341 H351 H400 H410	nformation complies with EU regulations in force. It does not exempt the user from knowing and ne national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye damage. Causes serious eye irritation. Suspected of causing genetic defects. Suspected of causing cancer. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
The required i applying all th • Relevant H226 H302 H304 H315 H317 H318 H319 H341 H351 H400 H410 H411 H412 • Training h	nformation complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye damage. Causes serious eye damage. Suspected of causing genetic defects. Suspected of causing cancer. Very toxic to aquatic life. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.
The required i applying all th • Relevant H226 H302 H304 H315 H317 H318 H319 H341 H351 H400 H410 H411 H412 • Training h Minimum t	nformation complies with EU regulations in force. It does not exempt the user from knowing and ne national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye damage. Causes serious eye irritation. Suspected of causing genetic defects. Suspected of causing cancer. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.
The required i applying all th • Relevant H226 H302 H304 H315 H317 H318 H319 H341 H351 H400 H410 H411 H412 • Training h Minimum t purpose of	nformation complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye damage. Causes serious eye irritation. Suspected of causing genetic defects. Suspected of causing cancer. Very toxic to aquatic life. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.
The required i applying all th • Relevant H226 H302 H304 H315 H317 H318 H319 H341 H351 H400 H410 H411 H412 • Training h Minimum to purpose of labeling of	nformation complies with EU regulations in force. It does not exempt the user from knowing and ne national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye damage. Causes serious eye irritation. Suspected of causing genetic defects. Suspected of causing genetic defects. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.
The required i applying all th • Relevant H226 H302 H304 H315 H317 H318 H319 H341 H351 H400 H410 H411 H412 • Training h Minimum t purpose of labeling of • Abbreviat IFRA:Inter	nformation complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Suspected of causing genetic defects. Suspected of causing genetic defects. Suspected of causing cancer. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. training in occupational risk prevention is recommended for personnel who will handle this product, in the facilitating the understanding and interpretation of this form of safety data in the same way as the the product. ions and acronyms: national Fragrance Association IOFI:International Organization of the Flavor Industry IFRA:Internationa
The required i applying all th • Relevant H226 H302 H304 H315 H317 H318 H319 H341 H351 H400 H410 H411 H412 • Training h Minimum t purpose of labeling of • Abbreviat IFRA:Inter Fragrance	nformation complies with EU regulations in force. It does not exempt the user from knowing and te national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Suspected of causing genetic defects. Suspected of causing genetic defects. Suspected of causing cancer. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. training in occupational risk prevention is recommended for personnel who will handle this product, in the facilitating the understanding and interpretation of this form of safety data in the same way as the the product. ions and acronyms: national Fragrance Association IOFI:International Organization of the Flavor Industry IFRA:International Association IOFI:International Organization of the Flavor Industry IFRA:International Association IOFI:International Organization of the Flavor Industry IFRA:International Association IOFI:International Organization of the Flavor Industry
The required i applying all th • Relevant H226 H302 H304 H315 H317 H318 H319 H341 H351 H400 H410 H410 H411 H412 • Training h Minimum ti purpose of labeling of • Abbreviat IFRA:Interr Fragrance ADR: Accord	nformation complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Suspected of causing genetic defects. Suspected of causing genetic defects. Suspected of causing cancer. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. training in occupational risk prevention is recommended for personnel who will handle this product, in the facilitating the understanding and interpretation of this form of safety data in the same way as the the product. ions and acronyms: national Fragrance Association IOFI:International Organization of the Flavor Industry IFRA:Internationa
The required i applying all th • Relevant H226 H302 H304 H315 H317 H318 H319 H341 H351 H400 H410 H410 H411 H412 • Training h Minimum ti purpose of labeling of • Abbreviat IFRA:Intern Fragrance ADR: Accord the Interna dangereuse	nformation complies with EU regulations in force. It does not exempt the user from knowing and te national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye damage. Causes serious eye damage. Causes serious eye irritation. Suspected of causing genetic defects. Suspected of causing genetic defects. Suspected of causing cancer. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. harmful to aquatic life with long lasting effects. inints raining in occupational risk prevention is recommended for personnel who will handle this product, in th facilitating the understanding and interpretation of this form of safety data in the same way as the the product. ions and acronyms: national Fragrance Association IOFI:International Organization of the Flavor Industry IFRA:International Association IOFI:International Organization of the Flavor Industry IFRA:International Association IOFI:International Organization of the Flavor Industry rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning tional Carriage of Dangerous Goods by Road) ADR: Accord européen sur le transport des marchandises spar Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
The required i applying all th Relevant H226 H302 H304 H315 H317 H318 H319 H341 H351 H400 H410 H410 H411 H412 Training h Minimum t purpose of labeling of Abbreviat IFRA:Intern Fragrance ADR: Accol the Interna dangereuss RID: Règle	nformation complies with EU regulations in force. It does not exempt the user from knowing and te national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye damage. Causes serious eye irritation. Suspected of causing genetic defects. Suspected of causing genetic defects. Suspected of causing genetic defects. Toxic to aquatic life. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. inits raining in occupational risk prevention is recommended for personnel who will handle this product, in th facilitating the understanding and interpretation of this form of safety data in the same way as the the product. ions and acronyms: national Fragrance Association IOFI:International Organization of the Flavor Industry IFRA:International Association IOFI:International Organization of the Flavor Industry rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning tional Carriage of Dangerous Goods by Road) ADR: Accord européen sur le transport des marchandises as par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) ment international concernant le transport des marchandises dangereuses par chemin de fer (Regulation ternational carriage of Dangerous Goods by Road)
The required i applying all th • Relevant H226 H302 H304 H315 H317 H318 H319 H341 H351 H400 H410 H411 H412 • Training h Minimum t purpose of labeling of • Abbreviat IFRA:Intern Fragrance J ADR: Accouthe Interna dangereuse RID: Règle Concerning	nformation complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Suspected of causing genetic defects. Suspected of causing genetic defects. Suspected of causing cancer. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. harmful to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long last
The required i applying all th Relevant H226 H302 H304 H315 H317 H318 H319 H341 H351 H400 H410 H411 H412 Training h Minimum ti purpose of labeling of Abbreviati IFRA:Intern Fragrance A ADR: Account the Interna dangereuse RID: Règle Concerning	nformation complies with EU regulations in force. It does not exempt the user from knowing and te national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye damage. Causes serious eye irritation. Suspected of causing genetic defects. Suspected of causing genetic defects. Suspected of causing genetic defects. Toxic to aquatic life. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. inits raining in occupational risk prevention is recommended for personnel who will handle this product, in th facilitating the understanding and interpretation of this form of safety data in the same way as the the product. ions and acronyms: national Fragrance Association IOFI:International Organization of the Flavor Industry IFRA:International Association IOFI:International Organization of the Flavor Industry rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning tional Carriage of Dangerous Goods by Road) ADR: Accord européen sur le transport des marchandises as par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) ment international concernant le transport des marchandises dangereuses par chemin de fer (Regulation ternational carriage of Dangerous Goods by Road)
The required i applying all th • Relevant H226 H302 H304 H315 H317 H318 H319 H341 H351 H400 H410 H410 H411 H412 • Training h Minimum ti purpose of labeling of • Abbreviat IFRA:Inter Fragrance ADR: Accor the Interna dangereuse RID: Règle Concerning transport d Dangerous IMDG: Inter	nformation complies with EU regulations in force. It does not exempt the user from knowing and en ational regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye damage. Causes serious eye irritation. Suspected of causing genetic defects. Suspected of causing genetic defects. Suspected of causing cancer. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.
The required i applying all th • Relevant H226 H302 H304 H315 H317 H318 H319 H341 H351 H400 H410 H410 H411 H412 • Training h Minimum t purpose of labeling of • Abbreviat IFRA:Intern Fragrance ADR: Accor the Interna dangereuss RID: Règle Concerning transport d Dangerous IMDG: Inter	nformation complies with EU regulations in force. It does not exempt the user from knowing and en ational regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Suspected of causing genetic defects. Suspected of causing cancer. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.



2300802

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

Reviewed on: 21.12.2022 Printing date: 21.12.2022

PRODUCT :	
PRODUCT :	JAVA CITRONELLA PA ORGANIC OIL
	(continued of page 11)
ICAO: Inte	rnational Civil Aviation Organisation ICAO: International Civil Aviation Organisation
	ally Harmonised System of Classification and Labelling of Chemicals GHS: Globally Harmonised System of
	on and Labelling of Chemicals
	uropean Inventory of Existing Commercial Chemical Substances EINECS: European Inventory of Existing
001111101010	al Chemical Substances
	uropean List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances
	hical Abstracts Service (division of the American Chemical Society) CAS: Chemical Abstracts Service
	f the American Chemical Society) al concentration, 50 percent LC50: Lethal concentration, 50 percent
	al dose, 50 percent LD50: Lethal dose, 50 percent
	tent, Bioaccumulative and Toxic PBT: Persistent, Bioaccumulative and Toxic
	Persistent and very Bioaccumulative vPvB: very Persistent and very Bioaccumulative
	tive concentration at 50% ErC50:concentration of test substance which results in a 50 percent reduction
	owth rate (ErC50)relative to the control within 72hrs exposure.
 Sources 	
IFRA/IOFI	Labelling Manual, REACH registration dossier, supplier information
 * Data co 	mpared to the previous version altered.