

2267603

	/
SECTION 01: Identification of the substance/mixture and of the cor	npany/undertaking
1.1 Product identifier	
 Trade name: YLANG COMOROS COMPL. ORG OIL Article number: 	
B3255 • CAS Number: 8006-81-3	
 EC Number: 281-092-1 Registration number 	
01-2120760178-50-0001 1.2 Relevant identified uses of the substance or mixture and uses advised	l against
Application of the substance / the preparation Only for industrial use For detailed identified uses please refer to the annex of this safety data sheet	
1.3 Details of the supplier of the safety data sheet	
Manufacturer/Supplier: GOLGEMMA TEL: +33(0)4.68.74.17.89	
Route de FA email: fds@golgemma.com 11260 ESPERAZA FRANCE	
1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1 45 42 59 59	
 SECTION 02: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 	
GHS08	
GHS08 Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways.	
Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. GHS07 Skin Irrit. 2 - H315 Causes skin irritation.	
Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. GHS07	
Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. GHS07 Skin Irrit. 2 - H315 Causes skin irritation. Skin Sens. 1B - H317 May cause an allergic skin reaction. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting	
Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. GHS07 Skin Irrit. 2 - H315 Causes skin irritation. Skin Sens. 1B - H317 May cause an allergic skin reaction. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008	
Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. GHS07 Skin Irrit. 2 - H315 Causes skin irritation. Skin Sens. 1B - H317 May cause an allergic skin reaction. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 • Hazard pictograms GHS08 GHS07	
Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. GHS07 Skin Irrit. 2 - H315 Causes skin irritation. Skin Sens. 1B - H317 May cause an allergic skin reaction. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 • Hazard pictograms	
Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways.	
Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. GHS07 Skin Irrit. 2 - H315 Causes skin irritation. Skin Sens. 1B - H317 May cause an allergic skin reaction. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 • Hazard pictograms GHS08 GHS07 • Signal word Danger • Hazard-determining components of labelling:	
Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. GHS07 Skin Irrit. 2 - H315 Causes skin irritation. Skin Sens. 1B - H317 May cause an allergic skin reaction. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 • Hazard pictograms GHS08 GHS07 • Signal word Danger • Hazard-determining components of labelling: p-Methylanisole / benzyl salicylate / Farnesol / isoeugenol / geraniol / Anethole (isomer unspecified) • Hazard statements H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction.	
Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. GHS07 Skin Irrit. 2 - H315 Causes skin irritation. Skin Sens. 1B - H317 May cause an allergic skin reaction. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 • Hazard pictograms	(continued on page 2)



2267603

RODUCT : Y	LANG COMOROS COMPL. ORG OIL	<i>.</i>
P264 Wash tho	athing dust/fume/gas/mist/vapours/spray. roughly after handling.	(continued of page 1)
P272 Contamin P301+P310 IF S P405 Store lock	ated work clothing should not be allowed out of the workplace. SWALLOWED: Immediately call a POISON CENTER/ doctor. ked up.	
	f contents/container in accordance with local/regional/ national,	/international regulations.
 2.3 Other hazar Results of PB PBT: 	ds T and vPvB assessment	
Not applicable. - vPvB:		
	n of endocrine-disrupting properties predients is listed.	
	omposition/information on ingredients	
• 3.2 Mixtures		
 Description: Mixture 		
 Dangerous co CAS Number 	omponents:	%
18794-84-8	beta-Farnesene	20,001-50,00
	EC number: 242-582-0	
140-11-4	benzyl acetate	5,001-10,00
	EC number: 205-399-7	
	Aquatic Chronic 3 - H412	
120-51-4	Benzyl benzoate EC number: 204-402-9	5,001-10,00
	Acute Tox. 4 - H302; Aquatic	
	Acute 1 - H400, Aquatic Chronic 2 - H411	
104-93-8	p-Methylanisole	5,001-10,00
	EC number: 203-253-7	
	Acute Tox. 4 - H302, Skin Irrit. 2 - H315;	
97 <i>44</i> E	•	5 004 40 00
87-44-5	beta-Caryophyllene EC number: 201-746-1	5,001-10,00
	Asp. Tox. 1 - H304; 🕐 Skin Sens.	
	1B - H317	
78-70-6	Linalool	1,001- 5,00
	EC number: 201-134-4	
	H319, Skin Sens. 1B - H317	
118-58-1	benzyl salicylate	1,001- 5,00
	EC number: 204-262-9	
00.50.0	- H412	
93-58-3	methyl benzoate EC number: 202-259-7	1,001- 5,00
	 Acute Tox. 4 - H302 	
	Geranyl acetate	1,001- 5,00
105-87-3		
105-87-3	EC number: 203-341-5	



2267603

Reviewed on: 19.12.2022 Printing date: 28.02.2024

RODUCT :	YLANG COMOROS COMPL. ORG OIL	
		(continued of page 2)
	H317; Aquatic Chronic 3 - H412	
4602-84-0	Farnesol	1,001- 5,00
	EC number: 225-004-1	
	💔 Skin Irrit. 2 - H315, Eye Irrit. 2 -	
	H319, Skin Sens. 1B - H317	
97-54-1	isoeugenol	1,001- 5,00
	EC number: 202-590-7	
	Acute Tox. 4 - H302, Acute Tox. 4 -	
	H312, Skin Irrit. 2 - H315, Eye Irrit. 2 -	
	H319, Skin Sens. 1A - H317;	
	Skin Sens. 1A; H317: C >= 0,01 %	
106-24-1	geraniol	0,101-1,00
	EC number: 203-377-1	
	🧇 Eye Dam. 1 - H318; 🚸 Skin Irrit. 2	
	- H315, Skin Sens. 1 - H317	
80-56-8	pin-2(3)-ene	0,101-1,00
	EC number: 201-291-9	
	🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 🚸 Acute Tox. 4 - H302, Skin	
	Irrit. 2 - H315, Skin Sens. 1B - H317	
104-46-1	Anethole (isomer unspecified)	0,101-1,00
	EC number: 203-205-5	
	🔅 Skin Sens. 1B - H317	

SECTION 04: First aid measures

- 4.1 Description of first aid measures
- General information:
- Seek immediate medical advice.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- After skin contact: If skin irritation continues, consult a doctor. Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
 After swallowing:
- Seek immediate medical advice.
- Information for doctor:

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Water with full jet

(continued on page 4)



2267603

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

Reviewed on: 19.12.2022 Printing date: 28.02.2024

PRODUCT : YLANG CO	MOROS COMPL. ORG OIL
	(continued of page 3)
	ng from the substance or mixture
Formation of toxic gases is p	ossible during heating or in case of fire.
5.3 Advice for firefighters	
 Protective equipment: 	
Do not inhale explosion ga	ases or combustion gases.
Additional information	-
Cool endangered receptac	les with water spray.
SECTION 06: Accidental	release measures
	, protective equipment and emergency procedures
Ensure adequate ventilation	Keep unprotected persons away.
Keep away from ignition sou	rces.
6.2 Environmental precau	
	h sewage system or any water course. ; in case of seepage into water course or sewage system.
inform respective autionities	in case of scepage into water course of sewage system.
6.3 Methods and materia	l for containment and cleaning up:
	ial as waste according to item 13.
Ensure adequate ventilation.	
6.4 Reference to other se	ections
See Section 7 for information	
	n on personal protection equipment.
See Section 13 for disposal in	nrormation.
SECTION 07: Handling a	nd storage
7.1 Precautions for safe h	
Keep receptacles tightly seale	
Keep away from heat and dir	ect sunlight.
Ensure good ventilation/exha Prevent formation of aerosols	
Handle with care. Avoid joltir	
	- and explosion protection:
Keep ignition sources awa	y - Do not smoke.
Protect against electrostat	ic charges.
7.2 Conditions for safe st	orage, including any incompatibilities
Storage:	
	et by storerooms and receptacles:
Store only in the original i	
Prevent any seepage into	the ground. ifically permitted for this substance/ product.
	age in one common storage facility:
Not required.	
 Further information ab 	out storage conditions:

 Further information about storage conditions: Keep container tightly sealed.
 Protect from heat and direct sunlight.
 Store receptacle in a well ventilated area.

7.3 Specific end use(s) No further relevant information available.

SECTION 08: Exposure controls/personal protection

- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- DNELs

(continued on page 5)



2267603

Reviewed on: 19.12.2022 Printing date: 28.02.2024

PRODUCT :	YLANG COMOROS COMPL. ORG OIL
	(continued of page 4)
	YLANG COMOROS COMPL. ORG OIL
Inhalat	ve, DNEL(ShortTerm): 22,24 mg/m3
Dermal	DNEL(long term): 21,12 mg/kg
	nal information:
	s valid during the making were used as basis.
	sure controls
	ual protection measures, such as personal protective equipment
	I protective and hygienic measures:
	al precautionary measures are to be adhered to when handling chemicals.
	vay from foodstuffs, beverages and feed.
	ately remove all soiled and contaminated clothing and sefect the set of the set of the set of the set of the set
	nhale gases / fumes / aerosols.
	nhale dust / smoke / mist.
	ontact with the skin.
	atory protection:
In case	of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us tained respiratory protective device.
	able respiratory protective device in case of insufficient ventilation.
 Protect 	ion of hands:
Protecti	ve gloves
	ve material has to be impermeable and resistant to the product/ the substance/ the preparation.
	missing tests no recommendation to the glove material can be given for the product/ the preparation/ the in mixture.
	n of the glove material on consideration of the penetration times, rates of diffusion and the degradation al of gloves
	ection of the suitable gloves does not only depend on the material, but also on further marks of quality and
varies f	remain action of the saturation of the product is a preparation of several substances, the resistance of remain action of the calculated in advance and has therefore to be checked prior to the application.
	ation time of glove material
	act break through time has to be found out by the manufacturer of the protective gloves and has to be
 Eye/fa 	ce protection
Safety	

SECTION 09: Physical and chemical properties

9.1 Information on basic physical and chemic	cal properties	
General Information		
Physical state	Fluid	
Colour:	colourless to light yellow	
Odour:	floral	
Odour threshold:	Not determined.	
Melting point/freezing point:	< -80,0 °C	
Boiling point or initial boiling point and boiling range	Not determined.	
Flammability	Not determined.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	88,0 °C NFT 60-103 CC	
Decomposition temperature:	Not determined.	
рН	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
Dynamic:	Not determined.	
Solubility		
water:	Not determined.	
Partition coefficient n-octanol/water (log value)	Not determined.	



2267603

Reviewed on: 19.12.2022 Printing date: 28.02.2024

				(continued of page 5)
Vapour pressure:	at	25,00 °C	0,2223 mbar	
Density and/or relative density				
Density:	Not	determined.		
Relative density	0,9	250 0,9370 (D2	0/20)	
Vapour density	Not	determined.		
9.2 Other information	No	further relevant	information available.	
Appearance:				
Form:	flui	d		
Important information on protection of healt	h and en	vironment, and	d on safety.	
Auto-ignition temperature:	240	О°С		
Explosive properties:	Not	determined.		
Solvent content:				
Solids content:	0,0	0 %		
Change in condition				
Evaporation rate	Not	determined.		
Information with regard to physical hazard o	lasses			
Explosives	not	applicable		
Flammable gases	not	applicable		
Aerosols	not	applicable		
Oxidising gases	not	applicable		
Gases under pressure	not	applicable		
Flammable liquids	not	applicable		
Flammable solids	not	applicable		
Self-reactive substances and mixtures	not	applicable		
Pyrophoric liquids	not	applicable		
Pyrophoric solids	not	applicable		
Self-heating substances and mixtures	not	applicable		
Substances and mixtures, which emit flammable gases in contact with water	not	applicable		
Oxidising liquids	not	applicable		
Oxidising solids	not	applicable		
Organic peroxides	not	applicable		
Corrosive to metals	not	applicable		
Desensitised explosives		applicable		

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Not determined.



2267603

Reviewed on: 19.12.2022 Printing date: 28.02.2024

PRODUCT :	YLANG COMOROS COMPL. ORG OIL	
	(continued of page	÷ 6)
SECTION II:	Toxicological information	
	ation on hazard classes as defined in Regulation (EC) No 1272/2008	
Acute to	icity ues relevant for classification:	
	ISO LD/LC	
	YLANG COMOROS COMPL. ORG OIL	
Oral, LD50: >	5000 mg/kg (rat) (similar OECD 401 1973)	
	: >5000 mg/kg (Rabbit) (similar OECD 402 1973)	
	ritant effect: psion/irritation	
	skin and mucous membranes.	
Causes ski		
- Serious e No irritatir	ye damage/irritation a effect.	
	ry or skin sensitisation	
120-51-4	Benzyl benzoate	
	on, NESIL: 59000 ug/cm2 (human being) (Standard IFRA) mutagenicity	
• Gennicer	5 ,	
0ECD 471	YLANG COMOROS COMPL. ORG OIL AMES: NEGATIVE (in vitro) (2017)	
	MLA: NEGATIVE (in vitro) (L5178Ý, 2017)	
Carcinog	,	
Micronova	YLANG COMOROS COMPL. ORG OIL I: NEGATIVE (in vitro) (2017)	
 Reproduce 		
Not detern		
 STOT-SIN Not determ 	gle exposure lined.	
	eated exposure	
Not detern		
 Aspiration May be fat 	al if swallowed and enters airways.	
May be fat	al if swallowed and enters airways.	
 Subacute 	to chronic toxicity:	
Oral NOA	YLANG COMOROS COMPL. ORG OIL EL: 718 mg/kg (rat) (OECD 422 2017)	
 Additional 	I toxicological information:	
	ct shows the following dangers according to the calculation method of the General EU Classific for Preparations as issued in the latest version:	atior
Harmful		
Irritant	1 - 16 1 - 1 - 1	
	ic if inhaled. ation on other hazards	
	e disrupting properties	
None of	the ingredients is listed.	
SECTION 12:	Ecological information	
12.1 Toxicit		
 Aquatic t 		
CE50/48h	YLANG COMOROS COMPL. ORG OIL 10,4 mg/l (daphnia) (OECD 202 2018)	
	2h): >100 mg/l (algae) (readcross OECD 201 2018)	

12.2 Persistence and degradability No further relevant information available.

• Behaviour in environmental systems: Not determined.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.



2267603

Reviewed on: 19.12.2022

Printing date: 28	8.02.2024
-------------------	-----------

	(continued of page 7)
12.5 Results of PBT and vPvB assessment	
PBT:	
Not applicable.	
• vPvB:	
Not applicable.	
12.6 Endocrine disrupting properties	
The product does not contain substances with endocrine disrupting properties.	
12.6 Other adverse effects	
No further relevant information available.	
Ecotoxical effects:	
Not determined.	
Remark:	
Harmful to fish	
 Additional ecological information: 	
General notes:	
Harmful to aquatic organisms	
The product contains materials that are harmful to the environment.	

13.1 Waste treatment methods

- Recommendation
 - Must be specially treated adhering to official regulations.
- Uncleaned packaging:
- Recommendation: •
 - Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number . ADR . IMDG . IATA	Void Void Void
14.2 UN proper shipping name . ADR . IMDG IATA	Void Void Void
14.3 Transport hazard class(es . ADR	
. Class . IMDG	Void
. Class . IATA	Void
. Class 14.4 Packing group	Void
ADR	Void
IMDG	Void
. IATA	Void

14.5 Environmental hazards: Not applicable.

14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to IMO instruments Not applicable.

• Transport/Additional information:



2267603

	(continued of page 8
Not applic	able.
	Desulatory information
	Regulatory information
 DIRECTI and elect None of the 	/, health and environmental regulations/legislation specific for the substance or mixture VE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical tronic equipment - Annex II he ingredients is listed.
 Annex I under Ar 	FION (EU) 2019/1148 - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing ticle 5(3)) ne ingredients is listed.
None of the	- REPORTABLE EXPLOSIVES PRECURSORS
	on (EC) No 273/2004 on drug precursors toluene : 3
Commun	on (EC) No 111/2005 laying down rules for the monitoring of trade between the ity and third countries in drug precursors toluene : 3
National	regulations:
TechnicaClass Sh	l instructions (air): are in %
I III	
	zard class: ard class 2 (Self-assessment): hazardous for water.
1 E O Cham	
	ical safety assessment: Safety Assessment has been carried out.
	ical safety assessment: Safety Assessment has been carried out.
A Chemical S	
A Chemical S ECTION 16	Safety Assessment has been carried out.
A Chemical S ECTION 16 The informa	Safety Assessment has been carried out.
A Chemical S ECTION 16 The informa information i to be consid	The set of the state of our state of our state of our knowledge at the date indicated. The notices the state of the state of the state of the product, they are not state of a warranty or quality specification and have no contractual value on properties and application
A Chemical S ECTION 16 The information ito be consid areas thereo	Safety Assessment has been carried out. Other information tion in this safety data sheet is based on the state of our knowledge at the date indicated. The n this sheet must be regarded as a description of the safety requirements for the product, they are no the information contained in this safety data sheet relate to the specific material designated and may f. The information contained in this safety data sheet relate to the specific material designated and may
A Chemical S ECTION 16 The information ito be consid areas thereor not be valid	Safety Assessment has been carried out. Conternation tion in this safety data sheet is based on the state of our knowledge at the date indicated. The n this sheet must be regarded as a description of the safety requirements for the product, they are not red a warranty or quality specification and have no contractual value on properties and application f. The information contained in this safety data sheet relate to the specific material designated and may with respect to the product associated with another product or process, unless it is specified in the tex
A Chemical S ECTION 16 The informa information i to be consid areas thereor not be valid of this docum	Safety Assessment has been carried out. Other information tion in this safety data sheet is based on the state of our knowledge at the date indicated. The n this sheet must be regarded as a description of the safety requirements for the product, they are not ered a warranty or quality specification and have no contractual value on properties and application f. The information contained in this safety data sheet relate to the specific material designated and may with respect to the product associated with another product or process, unless it is specified in the tex- nent.
A Chemical S ECTION 16 The informa information i to be consid areas thereor not be valid of this docum The required	Safety Assessment has been carried out. Other information tion in this safety data sheet is based on the state of our knowledge at the date indicated. The n this sheet must be regarded as a description of the safety requirements for the product, they are not ered a warranty or quality specification and have no contractual value on properties and application f. The information contained in this safety data sheet relate to the specific material designated and may with respect to the product associated with another product or process, unless it is specified in the tex- nent. Information complies with EU regulations in force. It does not exempt the user from knowing and
A Chemical S ECTION 16 The informa information i to be consid areas thereor not be valid of this docum The required	Safety Assessment has been carried out. Conter information tion in this safety data sheet is based on the state of our knowledge at the date indicated. The n this sheet must be regarded as a description of the safety requirements for the product, they are not ered a warranty or quality specification and have no contractual value on properties and application f. The information contained in this safety data sheet relate to the specific material designated and may with respect to the product associated with another product or process, unless it is specified in the tex nent. information complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force.
A Chemical S ECTION 16 The informa information i to be consid areas thereo not be valid of this docum The required applying all t	Safety Assessment has been carried out. Conter information tion in this safety data sheet is based on the state of our knowledge at the date indicated. The n this sheet must be regarded as a description of the safety requirements for the product, they are not ered a warranty or quality specification and have no contractual value on properties and application f. The information contained in this safety data sheet relate to the specific material designated and may with respect to the product associated with another product or process, unless it is specified in the tex- nent. Information complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force.
A Chemical S ECTION 16 The information it to be consided areas thereoid not be valided of this document The required applying all to Relevant H226 H302	Safety Assessment has been carried out. Other information tion in this safety data sheet is based on the state of our knowledge at the date indicated. The n this sheet must be regarded as a description of the safety requirements for the product, they are no red a warranty or quality specification and have no contractual value on properties and application f. The information contained in this safety data sheet relate to the specific material designated and may with respect to the product associated with another product or process, unless it is specified in the tex- nent. information complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed.
A Chemical S ECTION 16 The information it to be consid areas thereoi not be valid of this docum The required applying all t • Relevant H226 H302 H304	Safety Assessment has been carried out. Cother information tion in this safety data sheet is based on the state of our knowledge at the date indicated. The n this sheet must be regarded as a description of the safety requirements for the product, they are no ered a warranty or quality specification and have no contractual value on properties and application f. The information contained in this safety data sheet relate to the specific material designated and may with respect to the product associated with another product or process, unless it is specified in the tex- nent. information complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways.
A Chemical S ECTION 16 The information it to be consid areas thereoionot be valid of this docum The required applying all t • Relevant H226 H302 H304 H312	Safety Assessment has been carried out. Other information tion in this safety data sheet is based on the state of our knowledge at the date indicated. The n this sheet must be regarded as a description of the safety requirements for the product, they are not ered a warranty or quality specification and have no contractual value on properties and application f. The information contained in this safety data sheet relate to the specific material designated and may with respect to the product associated with another product or process, unless it is specified in the tex- nent. Information complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force. Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Harmful in contact with skin.
A Chemical S ECTION 16 The information it to be consid areas thereory not be valid of this documt The required applying all f • Relevantt H226 H302 H304 H312 H315	Safety Assessment has been carried out. Conternation tion in this safety data sheet is based on the state of our knowledge at the date indicated. The n this sheet must be regarded as a description of the safety requirements for the product, they are not ered a warranty or quality specification and have no contractual value on properties and application f. The information contained in this safety data sheet relate to the specific material designated and may with respect to the product associated with another product or process, unless it is specified in the tex- nent. Information complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation.
A Chemical S ECTION 16 The information i to be consid areas thereor not be valid of this docun The required applying all t • Relevant H226 H302 H304 H315 H317	Safety Assessment has been carried out. Other information tion in this safety data sheet is based on the state of our knowledge at the date indicated. The n this sheet must be regarded as a description of the safety requirements for the product, they are noi ered a warranty or quality specification and have no contractual value on properties and application f. The information contained in this safety data sheet relate to the specific material designated and may with respect to the product associated with another product or process, unless it is specified in the tex- nent. Information complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force. Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction.
A Chemical S ECTION 16 The information it to be consid areas thereory not be valid of this documt The required applying all f • Relevantt H226 H302 H304 H312 H315	Safety Assessment has been carried out. Other information tion in this safety data sheet is based on the state of our knowledge at the date indicated. The n this sheet must be regarded as a description of the safety requirements for the product, they are no red a warranty or quality specification and have no contractual value on properties and application f. The information contained in this safety data sheet relate to the specific material designated and may with respect to the product associated with another product or process, unless it is specified in the tex- nent. Information complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.
A Chemical S ECTION 16 The information it to be consid areas thereory not be valid of this docum The required applying all t • Relevant H226 H302 H304 H315 H317 H318	Safety Assessment has been carried out. Other information tion in this safety data sheet is based on the state of our knowledge at the date indicated. The n this sheet must be regarded as a description of the safety requirements for the product, they are noi ered a warranty or quality specification and have no contractual value on properties and application f. The information contained in this safety data sheet relate to the specific material designated and may with respect to the product associated with another product or process, unless it is specified in the tex- nent. Information complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force. Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction.
A Chemical S ECTION 16 The information it to be consided areas thereorights not be valided of this document the requireddition applying all the H226 H302 H304 H312 H315 H317 H318 H319	Safety Assessment has been carried out. Other information tion in this safety data sheet is based on the state of our knowledge at the date indicated. The n this sheet must be regarded as a description of the safety requirements for the product, they are no red a warranty or quality specification and have no contractual value on properties and application f. The information contained in this safety data sheet relate to the specific material designated and may with respect to the product associated with another product or process, unless it is specified in the tex- nent. Information complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation.
A Chemical S ECTION 16 The information i to be consid areas thereof not be valid of this docun The required applying all t • Relevant H226 H302 H302 H302 H304 H315 H317 H318 H319 H361 H400 H411	Safety Assessment has been carried out.
A Chemical S ECTION 16 The information it to be consid areas thereou not be valid of this docum The required applying all t • Relevant H226 H302 H304 H312 H315 H317 H318 H319 H361 H400	Safety Assessment has been carried out.
A Chemical S ECTION 16 The information information it to be consid areas thereories not be valid of this docum The required applying all d • Relevant H226 H302 H304 H312 H315 H317 H318 H319 H361 H400 H411 H412 • Training	Eafety Assessment has been carried out.
A Chemical S ECTION 16 The information i to be consid areas thereor not be valid of this docum The required applying all f • Relevant H226 H302 H304 H312 H315 H317 H318 H319 H361 H400 H411 H412 • Training Minimum purpose of	Conter information Conter information Conter information Conter information Conter information Conter information Conter information contained in this based on the state of our knowledge at the date indicated. The n this sheet must be regarded as a description of the safety requirements for the product, they are not ered a warranty or quality specification and have no contractual value on properties and application f. The information contained in this safety data sheet relate to the specific material designated and may with respect to the product associated with another product or process, unless it is specified in the tex nent. I information complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye damage. Causes serious eye damage. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.
A Chemical S ECTION 16 The information is to be consided areas thereory not be valided of this document the requireded applying all the Relevanted H226 H302 H304 H312 H315 H317 H318 H319 H361 H400 H411 H412 • Training Minimument purpose of labeling of • Abbrevial	Safety Assessment has been carried out. COther information tion in this safety data sheet is based on the state of our knowledge at the date indicated. The n this sheet must be regarded as a description of the safety requirements for the product, they are not ered a warranty or quality specification and have no contractual value on properties and application f. The information contained in this safety data sheet relate to the specific material designated and may with respect to the product associated with another product or process, unless it is specified in the tex nent. information complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes serious eye damage. Causes serious eye damage. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. training in occupational risk prevention is recommended for personnel who will handle this product, in of facilitating the understanding and interpretation of this form of safety data in the same way as f the product.
A Chemical S ECTION 16 The information in to be consid areas thereor not be valid of this docum The required applying all • Relevant H226 H302 H304 H312 H315 H317 H318 H319 H361 H400 H411 H412 • Training Minimum purpose of labeling o • Abbrevia IFRA:Inte	Safety Assessment has been carried out. COther information tion in this safety data sheet is based on the state of our knowledge at the date indicated. The n this sheet must be regarded as a description of the safety requirements for the product, they are not ered a warranty or quality specification and have no contractual value on properties and application f. The information contained in this safety data sheet relate to the specific material designated and may with respect to the product associated with another product or process, unless it is specified in the tex nent. information complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force. phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. hints training in occupational risk prevention is recommended for personnel who will handle this product, in to f facilitating the understanding and interpretation of this form of safety data in the same way as f the product.



2267603

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

PRODUCT : YLANG COMOROS COMPL. ORG OIL	
	(continued of page 9)
ADR: Accord européen sur le transport des marchandises o	
the International Carriage of Dangerous Goods by Road) ADR: Accord européen sur le transport des marchandises	
dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)	
RID: Règlement international concernant le transport des m	
Concerning the International Transport of Dangerous Goo	
transport des marchandises dangereuses par chemin de fe	
Dangerous Goods by Rail)	
IMDG: International Maritime Code for Dangerous Goods IN	IDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation DOT: US Departmer	
IATA: International Air Transport Association IATA: Interna	tional Air Transport Association
ICAO: International Civil Aviation Organisation ICAO: Inter	national Civil Aviation Organisation
GHS: Globally Harmonised System of Classification and Lab	elling of Chemicals GHS: Globally Harmonised System of
Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chem	cal Substances EINECS: European Inventory of Existing
Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances ELI	
CAS: Chemical Abstracts Service (division of the America	an Chemical Society) CAS: Chemical Abstracts Service
(division of the American Chemical Society)	
DNEL: Derived No-Effect Level (REACH) DNEL: Derived No-	
LC50: Lethal concentration, 50 percent LC50: Lethal concer	
LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percer	
PBT: Persistent, Bioaccumulative and Toxic PBT: Persistent,	
vPvB: very Persistent and very Bioaccumulative vPvB: very	
CE50: effective concentration at 50% ErC50:concentration	•
in either growth rate (ErC50)relative to the control within 7	2hrs exposure.
Sources	
 Sources IFRA/IOFI Labelling Manual, REACH registration dossier, sup 	nlier information
IFRA/IOFI Labelling Manual, REACH registration dossier, sup	pher mormation
• * Data compared to the previous version altered.	