Reviewed on: 19.12.2022 Printing date: 19.12.2022



CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

2583602

SECTION 01: Identification of the substance/mixture and of the company/undertaking 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1 45 42 59 59

SECTION 02: Hazards identification

2.1 Classification of the substance or mixture

Application of the substance / the preparation

1.3 Details of the supplier of the safety data sheet

Classification according to Regulation (EC) No 1272/2008

TEL: +33(0)5.58.51.00.00

email: fds@biolandes.com



1.1 Product identifier

YLANG II MADA ORG OIL Article number:

Registration number 01-2120768616-42-0000

Manufacturer/Supplier: BIOLANDES, BP2

Trade name:

Perfume ingredient Only for industrial use

2760 Route de Bélis

40420 LE SEN FRANCE

B3268 CAS Number: 8006-81-3

Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways.

GHS07

Skin Irrit. 2 - H315 Causes skin irritation. Skin Sens. 1 - H317 May cause an allergic skin reaction. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms

GHS08 GHS07 Signal word

- Danger
- Hazard-determining components of labelling: beta-Caryophyllene / Linalool / Geranyl acetate / p-Methylanisole
- Hazard statements
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.
- Precautionary statements
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P264 Wash thoroughly after handling.
- P272 Contaminated work clothing should not be allowed out of the workplace. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

(continued on page 2)



2583602

(continued on page 3)

		Reviewed on: 19. Printing date: 19.
PRODUCT :	'LANG II MADA ORG OIL	
P405 Store loc P501 Dispose	ked up. of contents/container in accordance with local/regional/ national/	<i>(continued of page 1)</i> international regulations.
- PBT:	3T and vPvB assessment	
SECTION 03: C	omposition/information on ingredients	
 3.2 Mixtures Description: Mixture 		
 Dangerous of CAS Number 	omponents:	%
87-44-5	beta-Caryophyllene EC number: 201-746-1 Image: Asp. Tox. 1 - H304; Image: Skin Sens.	10,001-20,00
78-70-6	1B - H317 Linalool EC number: 201-134-4 ଐ Skin Irrit. 2 - H315, Eye Irrit. 2 -	10,001-20,00
105-87-3	H319, Skin Sens. 1B - H317 Geranyl acetate EC number: 203-341-5 � Skin Irrit. 2 - H315, Skin Sens. 1B -	5,001-10,00
120-51-4	H317; Aquatic Chronic 3 - H412 Benzyl benzoate EC number: 204-402-9	5,001-10,00
104-93-8	Acute 1 - H400, Aquatic Chronic 2 - H411 p-Methylanisole EC number: 203-253-7 ① Acute Tox. 4 - H302, Skin Irrit. 2 -	5,001-10,00
118-58-1	H315; log Repr. 2 - H361 benzyl salicylate EC number: 204-262-9	1,001- 5,00
140-11-4	 Skin Sens. 1 - H317; Aquatic Chronic 3 - H412 benzyl acetate EC number: 205-399-7 	1,001- 5,00
93-58-3	Aquatic Chronic 3 - H412 methyl benzoate EC number: 202-259-7	1,001- 5,00
4602-84-0	Farnesol	1,001- 5,00

Skin Irrit. 2 - H315, Eye Irrit. 2 -

H319, Skin Sens. 1B - H317

, *



2583602

Reviewed on: 19.12.2022 Printing date: 19.12.2022

PRODUCT :	YLANG II MADA ORG OIL	
		(continued of page 2)
106-24-1	geraniol	1,001- 5,00
	EC number: 203-377-1	
	🔗 Eye Dam. 1 - H318; 🚸 Skin Irrit. 2	
	- H315, Skin Sens. 1 - H317	
97-53-0	Eugenol	0,101-1,00
	EC number: 202-589-1	
	🔅 Eye Irrit. 2 - H319, Skin Sens. 1B -	
	H317	
97-54-1	isoeugenol	0,101-1,00
	EC number: 202-590-7	
	🚸 Acute Tox. 4 - H302, Acute Tox. 4 -	
	H312, Skin Irrit. 2 - H315, Eye Irrit. 2 -	
	H319, Skin Sens. 1A - H317;	
	Skin Sens. 1A; H317: C >= 0,01 %	
80-56-8	pin-2(3)-ene	0,101-1,00
	EC number: 201-291-9	
	🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 🔅 Acute Tox. 4 - H302, Skin	
	Irrit. 2 - H315, Skin Sens. 1B - H317	
470-82-6	Eucalyptol	0,101-1,00
	EC number: 207-431-5	
	🚸 Flam. Liq. 3 - H226; 🚸 Skin Sens.	
	1B - H317	
119-36-8	methyl salicylate	0,101-1,00
	EC number: 204-317-7	
	🔅 Acute Tox. 4 - H302, Skin Sens. 1B -	
	H317; 🚸 Repr. 2 - H361d; Aquatic Chronic	
	3 - H412	
	Oral: ATE = 890 mg/kg	

SECTION 04: First aid measures

- 4.1 Description of first aid measures
- General information: Seek immediate medical advice.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- After skin contact: If skin irritation continues, consult a doctor. Immediately wash with water and soap and rinse thoroughly.
 After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
- Seek immediate medical advice.Information for doctor:

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.



2583602

Reviewed on: 19.12.2022 Printing date: 19.12.2022

Printing	date:	19.12.2022

		Printing date: 19.12.
PRODUCT :	YLANG II MADA ORG OIL	
	Firefichting managemen	(continued of page 3)
	Firefighting measures	
	ishing media extinguishing agents:	
	, extinguishing powder. Do not use water.	
	tinguishing methods suitable to surrounding conditions.	
 For safet Water wit 	y reasons unsuitable extinguishing agents:	
water wit		
	hazards arising from the substance or mixture	
Formation of	toxic gases is possible during heating or in case of fire.	
5.3 Advice	for firefighters	
	e equipment:	
	ale explosion gases or combustion gases. Il information	
	ngered receptacles with water spray.	
SECTION 06	Accidental release measures	
6.1 Persona	I precautions, protective equipment and emergency procedures	
Wear protect	ve equipment. Keep unprotected persons away.	
	ate ventilation om ignition sources.	
	mental precautions:	
	product to reach sewage system or any water course. ctive authorities in case of seepage into water course or sewage system.	
	s and material for containment and cleaning up: aminated material as waste according to item 13.	
	late ventilation.	
6 4 Deferer	ce to other sections	
	7 for information on safe handling.	
	B for information on personal protection equipment.	
See Section	13 for disposal information.	
SECTION 07	Handling and storage	
	ions for safe handling	
	cles tightly sealed.	
	om heat and direct sunlight.	
	ventilation/exhaustion at the workplace. ation of aerosols.	
Handle with	care. Avoid jolting, friction and impact.	
	on about fire - and explosion protection:	
	ion sources away - Do not smoke. ainst electrostatic charges.	
-	-	
7.2 Conditi Storage:	ons for safe storage, including any incompatibilities	
5	nents to be met by storerooms and receptacles:	
Store only	in the original receptacle.	
	y seepage into the ground. eceptacles specifically permitted for this substance/ product.	
	ion about storage in one common storage facility:	
Not requir	ed.	
	nformation about storage conditions: ainer tightly sealed.	
	m heat and direct sunlight.	
	ptacle in a well ventilated area.	
7.3 Specific	end use(s)	
	levant information available.	
— EU ———		



2583602

Reviewed on: 19.12.2022 Printing date: 19.12.2022

CTION 08: Exposur	(continued of page 4)
	e controls/personal protection
The product does not of the workplace.Additional information	it values that require monitoring at the workplace: ontain any relevant quantities of materials with critical values that have to be monitored at
 General protective a The usual precautionar Keep away from foodst Immediately remove a Wash hands before bree Do not inhale gases / f Do not inhale dust / sm Avoid contact with the Respiratory protecti In case of brief exposu self-contained respirator Use suitable respirator Protection of hands: Protective gloves The glove material has Due to missing tests no chemical mixture. Selection of the glove f Material of gloves The selection of the su varies from manufactuu the glove material can Penetration time of 	noke / mist. skin. on: re or low pollution use respiratory filter device. In case of intensive or longer exposure use ory protective device. y protective device in case of insufficient ventilation. to be impermeable and resistant to the product/ the substance/ the preparation. o recommendation to the glove material can be given for the product/ the preparation/ the material on consideration of the penetration times, rates of diffusion and the degradation itable gloves does not only depend on the material, but also on further marks of quality and rer to manufacturer. As the product is a preparation of several substances, the resistance of not be calculated in advance and has therefore to be checked prior to the application.

Physical state	Fluid
Colour:	colourless to light yellow
Odour:	floral
Odour threshold:	Not determined.
Boiling point or initial boiling point and boiling range	Not determined.
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	> 100,0 °C NFT 60-103 CC
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not determined.



2583602

Reviewed on: 19.12.2022 Printing date: 19.12.2022

Printing date: 19	0.12.2022
-------------------	-----------

	(continued of page
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	0,9220 0,9420 (D20/20)
Vapour density	Not determined.
9.2 Other information	No further relevant information available.
Appearance:	
Form:	fluid
Important information on protection of hea	Ith and environment, and on safety.
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Solvent content:	
Solids content:	0,00 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard	classes
Explosives	not applicable
Flammable gases	not applicable
Aerosols	not applicable
Oxidising gases	not applicable
Gases under pressure	not applicable
Flammable liquids	not applicable
Flammable solids	not applicable
Self-reactive substances and mixtures	not applicable
Pyrophoric liquids	not applicable
Pyrophoric solids	not applicable
Self-heating substances and mixtures	not applicable
Substances and mixtures, which emit	not applicable
flammable gases in contact with water	
Oxidising liquids	not applicable
Oxidising solids	not applicable
Organic peroxides	not applicable
Corrosive to metals Desensitised explosives	not applicable not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Not determined.

,



2583602

Reviewed on: 19.12.2022

Printing date:	19.12.2022
----------------	------------

I	PRODUCT : YLANG II MADA ORG OIL	
	SECTION 11: Toxicological information	(continued of page 6)
	11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008	
	Acute toxicity	
	LD/LC50 values relevant for classification: ISO LD/LC	
	87-44-5 beta-Caryophyllene	
	Oral, LD50: > 5000 mg/kg (rat) (Hart and Wong 1971) 78-70-6 Linalool	
	Oral, LD50: 2790 mg/kg (rat) Dermal, LD50: 5610 mg/kg (Rabbit)	
	105-87-3 Geranyl acetate Oral, LD50: >4000 mg/kg (rat) (NTP 1987)	
	120-51-4 Benzyl benzoate Oral, LD50: 1700 mg/kg (rat) Oral, LD50: 3450 mg/kg (mouse) (Bier, 1979) Dermal, LD50: 4000 mg/kg (Rabbit)	
	104-93-8 p-Methylanisole Oral, LD50: 1920 mg/kg (rat)	
	140-11-4 benzyl acetate Oral, LD50: 2490 mg/kg (rat) (INRS 2011) Dermal, LD50: >5000 mg/kg (Rabbit) (INRS 2011)	
	93-58-3 methyl benzoate Oral, LD50: 1177 mg/kg (rat)	
	4602-84-0 Farnesol Oral, LD50: 20000 mg/kg (rat)	
	Dermal, LD50: 15000 mg/kg (rat) 97-53-0 Eugenol	
r	Oral, LD50: 1930 mg/kg (rat) 97-54-1 isoeugenol	
	Oral, LD50: 1560 mg/kg (rat) 470-82-6 Eucalyptol Oral, LD50: 3849 mg/kg (mouse) (Jiao Xu, 2014)	
k k	119-36-8 methyl salicylate Oral, LD50: 890 mg/kg (ATE) Oral, LD50: 887 mg/kg (rat)	
	 Primary irritant effect: Skin corrosion/irritation Irritant to skin and mucous membranes. 	
r	Causes skin irritation. - Serious eye damage/irritation No irritating effect.	
	Respiratory or skin sensitisation	
	 120-51-4 Benzyl benzoate Sensitisation, NESIL: 59000 ug/cm2 (human being) (Standard IFRA) Sensitization possible through skin contact. Germ cell mutagenicity 	
	87-44-5 beta-Caryophyllene OECD 471 AMES: NEGATIVE (in vitro) (Heck and al., 1989)	
	78-70-6 Linalool OECD 471 AMES: NEGATIVE (in vitro) (Letizia and al., 2007)	
	105-87-3 Geranyl acetate OECD 471 AMES: NEGATIVE (in vitro) (NTP 1987)	
	120-51-4 Benzyl benzoate OECD 471 AMES: NEGATIVE (in vitro) (Schunk and al., 1986)	
	104-93-8 p-Methylanisole OECD 471 AMES: NEGATIVE (in vitro) (RIFM 1984)	
	140-11-4benzyl acetateOECD 471 AMES: NEGATIVE (in vitro) (Tennant and al., 1987)	
	 470-82-6 Eucalyptol OECD 471 AMES: NEGATIVE (in vitro) (Haworth, 1983) Carcinogenicity 	
	78-70-6 Linalool Micronoyau: NEGATIVE (mouse) (in vivo, Letizia and al., 2007)	
	EU	(continued on page 8)



2583602

Reviewed on: 19.12.2022 Printing date: 19.12.2022

		(continued of page 7)
Micronoya	au: NEGATIVE (in vitro) (DiSotto and al., 2011)	(, , , , , , ,
105-87-3	Geranyl acetate	
Micronoya	au: NEGATIVE (mouse) (in vivo, Shelby 1993)	
104-93-8	p-Methylanisole	
Micronoya	au: NEGATIVE (mouse) (RIFM 2018)	
	ctive toxicity	
Not deter		
	igle exposure	
Not deter		
 STOT-re Not deter 	peated exposure	
 Aspiration 		
	tal if swallowed and enters airways.	
May be fa	tal if swallowed and enters airways.	
 Subacute 	e to chronic toxicity:	
87-44-5	beta-Caryophyllene	
Oral, NOA	EL: 700 mg/kg (rat) (90 days Schmitt 2016)	
78-70-6	Linalool	
Oral, NOA	EL: 200 mg/kg (rat) (maternal toxicity, Politano and al.,	,
2008)		
104-93-8	p-Methylanisole	
Oral, NOA	EL: 100 mg/kg (rat) (28 days, RIFM 2013)	
140-11-4	benzyl acetate	
,	EL: 14,5 mg/kg (rat) (2 years, NTP 1993)	
	al toxicological information:	
	ict shows the following dangers according to the calculat	ion method of the General EU Classification
Harmful	s for Preparations as issued in the latest version:	
Irritant		
Carcinoge	nic if inhaled.	
11.2 Inform	nation on other hazards	
	e disrupting properties	
None o	f the ingredients is listed.	

12.1 Toxicity • Aquatic toxicity: 78-70-6 Linalool LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991) ErC50(0-72h): 156,7 mg/l (algae) ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202) 04-93-8 p-Methylanisole CE50/48h: 17 mg/l (daphnia) (RIFM 2018) 96h-LC50: 68,2 mg/l (fish) (RIFM 2018) 104-93-8 140-11-4 benzyl acetate ErC50(0-72h): 92 mg/l (algae) (RIFM 2017) ErC50(0-48h): 37 mg/l (daphnia) (RIFM 2011) 96h-LC50: 4,6 mg/l (fish) (RIFM 1994) 12.2 Persistence and degradability No further relevant information available. • Behaviour in environmental systems: Not determined. 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: • Not applicable.



2583602

Reviewed on: 19.12.2022

Printing date:	19.12.2022

	PRODUCT : YLANG II MADA ORG OIL	(continued of page 8)
	12.6 Endocrine disrupting properties	(continued of page 0)
۲	The product does not contain substances with endocrine disrupting propertie	2S.
	12.6 Other adverse effects	
	No further relevant information available.	
	 Ecotoxical effects: 	
	Not determined.	
-	Remark:	
Ŷ	Harmful to fish	
	Additional ecological information:	
	 General notes: Harmful to aquatic organisms 	
	The product contains materials that are harmful to the environment.	

13.1 Waste treatment methods

• Recommendation

- Must be specially treated adhering to official regulations.
- Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number ADR IMDG IATA	Void Void Void
14.2 UN proper shipping name ADR IMDG IATA	Void Void Void
14.3 Transport hazard class(es ADR Class IMDG) Void
Class IATA Class	Void Void
14.4 Packing group ADR IMDG IATA	Void Void Void

14.5 Environmental hazards: Not applicable.

14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to IMO instruments Not applicable.

• Transport/Additional information: Not applicable.



2583602

Reviewed on: 19.12.2022 Printing date: 19.12.2022

	CION 15: Regulatory information (continued of pag
•	5.1 Safety, health and environmental regulations/legislation specific for the substance or mixture REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrica and electronic equipment - Annex II None of the ingredients is listed. REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed. Annex II - REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed. Regulation (EC) No 273/2004 on drug precursors 108-88-3 toluene : 3 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the
	Community and third countries in drug precursors 108-88-3 toluene : 3 National regulations:
	Technical instructions (air): Class Share in % I III
•	Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
	5.2 Chemical safety assessment: Chemical Safety Assessment has not been carried out.

Information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

- Relevant phrases
- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H361 Suspected of damaging fertility or the unborn child.
- H361d Suspected of damaging the unborn child.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

• Training hints

Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.

Abbreviations and acronyms:

IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry

(continued on page 11)

*

*

+



2583602

Reviewed on: 19.12.2022 Printing date: 19.12.2022

Printing date:	19.12.2022
Revieweu un.	19.12.2022

PRODUCT :	YLANG II MADA ORG OIL
	(continued of page 10)
ADR: Accc	rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning
	ational Carriage of Dangerous Goods by Road) ADR: Accord européen sur le transport des marchandises
dangereus	es par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
	ement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations
Concernin	g the International Transport of Dangerous Goods by Rail) RID: Reglement international concernant le
	les marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Goods by Rail)
	ernational Maritime Code for Dangerous Goods IMDG: International Maritime Code for Dangerous Goods
	Department of Transportation DOT: US Department of Transportation
	rnational Air Transport Association IATA: International Air Transport Association
	ernational Civil Aviation Organisation ICAO: International Civil Aviation Organisation
	ally Harmonised System of Classification and Labelling of Chemicals GHS: Globally Harmonised System o
	on and Labelling of Chemicals
	uropean Inventory of Existing Commercial Chemical Substances EINECS: European Inventory of Existing
	al Chemical Substances
	uropean List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances
	nical Abstracts Service (division of the American Chemical Society) CAS: Chemical Abstracts Service
	f the American Chemical Society)
LC50: Leth	al concentration, 50 percent LC50: Lethal concentration, 50 percent
	nal dose, 50 percent LD50: Lethal dose, 50 percent
PBT: Persi	stent, Bioaccumulative and Toxic PBT: Persistent, Bioaccumulative and Toxic
vPvB: ver	Persistent and very Bioaccumulative vPvB: very Persistent and very Bioaccumulative
CE50: effe	ctive concentration at 50% ErC50:concentration of test substance which results in a 50 percent reduction
in either g	rowth rate (ErC50)relative to the control within 72hrs exposure.
Sources	
	Labelling Manual, REACH registration dossier, supplier information