


2852501

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)





2852501

Printing date: 17.07.2		
PRODUCT : E	UCALYPTUS G POR 70/75 ORG OIL	
		(continued of page 1)
- Signal word Danger		
- Hazard state	ments	
H226 Flammat	ble liquid and vapour.	
H304 May be f H315 Causes s	atal if swallowed and enters airways.	
	se an allergic skin reaction.	
	aquatic life with long lasting effects.	
<ul> <li>Precautionar</li> <li>P210 Keep awa</li> </ul>	y statements ay from heat, hot surfaces, sparks, open flames and other ignitio	on sources. No smoking.
P233 Keep con	tainer tightly closed.	5
	nd bond container and receiving equipment. SWALLOWED: Immediately call a POISON CENTER/ doctor.	
P403+P235 Sto	ore in a well-ventilated place. Keep cool.	
P501 Dispose of	of contents/container in accordance with local/regional/ national	l/international regulations.
2.3 Other haza	rds	
	3T and vPvB assessment	
- PBT:		
Not applicable - vPvB:		
Not applicable		
	on of endocrine-disrupting properties gredients is listed.	
SECTION 03: C	omposition/information on ingredients	
3.1 Substances		
CAS No.	Description	
8000-48-4 • Identificatior	Eucalyptus globulus Labillardiere	
• EC number: 283-406-2		
<ul> <li>Dangerous c</li> </ul>	omponents:	
CAS Number		%
470-82-6	Eucalyptol	50,001-100
	EC number: 207-431-5	
	Flam. Liq. 3 - H226; (V) Skin Sens.	
	1B - H317	
80-56-8	ALPHA-PINENE	5,001-10,00
	EC number: 201-291-9	0,001 10,00
	🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 🔶 Acute Tox. 4 - H302, Skin	
99-87-6	Irrit. 2 - H315, Skin Sens. 1B - H317	
<del>33-0</del> 7-0	p-cymene	5 004 40 00
	EC number: 202-796-7	5,001-10,00
	EC number: 202-796-7	5,001-10,00
	🛞 Acute Tox. 3 - H331; 🚸 Asp. Tox. 1	5,001-10,00
	<ul> <li>Acute Tox. 3 - H331;</li> <li>Asp. Tox. 1</li> <li>- H304;</li> <li>Flam. Liq. 3 - H226;</li> </ul>	5,001-10,00
5000 07 5	<ul> <li>Acute Tox. 3 - H331;</li> <li>Asp. Tox. 1</li> <li>- H304;</li> <li>Flam. Liq. 3 - H226;</li> <li>Aquatic Chronic 2 - H411</li> </ul>	
5989-27-5	<ul> <li>Acute Tox. 3 - H331; Asp. Tox. 1     <li>- H304; Flam. Liq. 3 - H226;      <li>Aquatic Chronic 2 - H411</li> <li>d-limonene</li> </li></li></ul>	5,001-10,00 1,001- 5,000
5989-27-5	<ul> <li>Acute Tox. 3 - H331; Asp. Tox. 1</li> <li>- H304; Flam. Liq. 3 - H226; Aquatic Chronic 2 - H411</li> <li>d-limonene</li> <li>EC number: 227-813-5</li> </ul>	
5989-27-5	<ul> <li>Acute Tox. 3 - H331; Asp. Tox. 1</li> <li>- H304; Flam. Liq. 3 - H226;</li> <li>Aquatic Chronic 2 - H411</li> <li><b>d-limonene</b></li> <li>EC number: 227-813-5</li> <li>Asp. Tox. 1 - H304; Flam. Liq. 3</li> </ul>	
5989-27-5	<ul> <li>Acute Tox. 3 - H331; Asp. Tox. 1</li> <li>- H304; Flam. Liq. 3 - H226;</li> <li>Aquatic Chronic 2 - H411</li> <li>d-limonene</li> <li>EC number: 227-813-5</li> <li>Asp. Tox. 1 - H304; Flam. Liq. 3</li> <li>- H226; Skin Irrit. 2 - H315, Skin</li> </ul>	
5989-27-5	<ul> <li>Acute Tox. 3 - H331; Asp. Tox. 1</li> <li>- H304; Flam. Liq. 3 - H226;</li> <li>Aquatic Chronic 2 - H411</li> <li><b>d-limonene</b></li> <li>EC number: 227-813-5</li> <li>Asp. Tox. 1 - H304; Flam. Liq. 3</li> </ul>	
5989-27-5	<ul> <li>Acute Tox. 3 - H331; Asp. Tox. 1</li> <li>- H304; Flam. Liq. 3 - H226;</li> <li>Aquatic Chronic 2 - H411</li> <li>d-limonene</li> <li>EC number: 227-813-5</li> <li>Asp. Tox. 1 - H304; Flam. Liq. 3</li> <li>- H226; Skin Irrit. 2 - H315, Skin</li> <li>Sens. 1B - H317; Aquatic Acute 1 -</li> <li>H400 (M=1); Aquatic Chronic 3 - H412</li> </ul>	1,001- 5,000
5989-27-5 127-91-3	<ul> <li>Acute Tox. 3 - H331; Asp. Tox. 1</li> <li>- H304; Flam. Liq. 3 - H226; Aquatic Chronic 2 - H411</li> <li><b>d-limonene</b></li> <li>EC number: 227-813-5</li> <li>Asp. Tox. 1 - H304; Flam. Liq. 3</li> <li>- H226; Skin Irrit. 2 - H315, Skin</li> <li>Sens. 1B - H317; Aquatic Acute 1 -</li> </ul>	
	<ul> <li>Acute Tox. 3 - H331; Asp. Tox. 1</li> <li>- H304; Flam. Liq. 3 - H226;</li> <li>Aquatic Chronic 2 - H411</li> <li>d-limonene</li> <li>EC number: 227-813-5</li> <li>Asp. Tox. 1 - H304; Flam. Liq. 3</li> <li>- H226; Skin Irrit. 2 - H315, Skin</li> <li>Sens. 1B - H317; Aquatic Acute 1 -</li> <li>H400 (M=1); Aquatic Chronic 3 - H412</li> </ul>	1,001- 5,000



2852501

Reviewed on: 17.07.2024 Printing date: 17.07.2024

<b>PRODUCT</b> :	EUCALYPTUS G POR 70/75 ORG OIL	
	<ul> <li>Asp. Tox. 1 - H304;</li> <li>Flam. Liq. 3</li> <li>- H226;</li> <li>Skin Irrit. 2 - H315, Skin</li> <li>Sens. 1B - H317</li> </ul>	(continued of page 2)
13877-91-3	<b>3,7-Dimethyl-1,3,6-octatriene</b> EC number: 237-641-2	0,101-1,000
562-74-3	Aquatic Acute 1 - H400 (M=1), Aquatic Chronic 2 - H411 <b>p-Menth-1-en-4-ol</b> EC number: 209-235-5	0,101-1,000
87-44-5	H332, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317, STOT SE 3 - H336 <b>BETA-CARYOPHYLLENE</b> EC number: 201-746-1 � Asp. Tox. 1 - H304; � Skin Sens.	0,101-1,000
*	1B - H317	

SECTION 04: First aid measures

- 4.1 Description of first aid measures
- General information:
- Seek immediate medical advice.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- After skin contact: If skin irritation continues, consult a doctor.
  - Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
- Seek immediate medical advice.
- Information for doctor:

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions.
  For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

- Protective equipment:
- Do not inhale explosion gases or combustion gases. • Additional information
  - Cool endangered receptacles with water spray.



2852501

Reviewed on: 17.07.2024

Printing date:	17.07.2024
----------------	------------

RODUCT :	EUCALYPTUS G POR 70/75 ORG OIL	
		(continued of page 3
ECTION 06:	Accidental release measures	
	I precautions, protective equipment and emergency procedures	
	ve equipment. Keep unprotected persons away. ate ventilation	
	om ignition sources.	
6 2 Environ	mental processions	
	mental precautions: product to reach sewage system or any water course.	
	tive authorities in case of seepage into water course or sewage system.	
6.3 Method	and material for containment and cleaning up:	
Dispose conta	minated material as waste according to item 13.	
Ensure adequ	ate ventilation.	
6.4 Referen	ce to other sections	
	for information on safe handling.	
	for information on personal protection equipment. 3 for disposal information.	
ECTION 07:	Handling and storage	
	ons for safe handling	
Keep recepta	cles tightly sealed.	
	om heat and direct sunlight. /entilation/exhaustion at the workplace.	
	are. Avoid jolting, friction and impact.	
	on about fire - and explosion protection:	
	on sources away - Do not smoke. ainst electrostatic charges.	
	-	
7.2 Condition Storage:	ns for safe storage, including any incompatibilities	
5	ents to be met by storerooms and receptacles:	
Store only	in the original receptacle.	
	y seepage into the ground. eceptacles specifically permitted for this substance/ product.	
<ul> <li>Information</li> </ul>	on about storage in one common storage facility:	
Not requir	ed. Iformation about storage conditions:	
	iner tightly sealed.	
	m heat and direct sunlight. otacle in a well ventilated area.	
7.3 Specific	end use(s) evant information available.	
	Exposure controls/personal protection	
Lerion 00.		
8.1 Control	I contraction of the second	
<ul> <li>Ingredier</li> <li>Not requir</li> </ul>	ts with limit values that require monitoring at the workplace:	
<ul> <li>Additional</li> </ul>	l information:	
The lists v	alid during the making were used as basis.	
8.2 Exposu	e controls	
<ul> <li>Individua</li> </ul>	l protection measures, such as personal protective equipment	
	protective and hygienic measures:	
	precautionary measures are to be adhered to when handling chemicals. from foodstuffs, beverages and feed.	
Immediate	ly remove all soiled and contaminated clothing	
	Is before breaks and at the end of work. act with the skin.	
<ul> <li>Respirato</li> </ul>	ry protection:	
	le respiratory protective device in case of insufficient ventilation.	
	LULIQUUS.	



2852501

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

Reviewed on: 17.07.2024 Printing date: 17.07.2024

PRODUCT :	EUCALYPTUS G POR 70/75 ORG OIL
	(continued of page 4)
Due to miss chemical mi Selection of Material of The selectic varies from Penetratio The exact b observed. Eye/face p Safety glass Body prote	loves haterial has to be impermeable and resistant to the product/ the substance/ the preparation. sing tests no recommendation to the glove material can be given for the product/ the preparation/ the ixture. the glove material on consideration of the penetration times, rates of diffusion and the degradation f gloves on of the suitable gloves does not only depend on the material, but also on further marks of quality and manufacturer to manufacturer. In time of glove material oreak through time has to be found out by the manufacturer of the protective gloves and has to be protection ses

## SECTION 09: Physical and chemical properties

9.1 Information on basic physical and chemic	cal properties
General Information	
Physical state	Fluid
Colour:	colourless to pale yellow
Odour:	camphor-like
Odour threshold:	Not determined.
Melting point/freezing point:	-14,0012,00 °C
Boiling point or initial boiling point and boiling range	160,00 - 200,00 °C
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	45,5 °C NFT 60-103 CC
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not determined.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	at 25,00 °C 10,0000 mbar
Density and/or relative density	
Density:	Not determined.
Relative density	0,9050 0,925 D20/20
Vapour density	Not determined.
9.2 Other information	No further relevant information available.
Appearance:	
Form:	liquid sometimes cloudy
Important information on protection of health	and environment, and on safety.
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Solvent content:	
Solids content:	0,00 %
Change in condition	



2852501

Reviewed on: 17.07.2024 Printing date: 17.07.2024

	(continued of page
Evaporation rate	<= 1,0 (butyl acétate = 1)
Information with regard to physical hazard of	classes
Explosives	not applicable
Flammable gases	not applicable
Aerosols	not applicable
Oxidising gases	not applicable
Gases under pressure	not applicable
Flammable liquids	Flammable liquid and vapour.
Flammable solids	not applicable
Self-reactive substances and mixtures	not applicable
Pyrophoric liquids	not applicable
Pyrophoric solids	not applicable
Self-heating substances and mixtures	not applicable
Substances and mixtures, which emit flammable gases in contact with water	not applicable
Oxidising liquids	not applicable
Oxidising solids	not applicable
Organic peroxides	not applicable
Corrosive to metals	not applicable
Desensitised explosives	not applicable

## SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Not determined.

#### SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity
- LD/LC50 values relevant for classification:

ISO LD/LC

,1064-1071)	Eucalyptus globulus Labillardiere 2000 mg/kg (mouse) (Publication (J.Kyushu Dent.Soc.38( : > 5000 mg/kg (Rabbit) (Standard Acute Method - 1973)	6)
<b>470-82-6</b> Oral, LD50: 3	<b>Eucalyptol</b> 849 mg/kg (mouse) (Jiao Xu, 2014)	
<b>5989-27-5</b> Oral, LD50: 4	<b>(R)-p-mentha-1,8-diene</b> 400 mg/kg (rat)	
87-44-5 Oral, LD50: > • Primary irrit • Skin corrosid		(continued on page 7)



2852501

Reviewed on: 17.07.2024 Printing date: 17.07.2024


	(continued of page 6)
Irritant to skin and mucous membranes. Causes skin irritation. • Serious eye damage/irritation	(continued of page of
<ul> <li>8000-48-4 Eucalyptus globulus Labillardiere         Irritation of eyes, OECD 405 DRAIZE: NOT CLASSIFIED (Rabbit) (OECD             Guideline 405 - 2013)         Respiratory or skin sensitisation             sensitization possible through skin contact.         Germ cell mutagenicity     </li> </ul>	
8000-48-4 Eucalyptus globulus Labillardiere OECD 471 AMES: NEGATIVE (in vitro) (OECD Guideline 471 - 2012)	
470-82-6 Eucalyptol OECD 471 AMES: NEGATIVE (in vitro) (Haworth, 1983)	
<ul> <li>87-44-5 BETA-CARYOPHYLLENE <ul> <li>OECD 471 AMES: NEGATIVE (in vitro) (Heck and al., 1989)</li> </ul> </li> <li>Carcinogenicity <ul> <li>Not determined.</li> </ul> </li> <li>Reproductive toxicity <ul> <li>Not determined.</li> </ul> </li> <li>STOT-single exposure <ul> <li>Not determined.</li> </ul> </li> <li>STOT-repeated exposure <ul> <li>Not determined.</li> </ul> </li> <li>Subacute to chronic toxicity: <ul> <li>Not determined.</li> </ul> </li> <li>Subacute to chronic toxicity: <ul> <li>Not determined.</li> </ul> </li> <li>Subacute to chronic toxicity: <ul> <li>Not determined.</li> </ul> </li> <li>Subacute to chronic toxicity: <ul> <li>Not determined.</li> </ul> </li> <li>Subacute to chronic toxicity: <ul> <li>Not determined.</li> </ul> </li> <li>Subacute to chronic toxicity: <ul> <li>Not determined.</li> <li>Subacute to chronic toxicity: <ul> <li>Not determined.</li> </ul> </li> </ul></li></ul>	

#### SECTION 12: Ecological information

#### 12.1 Toxicity • Aquatic toxicity: 8000-48-4 Eucalyptus globulus Labillardiere CE50/48h: 1,02 mg/l (daphnia) (Constituent approach, additivity formula) ErC50(0-72h): 1,64 mg/l (algae) (Constituent approach, additivity formula) 99-87-6 p-cymene LD50: 1,63 mg/l (fish) (OECD 203) 5989-27-5 (R)-p-mentha-1,8-diene LD50: 0,71 mg/l (fish) (OECD 203) 12.2 Persistence and degradability No further relevant information available. • Behaviour in environmental systems: Not determined. 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment • PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.6 Other adverse effects (continued on page 8)



2852501





#### 2852501

ODUCT : EUCALYPTUS	G POR 70/75 ORG OIL
	(continued of page 8)
. IMDG	III
. IATA	III
14.5 Environmental hazards	:
Marine pollutant:	Yes
14.6 Special precautions for	user
Warning: Flammable liquids. Danger code (Kemler):	30
EMS Number:	F-E,S-D
14.7 Maritime transport in b Not applicable.	ulk according to IMO instruments
Transport/Additional inform     ADR	mation:
Excepted quantities (EQ):	E1
Limited quantities (LQ)	5L
Transport category	3
. Tunnel restriction code	D/E
. IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	E1
UN "Model Regulation": UN 1197 EXTRACTS, LIQUID,	3, III, ENVIRONMENTALLY HAZARDOUS
UN "Model Regulation": UN 1197 EXTRACTS, LIQUID,     CTION 15: Regulatory in	
UN 1197 EXTRACTS, LIQUID, CTION 15: Regulatory in 15.1 Safety, health and envi • DIRECTIVE 2011/65/EU of and electronic equipment	formation ironmental regulations/legislation specific for the substance or mixture n the restriction of the use of certain hazardous substances in electrical - Annex II
UN 1197 EXTRACTS, LIQUID, CTION 15: Regulatory in 15.1 Safety, health and envi • DIRECTIVE 2011/65/EU of and electronic equipment None of the ingredients is list	formation ironmental regulations/legislation specific for the substance or mixture n the restriction of the use of certain hazardous substances in electrical - Annex II ed.
UN 1197 EXTRACTS, LIQUID, CTION 15: Regulatory in 15.1 Safety, health and envi • DIRECTIVE 2011/65/EU of and electronic equipment None of the ingredients is list • REGULATION (EU) 2019/1	formation ironmental regulations/legislation specific for the substance or mixture n the restriction of the use of certain hazardous substances in electrical - Annex II ed. .148
UN 1197 EXTRACTS, LIQUID, CTION 15: Regulatory in 15.1 Safety, health and envi • DIRECTIVE 2011/65/EU of and electronic equipment None of the ingredients is list • REGULATION (EU) 2019/1 • Annex I - RESTRICTED EX under Article 5(3))	formation ironmental regulations/legislation specific for the substance or mixture n the restriction of the use of certain hazardous substances in electrical - Annex II ed. 148 CPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing
UN 1197 EXTRACTS, LIQUID, CTION 15: Regulatory in 15.1 Safety, health and envi DIRECTIVE 2011/65/EU of and electronic equipment None of the ingredients is list REGULATION (EU) 2019/1 Annex I - RESTRICTED EX under Article 5(3)) None of the ingredients is list	formation ironmental regulations/legislation specific for the substance or mixture n the restriction of the use of certain hazardous substances in electrical - Annex II ed. .148 IPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing ed.
UN 1197 EXTRACTS, LIQUID, CTION 15: Regulatory in 15.1 Safety, health and envi • DIRECTIVE 2011/65/EU of and electronic equipment None of the ingredients is list • REGULATION (EU) 2019/1 • Annex I - RESTRICTED EX under Article 5(3)) None of the ingredients is list • Annex II - REPORTABLE E	formation ironmental regulations/legislation specific for the substance or mixture n the restriction of the use of certain hazardous substances in electrical - Annex II ed. .148 IPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing ed. IXPLOSIVES PRECURSORS
UN 1197 EXTRACTS, LIQUID, CTION 15: Regulatory in 15.1 Safety, health and envi DIRECTIVE 2011/65/EU or and electronic equipment None of the ingredients is list REGULATION (EU) 2019/1 Annex I - RESTRICTED EX under Article 5(3)) None of the ingredients is list Annex II - REPORTABLE E None of the ingredients is list Regulation (EC) No 273/2	formation ironmental regulations/legislation specific for the substance or mixture n the restriction of the use of certain hazardous substances in electrical - Annex II ed. 148 PLOSIVES PRECURSORS (Upper limit value for the purpose of licensing ed. XPLOSIVES PRECURSORS ed. 004 on drug precursors
UN 1197 EXTRACTS, LIQUID, CTION 15: Regulatory in 15.1 Safety, health and envi DIRECTIVE 2011/65/EU or and electronic equipment None of the ingredients is list REGULATION (EU) 2019/1 Annex I - RESTRICTED EX under Article 5(3)) None of the ingredients is list Annex II - REPORTABLE E None of the ingredients is list Regulation (EC) No 273/2 None of the ingredients is list	formation ironmental regulations/legislation specific for the substance or mixture n the restriction of the use of certain hazardous substances in electrical - Annex II ed. 148 CPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing ed. XPLOSIVES PRECURSORS ed. 004 on drug precursors ed.
UN 1197 EXTRACTS, LIQUID, CTION 15: Regulatory in 15.1 Safety, health and envi DIRECTIVE 2011/65/EU or and electronic equipment None of the ingredients is list REGULATION (EU) 2019/1 Annex I - RESTRICTED EX under Article 5(3)) None of the ingredients is list Annex II - REPORTABLE E None of the ingredients is list Regulation (EC) No 273/2 None of the ingredients is list Regulation (EC) No 111/2	formation ironmental regulations/legislation specific for the substance or mixture n the restriction of the use of certain hazardous substances in electrical - Annex II ed. 148 CPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing ed. XPLOSIVES PRECURSORS ed. 004 on drug precursors ed. 005 laying down rules for the monitoring of trade between the
UN 1197 EXTRACTS, LIQUID, CTION 15: Regulatory in 15.1 Safety, health and envi DIRECTIVE 2011/65/EU or and electronic equipment None of the ingredients is list REGULATION (EU) 2019/1 Annex I - RESTRICTED EX under Article 5(3)) None of the ingredients is list Annex II - REPORTABLE E None of the ingredients is list Regulation (EC) No 273/2 None of the ingredients is list	formation ironmental regulations/legislation specific for the substance or mixture n the restriction of the use of certain hazardous substances in electrical - Annex II ed. 148 CPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing ed. CXPLOSIVES PRECURSORS ed. 004 on drug precursors ed. 005 laying down rules for the monitoring of trade between the ntries in drug precursors
UN 1197 EXTRACTS, LIQUID, CTION 15: Regulatory in 15.1 Safety, health and envi DIRECTIVE 2011/65/EU or and electronic equipment None of the ingredients is list REGULATION (EU) 2019/1 Annex I - RESTRICTED EX under Article 5(3)) None of the ingredients is list Annex II - REPORTABLE E None of the ingredients is list Regulation (EC) No 273/2 None of the ingredients is list Regulation (EC) No 111/2 Community and third cour	formation ironmental regulations/legislation specific for the substance or mixture n the restriction of the use of certain hazardous substances in electrical - Annex II ed. 148 CPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing ed. CXPLOSIVES PRECURSORS ed. 004 on drug precursors ed. 005 laying down rules for the monitoring of trade between the ntries in drug precursors
UN 1197 EXTRACTS, LIQUID, CTION 15: Regulatory in 15.1 Safety, health and envi DIRECTIVE 2011/65/EU or and electronic equipment None of the ingredients is list REGULATION (EU) 2019/1 Annex I - RESTRICTED EX under Article 5(3)) None of the ingredients is list Annex II - REPORTABLE E None of the ingredients is list Regulation (EC) No 273/2 None of the ingredients is list Regulation (EC) No 111/2 Community and third cour None of the ingredients is list	formation ironmental regulations/legislation specific for the substance or mixture n the restriction of the use of certain hazardous substances in electrical - Annex II ed. .148 IPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing ed. EXPLOSIVES PRECURSORS ed. 004 on drug precursors ed. 005 laying down rules for the monitoring of trade between the ntries in drug precursors ed.
UN 1197 EXTRACTS, LIQUID, CTION 15: Regulatory in 15.1 Safety, health and envi DIRECTIVE 2011/65/EU of and electronic equipment None of the ingredients is list REGULATION (EU) 2019/1 Annex I - RESTRICTED EX under Article 5(3)) None of the ingredients is list Annex II - REPORTABLE E None of the ingredients is list Regulation (EC) No 273/2 None of the ingredients is list Regulation (EC) No 111/2 Community and third cour None of the ingredients is list National regulations: Technical instructions (air Class Share in % I Waterhazard class:	formation ironmental regulations/legislation specific for the substance or mixture in the restriction of the use of certain hazardous substances in electrical - Annex II ed. 1148 CPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing ed. XPLOSIVES PRECURSORS ed. 004 on drug precursors ed. 005 laying down rules for the monitoring of trade between the ntries in drug precursors ed. ):
UN 1197 EXTRACTS, LIQUID, CTION 15: Regulatory in 15.1 Safety, health and envi DIRECTIVE 2011/65/EU or and electronic equipment None of the ingredients is list REGULATION (EU) 2019/1 Annex I - RESTRICTED EX under Article 5(3)) None of the ingredients is list Annex II - REPORTABLE E None of the ingredients is list Regulation (EC) No 273/2 None of the ingredients is list Regulation (EC) No 111/2 Community and third cour None of the ingredients is list National regulations: Technical instructions (air) UN atterna and the second secon	formation ironmental regulations/legislation specific for the substance or mixture n the restriction of the use of certain hazardous substances in electrical - Annex II ed. 148 CPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing ed. XYPLOSIVES PRECURSORS ed. 004 on drug precursors ed. 005 laying down rules for the monitoring of trade between the ntries in drug precursors ed. ): vater.
UN 1197 EXTRACTS, LIQUID, CTION 15: Regulatory in 15.1 Safety, health and envi DIRECTIVE 2011/65/EU of and electronic equipment None of the ingredients is list REGULATION (EU) 2019/1 Annex I - RESTRICTED EX under Article 5(3)) None of the ingredients is list Annex II - REPORTABLE E None of the ingredients is list Regulation (EC) No 273/2 None of the ingredients is list Regulation (EC) No 111/2 Community and third cour None of the ingredients is list National regulations: Technical instructions (air Class Share in % I Waterhazard class:	formation ironmental regulations/legislation specific for the substance or mixture n the restriction of the use of certain hazardous substances in electrical - Annex II ed. 148 CPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing ed. XXPLOSIVES PRECURSORS ed. 004 on drug precursors ed. 005 laying down rules for the monitoring of trade between the ntries in drug precursors ed. ): vater. ment:



2852501

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

	(continued of page S
SECTION 1	6: Other information
informatic to be con areas ther not be val of this do The requi applying a • Releva H226 H302 H304 H315 H317 H319 H331 H332 H336 H400	ed information complies with EU regulations in force. It does not exempt the user from knowing and II the national regulations in force. nt phrases Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic if inhaled. Harmful if inhaled. May cause drowsiness or dizziness. Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
purpos	ig hints m training in occupational risk prevention is recommended for personnel who will handle this product, in t of facilitating the understanding and interpretation of this form of safety data in the same way as g of the product.
IFRA:II ADR: A the Intr RID: R Concer IMDG: DOT: U IATA: 1 ICAO: 1 GHS: C ELINCCS CAS: C LC50: 1 LD50: 1	viations and acronyms: ternational Fragrance Association IOFI:International Organization of the Flavor Industry ccord européen sur le transport des marchandises dangereuses par Route (European Agreement concerni ernational Carriage of Dangerous Goods by Road) eglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulation ing the International Transport of Dangerous Goods by Rail) International Maritime Code for Dangerous Goods S Department of Transportation nternational Air Transport Association International Civil Aviation Organisation lobally Harmonised System of Classification and Labelling of Chemicals : European Inventory of Existing Commercial Chemical Substances : European List of Notified Chemical Substances nemical Abstracts Service (division of the American Chemical Society) ethal concentration, 50 percent resistent, Bioaccumulative and Toxic
	ery Persistent and very Bioaccumulative
<ul> <li>Source IFRA/I0</li> </ul>	ss )FI Labelling Manual,REACH registration dossier,supplier information