

2590503

Reviewed on: 29.07.2024
Printing date: 29.07.2024

PRODUCT : LAUREL BOSNIA ORGANIC OIL

(continued of page 1)

- Signal word
Danger
- Hazard statements
H226 Flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H341 Suspected of causing genetic defects.
H351 Suspected of causing cancer.
H411 Toxic to aquatic life with long lasting effects.
- Precautionary statements
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P403+P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

2.3 Other hazards

- Results of PBT and vPvB assessment
 - PBT:
Not applicable.
 - vPvB:
Not applicable.
 - Determination of endocrine-disrupting properties
- * None of the ingredients is listed.

SECTION 03: Composition/information on ingredients

3.1 Substances

CAS No. Description

8002-41-3 Laurus nobilis L.

- Identification number(s)
- EC number:
283-272-5

• Dangerous components:

CAS Number		%
470-82-6	Eucalyptol EC number: 207-431-5 ⚠ Flam. Liq. 3 - H226; ⚠ Skin Sens. 1B - H317	20,001-50,00
3387-41-5	sabinene EC number: 222-212-4 ⚠ Acute Tox. 4 - H302	10,001-20,00
8007-35-0	Terpinyl acetate (Isomer mixture) EC number: 232-357-5 ⚠ Aquatic Chronic 2 - H411	10,001-20,00
* 78-70-6	LINALOOL EC number: 201-134-4 ⚠ Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317	10,001-20,00
* 80-56-8	ALPHA-PINENE EC number: 201-291-9 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317	5,001-10,00
* 127-91-3	BETA-PINENE EC number: 204-872-5	5,001-10,00

(continued on page 3)

CHEMICAL SAFETY DATA SHEET
according to 2020/878/EC (1907/2006/EC Article 31)

2590503

 Reviewed on: 29.07.2024
 Printing date: 29.07.2024

PRODUCT : LAUREL BOSNIA ORGANIC OIL
(continued of page 2)

	⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Skin Irrit. 2 - H315, Skin Sens. 1B - H317	
*	93-15-2 METHYL EUGENOL EC number: 202-223-0 ⚠ Acute Tox. 4 - H302; ⚠ Muta. 2 - H341, Carc. 2 - H351	1,001- 5,000
*	98-55-5 p-menth-1-en-8-ol EC number: 202-680-6 ⚠ Skin Irrit. 2 - H315, Eye Irrit. 2 - H319	1,001- 5,000
*	562-74-3 p-Menth-1-en-4-ol EC number: 209-235-5 ⚠ Acute Tox. 4 - H302, Acute Tox. 4 - H332, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317, STOT SE 3 - H336	1,001- 5,000
*	87-44-5 BETA-CARYOPHYLLENE EC number: 201-746-1 ⚠ Asp. Tox. 1 - H304; ⚠ Skin Sens. 1B - H317	1,001- 5,000
*	123-35-3 Myrcene EC number: 204-622-5 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Skin Irrit. 2 - H315, Eye Irrit. 2 - H319	1,001- 5,000
*	13877-91-3 3,7-Dimethyl-1,3,6-octatriene EC number: 237-641-2 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Skin Irrit. 2 - H315; ⚠ Aquatic Acute 1 - H400 (M=1), Aquatic Chronic 2 - H411	1,001- 5,000
*	5989-27-5 d-limonene EC number: 227-813-5 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Skin Irrit. 2 - H315, Skin Sens. 1B - H317; ⚠ Aquatic Acute 1 - H400 (M=1); Aquatic Chronic 3 - H412	1,001- 5,000
*	79-92-5 camphene EC number: 201-234-8 ⚠ Flam. Sol. 1 - H228; ⚠ Eye Irrit. 2 - H319; ⚠ Aquatic Acute 1 - H400 (M=1) , Aquatic Chronic 1 - H410 (M=1)	1,001- 5,000
*	97-53-0 EUGENOL EC number: 202-589-1 ⚠ Eye Irrit. 2 - H319, Skin Sens. 1B - H317	1,001- 5,000
*	99-87-6 p-cymene EC number: 202-796-7 ⚠ Acute Tox. 3 - H331; ⚠ Asp. Tox. 1	1,001- 5,000

(continued on page 4)

2590503

Reviewed on: 29.07.2024
Printing date: 29.07.2024

PRODUCT : LAUREL BOSNIA ORGANIC OIL

(continued of page 3)

*	- H304;  Flam. Liq. 3 - H226; 	
*	Aquatic Chronic 2 - H411	
*	99-86-5 1-isopropyl-4-methylcyclohexa-1,3-diene	1,001- 5,000
*	EC number: 202-795-1	
*	 Asp. Tox. 1 - H304;  Flam. Liq. 3	
*	- H226;  Acute Tox. 4 - H302, Skin	
*	Sens. 1 - H317;  Aquatic Chronic 2 -	
*	H411	
*	586-62-9 TERPINOLENE	0,101-1,000
*	EC number: 209-578-0	
*	 Asp. Tox. 1 - H304;  Skin Sens.	
*	1B - H317;  Aquatic Acute 1 - H400	
*	(M=1), Aquatic Chronic 1 - H410 (M=1)	
*	99-85-4 p-Mentha-1,4-diene	0,101-1,000
*	EC number: 202-794-6	
*	 Asp. Tox. 1 - H304;  Flam. Liq. 3	
*	- H226	
*	13466-78-9 delta-3-Carene	0,101-1,000
*	EC number: 236-719-3	
*	 Asp. Tox. 1 - H304;  Flam. Liq. 3	
*	- H226;  Skin Irrit. 2 - H315, Skin	
*	Sens. 1B - H317	
*	106-24-1 GERANIOL	0,101-1,000
*	EC number: 203-377-1	
*	 Eye Dam. 1 - H318;  Skin Irrit. 2	
*	- H315, Skin Sens. 1 - H317	

SECTION 04: First aid measures

4.1 Description of first aid measures

- General information:
Seek immediate medical advice.
- After inhalation:
Supply fresh air and to be sure call for a doctor.
- After skin contact:
If skin irritation continues, consult a doctor.
Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
Seek immediate medical advice.
- Information for doctor:

4.2 Most important symptoms and effects, both acute and delayed
No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed
No further relevant information available.

EU

(continued on page 5)

2590503

Reviewed on: 29.07.2024
Printing date: 29.07.2024

PRODUCT : LAUREL BOSNIA ORGANIC OIL

(continued of page 4)

SECTION 05: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing agents:
CO₂, sand, extinguishing powder. Do not use water.
Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents:
Water with full jet

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

- Protective equipment:
Do not inhale explosion gases or combustion gases.
- Additional information
Cool endangered receptacles with water spray.

SECTION 06: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 07: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.
Keep away from heat and direct sunlight.
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Handle with care. Avoid jolting, friction and impact.

- Information about fire - and explosion protection:
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

- Requirements to be met by storerooms and receptacles:
Store only in the original receptacle.
Prevent any seepage into the ground.
Use only receptacles specifically permitted for this substance/ product.
- Information about storage in one common storage facility:
Not required.
- Further information about storage conditions:
Keep container tightly sealed.
Protect from heat and direct sunlight.
Store receptacle in a well ventilated area.

7.3 Specific end use(s)

No further relevant information available.

EU

(continued on page 6)

2590503

Reviewed on: 29.07.2024
Printing date: 29.07.2024

PRODUCT : LAUREL BOSNIA ORGANIC OIL

(continued of page 5)

SECTION 08: Exposure controls/personal protection

8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:
Not required.
- Additional information:
The lists valid during the making were used as basis.

8.2 Exposure controls

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes.
- * • Respiratory protection:
Use suitable respiratory protective device in case of insufficient ventilation.
Filter P3
- * • Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- * • Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- * • Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- * • Eye/face protection
Safety glasses
- * • Body protection:
Impervious protective clothing
- * Boots

SECTION 09: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state	Fluid
Colour:	colourless to light yellow
Odour:	minty
Odour threshold:	Not determined.
Boiling point or initial boiling point and boiling range	150,00 - 250,00 °C
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	48,0 °C NFT 60-103 CC
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not determined.

(continued on page 7)

2590503

Reviewed on: 29.07.2024
Printing date: 29.07.2024

PRODUCT : LAUREL BOSNIA ORGANIC OIL

(continued of page 6)

Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	at 25,00 °C 10,0000 mbar
Density and/or relative density	
Density:	Not determined.
Relative density	0,9000 0,925 D20/20
Vapour density	Not determined.
9.2 Other information	No further relevant information available.
Appearance:	
Form:	fluid
Important information on protection of health and environment, and on safety.	
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Solvent content:	
Solids content:	0,00 %
Change in condition	
Evaporation rate	<= 1,0 (butyl acétate = 1)
Information with regard to physical hazard classes	
Explosives	not applicable
Flammable gases	not applicable
Aerosols	not applicable
Oxidising gases	not applicable
Gases under pressure	not applicable
Flammable liquids	Flammable liquid and vapour.
Flammable solids	not applicable
Self-reactive substances and mixtures	not applicable
Pyrophoric liquids	not applicable
Pyrophoric solids	not applicable
Self-heating substances and mixtures	not applicable
Substances and mixtures, which emit flammable gases in contact with water	not applicable
Oxidising liquids	not applicable
Oxidising solids	not applicable
Organic peroxides	not applicable
Corrosive to metals	not applicable
Desensitised explosives	not applicable

SECTION 10: Stability and reactivity

- 10.1 Reactivity
No further relevant information available.
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
No dangerous reactions known.
- 10.4 Conditions to avoid
No further relevant information available.
- 10.5 Incompatible materials:
No further relevant information available.
- 10.6 Hazardous decomposition products:
Not determined.

EU

(continued on page 8)

2590503

Reviewed on: 29.07.2024
Printing date: 29.07.2024

PRODUCT : LAUREL BOSNIA ORGANIC OIL

(continued of page 7)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity
- LD/LC50 values relevant for classification:

ISO LD/LC

8002-41-3 Laurus nobilis L.
Oral, LD50: 3500 mg/kg (rat)
Dermal, LD50: >=5000 mg/kg (Rabbit)

470-82-6 Eucalyptol
Oral, LD50: 3849 mg/kg (mouse) (Jiao Xu, 2014)

* **78-70-6 LINALOOL**
Oral, LD50: 2790 mg/kg (rat)
Dermal, LD50: 5610 mg/kg (Rabbit)

* **93-15-2 METHYL EUGENOL**
Oral, LD50: 810 mg/kg (rat) (Beroza and al., 1975)

98-55-5 p-menth-1-en-8-ol
Oral, LD50: 4300 mg/kg (rat)

* **87-44-5 BETA-CARYOPHYLLENE**
Oral, LD50: > 5000 mg/kg (rat) (Hart and Wong 1971)

5989-27-5 (R)-p-mentha-1,8-diene
Oral, LD50: 4400 mg/kg (rat)

79-92-5 camphene
Oral, LD50: 5000 mg/kg (rat)
Dermal, LD50: 2500 mg/kg (Rabbit)

* **97-53-0 EUGENOL**
Oral, LD50: 1930 mg/kg (rat)

* **99-86-5 ALPHA-TERPINENE**
Oral, LD50: 1680 mg/kg (ATE)

13466-78-9 delta-3-Carene
Oral, LD50: 4800 mg/kg (rat) (Moreno 1975)

- Primary irritant effect:
- Skin corrosion/irritation
Irritant to skin and mucous membranes.
Causes skin irritation.
- Serious eye damage/irritation
Irritating effect.
Causes serious eye irritation.
- Respiratory or skin sensitisation
Sensitization possible through skin contact.
- Germ cell mutagenicity

470-82-6 Eucalyptol
OECD 471 AMES: NEGATIVE (in vitro) (Haworth, 1983)

* **78-70-6 LINALOOL**
OECD 471 AMES: NEGATIVE (in vitro) (Letizia and al., 2007)

* **87-44-5 BETA-CARYOPHYLLENE**
OECD 471 AMES: NEGATIVE (in vitro) (Heck and al., 1989)
Suspected of causing genetic defects.

- Carcinogenicity
- * **78-70-6 LINALOOL**
Micronoyau: NEGATIVE (mouse) (in vivo, Letizia and al., 2007)
Micronoyau: NEGATIVE (in vitro) (DiSotto and al., 2011)
Suspected of causing cancer.

- Reproductive toxicity
Not determined.
- STOT-single exposure
Not determined.
- STOT-repeated exposure
Not determined.
- Aspiration hazard
May be fatal if swallowed and enters airways.
May be fatal if swallowed and enters airways.
- Subacute to chronic toxicity:

* **78-70-6 LINALOOL**
Oral, NOAEL: 200 mg/kg (rat) (maternal toxicity, Politano and al.,

(continued on page 9)

2590503

Reviewed on: 29.07.2024
Printing date: 29.07.2024

PRODUCT : LAUREL BOSNIA ORGANIC OIL

(continued of page 8)

- 2008)
- * **87-44-5 BETA-CARYOPHYLLENE**
Oral, NOAEL: 700 mg/kg (rat) (90 days Schmitt 2016)
 - 11.2 Information on other hazards
 - Endocrine disrupting properties
 - * None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

- Aquatic toxicity:

8002-41-3 Laurus nobilis L.
CE50/48h: 41,1 mg/l (daphnia)

- * **78-70-6 LINALOOL**
LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991)
ErC50(0-72h): 156,7 mg/l (algae)
ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202)

- * **93-15-2 METHYL EUGENOL**
CE50/48h: 38 mg/l (daphnia) (Ministry of the Environment of Japan 2018)
ErC50(0-72h): 22 mg/l (algae) (Ministry of the Environment of Japan 2018)
96h-LC50: 14 mg/l (fish) (Ministry of the Environment of Japan 2018)

123-35-3 Myrcene
LD50: 0,51 mg/l (fish) (OECD 203)
CE50/48h: 0,65 mg/l (daphnia)

5989-27-5 (R)-p-mentha-1,8-diene
LD50: 0,71 mg/l (fish) (OECD 203)

99-87-6 p-cymene
LD50: 1,63 mg/l (fish) (OECD 203)

12.2 Persistence and degradability

No further relevant information available.

- Behaviour in environmental systems:
Not determined.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

- PBT:
Not applicable.
- vPvB:
Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.6 Other adverse effects

No further relevant information available.

- Ecotoxicological effects:
Not determined.
- Remark:
Toxic for fish
- Additional ecological information:
- General notes:
Toxic for aquatic organisms
The material is harmful to the environment.

EU

(continued on page 10)

2590503

Reviewed on: 29.07.2024
Printing date: 29.07.2024

PRODUCT : LAUREL BOSNIA ORGANIC OIL

(continued of page 9)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Recommendation
Must be specially treated adhering to official regulations.
- Uncleaned packaging:
- Recommendation:
Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

- . **ADR** UN1197
- . **IMDG** UN1197
- . **IATA** UN1197

14.2 UN proper shipping name

- . **ADR** 1197 EXTRACTS, LIQUID
- * . **IMDG** EXTRACTS, LIQUID (LAURUS NOBILIS L.)
- . **IATA** EXTRACTS, LIQUID

14.3 Transport hazard class(es)

- . **ADR**
- . **Class** 3 (F1) Flammable liquids.
- . **Label**



- . **IMDG**
- . **Class** 3 Flammable liquids.
- . **Label**



- . **IATA**
- . **Class** 3 Flammable liquids.
- . **Label**



14.4 Packing group

- . **ADR** III
- . **IMDG** III
- . **IATA** III

14.5 Environmental hazards:

- . **Marine pollutant:** Yes

14.6 Special precautions for user

- Warning: Flammable liquids.
- . **Danger code (Kemler):** 30
- . **EMS Number:** F-E,S-D

(continued on page 11)

CHEMICAL SAFETY DATA SHEET
according to 2020/878/EC (1907/2006/EC Article 31)

2590503

Reviewed on: 29.07.2024
Printing date: 29.07.2024

PRODUCT : LAUREL BOSNIA ORGANIC OIL

(continued of page 10)

14.7 Maritime transport in bulk according to IMO instruments
Not applicable.

- * • Transport/Additional information:
- . **ADR**
 - . **Excepted quantities (EQ):** E1
 - . **Limited quantities (LQ)** 5L
 - . **Transport category** 3
 - . **Tunnel restriction code** D/E
 - . **IMDG**
 - . **Limited quantities (LQ)** 5L
 - . **Excepted quantities (EQ)** E1
 - UN "Model Regulation":
UN 1197 EXTRACTS, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- * • DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II
None of the ingredients is listed.
- REGULATION (EU) 2019/1148
- * • Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
None of the ingredients is listed.
- * • Annex II - REPORTABLE EXPLOSIVES PRECURSORS
None of the ingredients is listed.
- * • Regulation (EC) No 273/2004 on drug precursors
None of the ingredients is listed.
- * • Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
None of the ingredients is listed.
- National regulations:
- Waterhazard class:
Generally not hazardous for water.

15.2 Chemical safety assessment:
A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

- Relevant phrases
- H226 Flammable liquid and vapour.
- H228 Flammable solid.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- * H332 Harmful if inhaled.
- * H336 May cause drowsiness or dizziness.
- * H341 Suspected of causing genetic defects.

(continued on page 12)

CHEMICAL SAFETY DATA SHEET
according to 2020/878/EC (1907/2006/EC Article 31)

2590503

Reviewed on: 29.07.2024
Printing date: 29.07.2024

PRODUCT : LAUREL BOSNIA ORGANIC OIL*(continued of page 11)*

*	H351	Suspected of causing cancer.
*	H400	Very toxic to aquatic life.
*	H410	Very toxic to aquatic life with long lasting effects.
*	H411	Toxic to aquatic life with long lasting effects.
*	H412	Harmful to aquatic life with long lasting effects.

- **Training hints**

Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.

- **Abbreviations and acronyms:**

IFRA: International Fragrance Association IOFI: International Organization of the Flavor Industry
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative

- **Sources**

IFRA/IOFI Labelling Manual, REACH registration dossier, supplier information

- * Data compared to the previous version altered.