

2329604

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

> Reviewed on: 02.10.2024 Printing date: 02.10.2024

 1.1 Product identifier Trade name: MYRRH ORGANC 01L Article number: 1661 CAS Number: 1663 CAS Number: 1664 CAS Number: 1674 CAS Number: 1674 CAS Number: 1684 CAS Number: 1684 CAS SUMPER: 1684 No CAS EINECS: 16929-26-0 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Only for industrial use 1.3 Details of the supplier of the safety data sheet Manufacture?Supplier: COLESEMMA TEL: +33(0)4.68.74.17.89 Route de FA email: (fds@golgenma.com 11280 ESPERZA FRANCE 1.4 Emergency telephone number: FR-ORFLA (INRS):+33(0)145 42 59 59 ECTION 02: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 WW GHS02 Flan. Liq. 3 - H226 Flammable liquid and vapour. WW GHS02 GHS02 GHS02 Classification of the substance or (EC) No 1272/2008 CASI of the substance or mixture 2.1 Classification according to Regulation (EC) No 1272/2008 GHS02 GHS02 GHS07 Acute Tox: 4 - H302 Harmful If swallowed. Aquat: Chonic 3 - H412 Harmful to aquatic life with long lasting diffect. 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 • Hazard pictograms • GHS02 • GHS02 • GHS07 • Signal Word • Hazard pictograms • Comparison of the substance, sparks, open flames and other ignition sources. No smoking, P33 Keep container tighty Coded. • Procultionary statements • Pa30 Keep container tighty Coded. • Procultionary statements • Pa30 Keep container tighty Coded. • Procultionary statements • Pa30 Keep container tighty Coded. • Procultionary statements • Pa30 Keep contamert tig	1.1. Duodu otidonti	ntification of the substance/mixture and of the company/undertaking
MYRRH ORGANIC DILArticle number: B661B661CAS Number: B161-37-3EC Number: 284-310-0I.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Only for industrial use1.3 Details of the supplier of the safety data sheetNanufacturer/Supplier: GOLGEMMA Manufacturer/Supplier: GOLGEMMA Classification according to Regulation (EC) No 1272/2008File: Acute Tox: 4 - H302 Harmful to aquatic life with long lasting effects.2.2 Label elements Labeling according to Regulation (EC) No 1272/2008- Labeling according to Regulation (EC) No 1272/2008- Hazard pictogramsManufacturer Manufa Manufa Manufa H226 Fammable liquid and vapour. 	1.1 Product Identi	ner
 Article number: Boti		
Besi CAS Number: 801-37-3 EC Number: 324-510-0 No CAS ENECS: 34929-26-0 1.2. Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Only for industrial use 1.3. Details of the supplier of the safety data sheet Manufacture/Supplier: COLGEMMA TEL + 33(0)4.68.74.17.89 Route de FA email: fds@golgemma.com 11200 ESPERAZA FRANCE 2.1. Classification of the substance or mixture 1.4. Emergency telephone number: FR-ORFILA (INRS):+33(0)1 45 42 59 59 CECTION 02: Hazards identification 2.1. Classification according to Regulation (EC) No 1272/2008 Image: Classificatio		
 CAS Number: 8016-37-3 EC Number: 284-310-0 No CAS EINECS: 84929-26-0 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Only for industrial use 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: GOLGEMMA TEL: +33(0)4.68.74.17.89 Route de FA endlish and the substance or mixture 1.4 Emergency telephone number: FR-ORFILA (INRE):+33(0)14542.59 59 ECTION 02: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Flam. Liq. 3 - H226 Flammable liquid and vapour. Of Soft Andre Substance (C) No 1272/2008 Flam. Liq. 3 - H226 Flammable liquid and vapour. Autic Tox, 4 - H302 Harmful if swallowed. Autic: Chronic 3 - H412 Harmful if swallowed. Hazard pictograms Elabeling according to Regulation (EC) No 1272/2008 Hazard pictograms Warning Hazard statements H226 Flammable Higuid and vapour. H220 Harmful if swallowed. H221 Harmful to aquatic. He with long lasting effects. Precuutionary statements H226 Flammable Higuid and vapour. H230 Harmful if swallowed. H231 Harmable Higuid and vapour. H232 Harmful if swallowed. H234 Harmable H240 Flammable H		
 EC Number: 284-510-0 No CAS EINECS: 39329-26-0 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Only for industrial use 1.3 Details of the subplier of the safety data sheet Manifacturer/Supplier: GOLEMMA TEL: +33(0)4.68.74.17.89 Route de FA email: fds@golgemma.com 1.200 ESPERAZA FRANCE 1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1.45.42.59.59 ECTION 02: Hazards identification 2.1 Classification of the substance or mixture 0.1 Classification according to Regulation (EC) No 1272/2008 EVENTION 03: H320 EFFARATA FRam. Liq. 3 - H226 Flammable liquid and vapour. Www. GHS07 Acute Tox. 4 - H302 Harmful if swallowed. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.1 Label elements 1.4 betling according to Regulation (EC) No 1272/2008 EXAMPLE OFFARATA Prazerd Statements - Hazard proteograms Construction of the subulation (EC) No 1272/2008 Www. Mazard Statements - Hazard proteograms Prazerd Statements - Hazard proteograms Precautionary Statements - Hazard proteograms Precautionary statements - Precautionary Statements -		
284-510-0 • No CAS EINECS: 34929-26-0 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Only for industrial use 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: GOLGEMMA TEL: +33(0)4.68.74.17.89 Not de FA email: (ds@polgemma.com 11200 ESPER42A FRANCE I.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1 45 42 59 59 ECTION 02: Hazards identification 2.1 Classification of the substance or mixture Classification acc		
 No CAS EINECS: 8929-26-0 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Only for industrial use 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: GOLEFMMA Route de FA EIL: +33(0)4.68.74.17.89 Route de FA EIL: +33(0)1.48.74.17.89 Route de FA Route de FA FRANCE 1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1.45.42.59 59 ECTION 02: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Fiam. Liq. 3 - H226 Flammable liquid and vapour. 		
 84929-26-0 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Only for industrial use 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: GuleHMA TEL: +33(0)4.68.74.17.89 Route de Rain email: 16:990/gemma.com 1.2000 EFEM22A FRANCE 1.4 Emergency telephone number: FR-ORFLA (INRS):+33(0)1 45.42.99 59 ECTION 02: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Image: GisS02 Fram: Lig: 3 - H226 Flammable liquid and vapour. Image: GisS02 Fram: Lig: 3 - H226 Flammable liquid and vapour. Image: GisS02 GHS07 Acute Tox: 4 - H302 Harmful if swallowed. Aquatic life with long lasting effects. 2.1 Label elements Labeling according to Regulation (EC) No 1272/2008 Hazard pictograms Image: GisS03 GisS04 Hazard pictograms Image: GisS04 Hazard pictograms Image: GisS04 Hazard pictograms Figure 10 and pictor Gisson G		
Application of the substance / the preparation Only for industrial use 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: GOLGPWA TEL: +33(0)4.68.74.17.89 ROUGE de FA ENDER HEAL TRANCE 1.4 Emergency telephone number: FR-ORFLA (INRS):+33(0)1 45 42 59 59 ENDER HEAL CONFLA (INRS):+33(0)1 45 42 59 59 ENDER CONFLA (INRS):+33(0)1 45 42 59 59 ENDER FIRM. Liq. 3 - H226 Flammable liquid and vapour. ENDER HEAL CONFLA (INRS): Acute Tox. 4 - H302 Harmful if swallowed. Acute Tox. 4 - H302 Harmful to aquatic life with long lasting effects. 2.2 Label elements E. Labelling according to Regulation (EC) No 1272/2008 E Hazard pictograms E Labelling according to Regulation (EC) No 1272/2008 E Hazard pictograms E Signal Word Warming Hazard statements H226 Flammable liquid and vapour. H326 Flammable liquid and vapour. H326 Flammable liquid and vapour. H326 Flammable liquid and vapour. H327 Flammable liquid and vapour. H327 Flammable liquid and vapour. H328 Flammable liquid and vapour. H328 Flammable liquid and vapour. H328 Flammable liquid and vapour. H327 Flammable liquid and vapour. H327 Flammable liquid and vapour. H328 Flammable liquid and vapour. H327 Flammable liquid and vapour. H328 Flammable H328 Flammable liquid and vapour. H328 Flammable liquid and vapour. H328 Flammable H328 Flammable H328 Flammable H328 Flammable H328 Flammable H328 Flammable H328 Flamm		·.
Application of the substance / the preparation Only for industrial use 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: GOLGPWA TEL: +33(0)4.68.74.17.89 ROUGE de FA ENDER HEAL TRANCE 1.4 Emergency telephone number: FR-ORFLA (INRS):+33(0)1 45 42 59 59 ENDER HEAL CONFLA (INRS):+33(0)1 45 42 59 59 ENDER CONFLA (INRS):+33(0)1 45 42 59 59 ENDER FIRM. Liq. 3 - H226 Flammable liquid and vapour. ENDER HEAL CONFLA (INRS): Acute Tox. 4 - H302 Harmful if swallowed. Acute Tox. 4 - H302 Harmful to aquatic life with long lasting effects. 2.2 Label elements E. Labelling according to Regulation (EC) No 1272/2008 E Hazard pictograms E Labelling according to Regulation (EC) No 1272/2008 E Hazard pictograms E Signal Word Warming Hazard statements H226 Flammable liquid and vapour. H326 Flammable liquid and vapour. H326 Flammable liquid and vapour. H326 Flammable liquid and vapour. H327 Flammable liquid and vapour. H327 Flammable liquid and vapour. H328 Flammable liquid and vapour. H328 Flammable liquid and vapour. H328 Flammable liquid and vapour. H327 Flammable liquid and vapour. H327 Flammable liquid and vapour. H328 Flammable liquid and vapour. H327 Flammable liquid and vapour. H328 Flammable H328 Flammable liquid and vapour. H328 Flammable liquid and vapour. H328 Flammable H328 Flammable H328 Flammable H328 Flammable H328 Flammable H328 Flammable H328 Flamm		
Only for industrial use 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: GOLGEMMA TEL: +33(0)4 68.74.17.89 Route de FA Prevention 1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1 45 42 59 59 ECTION 02: Hazards identification 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 Image: Chronic 3 - H4226 Flammable liquid and vapour. Image: Chronic 3 - H412 Harmful if swallowed. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.1 Label elements • Labelling according to Regulation (EC) No 1272/2008 • Hazard pictograms Image: Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 • Hazard pictograms Image: Chronic 3 - H412 Harmful to aquatic life with long lasting effects. • Labelling according to Regulation (EC) No 1272/2008 • Hazard statements Hazard pictograms Image: Chronic 3 - H412 Harmful to aquatic life with long lasting effects. • Signal word <td< td=""><td></td><td></td></td<>		
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: GOLGEWM TEL: +33(0)4.68,74.17.89 Route de FA FRANCE 1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1.45.42.59.59 CTUON 02: Hazards identification 2.1 Classification of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 <i>Q</i> <i>Q</i> GHS02 Flam. Liq. 3 - H226 Flammable liquid and vapour. <i>Q</i> <i>Q</i> GHS07 Acute Tox. 4 - H302 Harmful if swallowed. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.1 Label elements Labelling according to Regulation (EC) No 1272/2008 <i>H</i> Hazard pictograms <i>Q</i> <i>Q</i> GHS07 Signal word Warming Hazard pictograms <i>H</i> H22 Harmful to aquatic life with long lasting effects. Signal word Warming Hazard pictograms <i>H</i> H22 Harmful to aquatic life effects. Precautionary statements H226 Flammable liquid and vapour. H321 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P321 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P321 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P321 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P323 Keep container tighty closed. P340 Ground and bond container and receiving equipment. P310 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P323 Keep container tighty closed. P340 Ground and bond container and receiving equipment. P341 Sepse of contenticy container in a coordance with local/regional/ national/international regulations. 		
Manufacturer/Supplier: GOLGEMM TEL: $+33(0)4.68.74.17.89Route de FA email: Ids@golgemma.com11260 ESPERZAFRANCE1.4 Emergency telephone number:FR-ORFILA (INRS): +33(0)1.45.42.59.59ECTION 02: Hazards identification2.1 Classification of the substance or mixture0. Classification according to Regulation (EC) No 1272/2008ECTION 02: Hazards identification3. Classification according to Regulation (EC) No 1272/2008ECTION 02: Hazards identificationConstruction:GHS02Flam. Liq. 3 - H226 Flammable liquid and vapour.EVALUATE:GHS07Acute Tox. 4 - H302 Harmful if swallowed.Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.2.2 Label elements4.3belling according to Regulation (EC) No 1272/20084.4azard pictograms5. Signal wordWarning4.4azerd statements4.4azerd statements4$		
GOLGEMMA TEL: +33(0)4-68.74,17.89 Route de FA email: fds@golgemma.com 11260 ESPERAZA FRANCE 1.4 Emergency telephone number: FR-oRFILA (INRS):+33(0)1 45 42 59 59 ECTION 02: Hazards identification 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008		
Route de FA 11260 ESPERAZA FRANCE 1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1 45 42 59 59 ECTION 02: Hazards identification 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008		
11260 ESPERAZA FRANCE 1.4 Emergency telephone number: FR-ORTLA (INRS):+33(0)1 45 42 59 59 ECTION 02: Hazards identification 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008		
 1.4 Emergency telephone number: FR-ORTLA (INRS):+33(0)1 45 42 59 59 CETION 02: Hazards identification 2.1 Classification of the substance or mixture 2. Classification according to Regulation (EC) No 1272/2008 Image: Gassification according to Regulation (EC) No 1272/2008 Acute Tox. 4 - H302 Harmful if swallowed. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Image: Gassification according to Regulation (EC) No 1272/2008 Hazard pictograms Image: Gassification according to Regulation (EC) No 1272/2008 Hazard pictograms Image: Gassification according to Regulation (EC) No 1272/2008 Hazard pictograms Image: Gassification according to Regulation (EC) No 1272/2008 Hazard pictograms Image: Gassification according to Regulation (EC) No 1272/2008 Hazard pictograms Image: Gassification according to Regulation (EC) No 1272/2008 Hazard pictograms Image: Gassification according to Regulation (EC) No 1272/2008 Hazard pictograms Image: Gassification according to Regulation (EC) No 1272/2008 Hazard pictograms Hazard pictograms Hazard pictograms Hazard statements Hazard statements<!--</td--><td>11260 ESPERAZA</td><td></td>	11260 ESPERAZA	
FR-ORFILA [*] (INRS):+33(0)1 45 42 59 59 ECTION 02: Hazards identification 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 $\overbrace{000}^{*}$ GHS02 Flam. Liq. 3 - H226 Flammable liquid and vapour. $\overbrace{000}^{*}$ GHS07 Acute Tox. 4 - H302 Harmful if swallowed. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 • Hazard pictograms $\overbrace{000}^{*}$ GHS07 GHS02 GHS02 GHS07 • Signal word Warning • Hazard statements H226 Flammable liquid and vapour. H32 Harmful if swallowed. H32 Harmful if swallowed. H32 Harmful if swallowed. H32 Harmful if swallowed. H32 Harmful if swallowed. H33 Harmful if swallowed. H34 Harmful to aquetic liffe with long lasting effects. • Precautionary statements P10 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P340 Ground and bond container and receiving equipment. P301 +P312 If SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301 +P312 If SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301 +P312 If SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301 +P323 Store in a well-ventilated place. Keep cool.	FRANCE	
 ECTION 02: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 		
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Image: Classification according to Regulation (EC) No 1272/2008 Image: Classification according to Regulation (EC) No 1272/2008 Image: Classification according to Regulation and vapour. Image: Classification according to Regulation (EC) No 1272/2008 Classification according to Regulation (EC) No 1272/2008 Label elements Label elements Label elements Label elements Label elements Label elements Signal word Image: Classification (EC) No 1272/2008 Hazard pictograms Hazard pictograms<td>FR-ORFILA (INRS):+</td><td>·33(0)1 45 42 59 59</td>	FR-ORFILA (INRS):+	·33(0)1 45 42 59 59
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Image: Classification according to Regulation (EC) No 1272/2008 Image: Classification according to Regulation (EC) No 1272/2008 Image: Classification according to Regulation and vapour. Image: Classification according to Regulation (EC) No 1272/2008 Classification according to Regulation (EC) No 1272/2008 Label elements Label elements Label elements Label elements Label elements Label elements Signal word Image: Classification (EC) No 1272/2008 Hazard pictograms Hazard pictograms<td></td><td></td>		
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Image: Classification according to Regulation (EC) No 1272/2008 Image: Classification according to Regulation (EC) No 1272/2008 Image: Classification according to Regulation and vapour. Image: Classification according to Regulation (EC) No 1272/2008 Classification according to Regulation (EC) No 1272/2008 Label elements Label elements Label elements Label elements Label elements Label elements Signal word Image: Classification (EC) No 1272/2008 Hazard pictograms Hazard pictograms<td>ECTION 02: Haza</td><td>ards identification</td>	ECTION 02: Haza	ards identification
 Classification according to Regulation (EC) No 1272/2008 GHS02 Flan. Liq. 3 - H226 Flammable liquid and vapour. GHS07 Acute Tox. 4 - H302 Harmful if swallowed. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms GHS07 Signal word Warming H4226 Flammable liquid and vapour. H327 GHS07 Signal word Warming H4226 Flammable liquid and vapour. H326 Flammable liquid and vapour. H327 Harmful to aquatic life with long lasting effects. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P404 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of Contents/container in accordance with local/regional/ national/international regulations. 		
 GHS02 Fam. Liq. 3 - H226 Flammable liquid and vapour. GHS07 Acute Tox. 4 - H302 Harmful if swallowed. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms GHS07 Signal word GHS07 Signal word Hazard statements H226 Flammable liquid and vapour. H322 Flammable liquid and vapour. H322 Flammable liquid and vapour. H321 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P404 Ground and bond container and receiving equipment. P301 Keep away from heat, not surfaces, sparks, open flames and other ignition sources. No smoking. P33 Keep container tightly closed. P404 Ground and bond container and receiving equipment. P301 H312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P303 H235 Store in a well-ventilated place. Keep cool. P501 Dispose of Contents/container in accordance with local/regional/ national/international regulations. 		
 Flam. Liq. 3 - H226 Flammable liquid and vapour. GHS07 Acute Tox. 4 - H302 Harmful if swallowed. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms GHS02 GHS07 Signal word Warning Hazard statements Hazard statements Hazard statements Hazard statements Hazard statements H26 Flammable liquid and vapour. H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. 	~	
 Flam. Liq. 3 - H226 Flammable liquid and vapour. GHS07 Acute Tox. 4 - H302 Harmful if swallowed. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms GHS02 GHS07 Signal word Warning Hazard statements Hazard statements Hazard statements Hazard statements Hazard statements H26 Flammable liquid and vapour. H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. 		
GHS07 Acute Tox. 4 - H302 Harmful if swallowed. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 - Hazard pictograms Image: Signal word Varning - Hazard statements Hazard statements Hazard statements Hazard statements H226 Flammable liquid and vapour. H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P403+P325 Store in a well-ventilated place. Keep col. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.	GHS02	
GHS07 Acute Tox. 4 - H302 Harmful if swallowed. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 - Hazard pictograms Image: Signal word Varning - Hazard statements Hazard statements Hazard statements Hazard statements H226 Flammable liquid and vapour. H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P403+P325 Store in a well-ventilated place. Keep col. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.		26 Elammable liquid and vanour
 Acute Tox. 4 - H302 Harmful if swallowed. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Acute Tox. 4 - H302 Harmful if swallowed. Hazard pictograms GHS02 GHS07 Signal word Warning Hazard statements H226 Flammable liquid and vapour. H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. 		
 Acute Tox. 4 - H302 Harmful if swallowed. Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Acute Tox. 4 - H302 Harmful if swallowed. Hazard pictograms GHS02 GHS07 Signal word Warning Hazard statements H226 Flammable liquid and vapour. H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. 		
 Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms GHS02 GHS07 Signal word Warning Hazard statements H226 Flammable liquid and vapour. H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tighty closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P403 Flarp in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. 	GHS07	
 Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms GHS02 GHS07 Signal word Warning Hazard statements H226 Flammable liquid and vapour. H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tighty closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P403 Flarp in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. 		
effects. 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 • Hazard pictograms • Output • Hazard pictograms • GHS02 GHS07 • Signal word Warning • Hazard statements H226 Flammable liquid and vapour. H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. • Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P401 Dispose of contents/container in accordance with local/regional/ national/international regulations.		
 Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Hazard pictograms GHS02 GHS07 Signal word Warning Hazard statements H226 Flammable liquid and vapour. H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. 		Haiz harmar to aquate me with ong lasting
 Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Hazard pictograms GHS02 GHS07 Signal word Warning Hazard statements H226 Flammable liquid and vapour. H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. 		
 Hazard pictograms GHS02 GHS07 Signal word Warning Hazard statements H226 Flammable liquid and vapour. H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. 	effects.	
 GHS02 GHS07 Signal word Warning Hazard statements H226 Flammable liquid and vapour. H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. 	effects. 2.2 Label element	
 Signal word Warning Hazard statements H226 Flammable liquid and vapour. H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. 	effects. 2.2 Label element • Labelling accord	ding to Regulation (EC) No 1272/2008
 Signal word Warning Hazard statements H226 Flammable liquid and vapour. H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. 	effects. 2.2 Label element • Labelling accord	ding to Regulation (EC) No 1272/2008
 Signal word Warning Hazard statements H226 Flammable liquid and vapour. H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. 	effects. 2.2 Label element • Labelling accord	ding to Regulation (EC) No 1272/2008
 Signal word Warning Hazard statements H226 Flammable liquid and vapour. H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. 	effects. 2.2 Label element • Labelling accord	ding to Regulation (EC) No 1272/2008
 Warning Hazard statements H226 Flammable liquid and vapour. H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. 	effects. 2.2 Label element • Labelling accord • Hazard pictogra	ding to Regulation (EC) No 1272/2008 Ims
 Hazard statements H226 Flammable liquid and vapour. H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. 	effects. 2.2 Label element • Labelling accord • Hazard pictogra GHS02 GHS0	ding to Regulation (EC) No 1272/2008 Ims
 H226 Flammable liquid and vapour. H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. 	effects. 2.2 Label element - Labelling accord - Hazard pictogra GHS02 GHS0 - Signal word	ding to Regulation (EC) No 1272/2008 Ims
 H302 Harmful if swallowed. H412 Harmful to aquatic life with long lasting effects. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. 	effects. 2.2 Label element - Labelling accord - Hazard pictogra GHS02 GHS0 - Signal word Warning	ding to Regulation (EC) No 1272/2008
 Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. 	effects. 2.2 Label element • Labelling accord • Hazard pictogra GHS02 GHS0 • Signal word Warning • Hazard stateme	ding to Regulation (EC) No 1272/2008
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.	effects. 2.2 Label element • Labelling accord • Hazard pictogra GHS02 GHS0 • Signal word Warning • Hazard stateme H226 Flammable I H302 Harmful if sv	ding to Regulation (EC) No 1272/2008 Ims
P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.	effects. 2.2 Label element • Labelling accord • Hazard pictogra GHS02 GHS0 • Signal word Warning • Hazard stateme H226 Flammable I H302 Harmful if sy H412 Harmful to a	ding to Regulation (EC) No 1272/2008 ms N7 Parts liquid and vapour. wallowed. aquatic life with long lasting effects.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.	effects. 2.2 Label element • Labelling accord • Hazard pictogra GHS02 GHS0 • Signal word Warning • Hazard stateme H226 Flammable I H302 Harmful if sy H412 Harmful to a • Precautionary si	ding to Regulation (EC) No 1272/2008
P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.	effects. 2.2 Label element Labelling accord Hazard pictogra GHS02 GHS0 GHS02 GHS0 Signal word Warning Hazard stateme H226 Flammable I H302 Harmful if ss H412 Harmful it oa Precautionary si P210 Keep away fi P233 Keep contair	ding to Regulation (EC) No 1272/2008 ms 7 Parts liquid and vapour. wallowed. aquatic life with long lasting effects. tatements rom heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. her tightly closed.
P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.	effects. 2.2 Label element Labelling accord Hazard pictogra GHS02 GHS0 GHS02 GHS0 Signal word Warning Hazard stateme H226 Flammable I H302 Harmful if so H412 Harmful to a Precautionary si P210 Keep away fi P233 Keep contair P240 Ground and	ding to Regulation (EC) No 1272/2008
	effects. 2.2 Label element Labelling accord Hazard pictogra GHS02 GHS0 Signal word Warning Hazard stateme H226 Flammable I H302 Harmful if su H412 Harmful to a Precautionary si P210 Keep away fi P233 Keep contair P240 Ground and P301+P312 IF SW	ding to Regulation (EC) No 1272/2008 ms 7 ents liquid and vapour. wallowed. aquatic life with long lasting effects. tatements rom heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. her tightly closed. bond container and receiving equipment. (ALLOWED: Call a POISON CENTER/doctor if you feel unwell.



2329604

Reviewed on: 02.10.2024

(continued on page 3)

		Printing date: 02.10
PRODUCT :	MYRRH ORGANIC OIL	
		(continued of page 1)
2.3 Other h		
	f PBT and vPvB assessment	
- PBT:		
Not applic	able.	
 vPvB: Not applic 	ahlo	
	nation of endocrine-disrupting properties	
	e ingredients is listed.	
SECTION 03:	Composition/information on ingredients	
3.1 Substa		
CAS No.	Description	
8016-37-3	Commiphora myrrha (Nees) Engl.	
	ation number(s)	
 EC numb 		
284-510-0	1	
Dangero	us components:	
CAS Numbe	-	%
87-44-5	BETA-CARYOPHYLLENE	0,101-1,000
	EC number: 201-746-1	
	🚸 Asp. Tox. 1 - H304; 🔱 Skin Sens.	
	1B - H317	
SECTION 04:	First aid measures	
4.1 Descrip	tion of first aid measures	
	information:	
	s of poisoning may even occur after several hours; therefore med	lical observation for at least 48 hours after
the accide	nt. ediate medical advice.	
 After inh 		
	sh air and to be sure call for a doctor.	
 After skill 	ו contact:	
	tation continues, consult a doctor.	
 After eye 		
	ned eye for several minutes under running water. If symptoms p	ersist, consult a doctor.
After swa Call for a	doctor immediately.	
	ion for doctor:	
4.2 Most im	portant symptoms and effects, both acute and delayed	
	levant information available.	
4.3 Indicati	on of any immediate medical attention and special treat	ment needed
	levant information available.	
SECTION 05:	Firefighting measures	
5.1 Extingu	ishing media	
	extinguishing agents:	
CO2, sand	l, extinguishing powder. Do not use water.	
	tinguishing methods suitable to surrounding conditions.	
	y reasons unsuitable extinguishing agents:	
Water wit	i iuli jet	
5 2 Special	hazards arising from the substance or mixture	
	toxic gases is possible during heating or in case of fire.	
	terme gabes to possible during heating of in tabe of men	
5.3 Advice	for firefighters	
	e equipment:	
		(continued on page 3)



2329604

Reviewed on: 02.10.2024 Printing date: 02.10.2024

	Printing date: 02.1
PRODUCT : MYRRH ORGANIC OIL	
Do not inhale explosion gases or combustion gases. • Additional information Cool endangered receptacles with water spray.	(continued of page 2)
SECTION 06: Accidental release measures	
6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources.	
6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.	
6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.	
 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 	
SECTION 07: Handling and storage	
 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. 7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Prevent any seepage into the ground. Use only receptacles specifically permitted for this substance/ product. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep container tightly sealed. Protect from heat and direct sunlight. Store receptacle in a well ventilated area. 7.3 Specific end use(s) No further relevant information available. 	
 SECTION 08: Exposure controls/personal protection 8.1 Control parameters Ingredients with limit values that require monitoring at the workplace: Not required. Additional information: The lists valid during the making were used as basis. 	
 8.2 Exposure controls Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Respiratory protection: 	

• Respiratory protection:

(continued on page 4)



2329604

Reviewed on: 02.10.2024 Printing date: 02.10.2024

	PRODUCT :	MYRRH ORGANIC OIL
* * *	 Protectio Protective The glove Due to mi chemical r Selection Material The select varies fror Penetrati The exact observed. Eye/face Safety gla Body pro 	gloves material has to be impermeable and resistant to the product/ the substance/ the preparation. ssing tests no recommendation to the glove material can be given for the product/ the preparation/ the nixture. of the glove material on consideration of the penetration times, rates of diffusion and the degradation of gloves ion of the suitable gloves does not only depend on the material, but also on further marks of quality and n manufacturer to manufacturer. on time of glove material break through time has to be found out by the manufacturer of the protective gloves and has to be protection sses

SECTION 09: Physical and chemical properties

General Information Physical state Fluid Colour: brown-yellow to green-brown Odour threshold: Not determined. Odour threshold: Not determined. Melting point/freezing point: 40,0 °C Boiling point or initial boiling point and 288,0 °C Flammability Not determined. Lower and upper explosion limit	9.1 Information on basic physical and chemic	al properties	
Colour: brown-yellow to green-brown Odour: mild Odour threshold: Not determined. Melting point/freezing point: -40,0 °C Boiling point or initial boiling point and boiling range 288,0 °C Flammability Not determined. Lower and upper explosion limit Lower Lower: Not determined. Upper: Not determined. Upper: Not determined. Valper: Not determined. PH Not determined. Valscosity: Kit Kinematic viscosity Not determined. Partition coefficient n-octanol/water (log value) Not determined. Value) Not determined. Partition coefficient n-octanol/water (log value) Not determined. Value) Not determined. Partition coefficient n-octanol/water (log value) Not determined. Valou gravi pressure: at 25,00 °C 10,25 D20	General Information		
Odour:mildOdour:mildOdour threshold:Not determined.Melting point or initial boiling point and boiling range268,0 °CFlammabilityNot determined.Lower and upper explosion limitLower and upper explosion limitLower:Not determined.Upper:Not determined.Belling point or initial boiling point and boiling rangeNot determined.Lower:Not determined.Upper:Not determined.Upper:Not determined.Partition temperature:Not determined.Viscosity:Not determined.Viscosity:Not determined.Viscosity:Not determined.Viscosity:Not determined.Viscosity:Not determined.Vanamic:Not determined.SolubilityVot determined.Value)Vot determined.Vapour pressure:at 25,00 °CVapour pressure:at 25,00 °CPartition coefficient n-octanol/water (log value)Vapour pressure:at 25,00 °CVapour density0,9750 1,025 D20/20Vapour densityNot determined.Soluer information on protection of healt multicoment, and on safety.<	Physical state	Fluid	
Odour threshold: Not determined. Melting point/freezing point: -40,0 °C Boiling point or initial boiling point and 288,0 °C Flammability Not determined. Lower and upper explosion limit	Colour:	brown-yellow to green-brown	
Metiting point/freezing point:-40,0 °CBoiling point or initial boiling point and boiling range288,0 °CFlammabilityNot determined.Lower and upper explosion limit	Odour:	mild	
Boiling point or initial boiling point and boiling range288,0 °CFlammabilityNot determined.Lower and upper explosion limitLower:Lower:Not determined.Upper:Not determined.Flash point:56,0 °CDecomposition temperature:Not determined.pHNot determined.Viscosity:Kinematic viscosityKinematic viscosityNot determined.Dynamic:Not determined.SolubilityVater:water:Not determined.Partition coefficient n-octanol/water (log value)Not dete	Odour threshold:	Not determined.	
boiling range Not determined. Flammability Not determined. Lower and upper explosion limit Not determined. Lower: Not determined. Upper: Not determined. Flash point: 56,0 °C NFT 60-103 CC Decomposition temperature: Not determined. pH Not determined. Viscosity: Kinematic viscosity Kinematic viscosity Not determined. Dynamic: Not determined. Solubility water: water: Not determined. Partition coefficient n-octanol/water (log Not determined. value) Vapour pressure: a 25,00 °C 11,6000 mbar Density: Not determined. Not determined. Partition coefficient n-octanol/water (log Not determined. Vapour pressure: a 25,00 °C 11,6000 mbar Density: Not determined. Partition coefficient n-octanol/water (log Not determined. Partition coefficient n-octanol/water (log Not determined. Partition coefficient n-octanol/water (log Not determined. Papour pressure: Not determin	Melting point/freezing point:	-40,0 °C	
Lower and upper explosion limit Not determined. Lower: Not determined. Upper: Not determined. Flash point: 56,0 °C NFT 60-103 CC Decomposition temperature: Not determined. pH Not determined. pH Not determined. Viscosity: Viscosity: Kinematic viscosity Not determined. Dynamic: Not determined. Solubility Viscosity: water: Not determined. Partition coefficient n-octanol/water (log Not determined. Partition coefficient n-octanol/water (log Not determined. Vapour pressure: at 25,00 °C 11,6000 mbar Density and/or relative density Not determined. Partition coefficient n-octanol/water (log Not determined. Vapour pressure: at 25,00 °C 11,6000 mbar Density and/or relative density 0,9750 1,025 D20/20 Vapour density Solubility Not determined. Solubility \$2 Other information Not determined. Solubility \$2 Other information Not determined. Solubility <t< th=""><th></th><th>288,0 °C</th><th></th></t<>		288,0 °C	
Lower: Not determined. Upper: Not determined. Flash point: 56,0 °C NFT 60-103 CC Decomposition temperature: Not determined. pH Not determined. pJ Not determined. Dynamic: Not determined. Solubility Watermined. Varer: Not determined. Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: at 25,00 °C 11,6000 mbar Density and/or relative density Not determined. Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: at 25,00 °C 11,6000 mbar Density and/or relative density O,9750 1,025 D20/20 Vapour density 0,9750 1,025 D20/20 Vapour density Not determined. Sol Chter information Not further relevant information available. Appearance: Form: viscous Important information on protection of health → environment, and on safety. Auto-ignition temperature: Auto-ignition temperature: Not determined. Solvent content:	Flammability	Not determined.	
Upper:Not determined.Flash point:56,0 °CNFT 60-103 CCDecomposition temperature:Not determined.pHNot determined.Viscosity:Kinematic viscosityNot determined.Viscosity:Not determined.Kinematic viscosityNot determined.Dynamic:Not determined.SolubilityNot determined.water:Not determined.Partition coefficient n-octanol/water (log value)Not determined.Vapour pressure:at 25,00 °C11,6000 mbarDensity and/or relative densityNot determined.Relative density0,9750 1,025 D20/20Vapour densityNot determined.9.2 Other informationNo further relevant information available.Appearance:Form:viscousImportant information on protection of health and environment, and on safety.Auto-ignition temperature:Not determined.Retermined.Explosive properties:Not determined.Solvent content:Solvent content:	Lower and upper explosion limit		
Fish point: 56,0 °C NFT 60-103 CC Decomposition temperature: Not determined. pH Not determined. Viscosity: Not determined. Kinematic viscosity Not determined. Dynamic: Not determined. Solubility Not determined. water: Not determined. Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: at 25,00 °C 11,6000 mbar Density and/or relative density O,9750 1,025 D20/20 Vapour density O,9750 1,025 D20/20 Vapour density Not determined. 9.2 Other information No further relevant information available. Appearance: viscous Form: viscous Important information on protection of health and environment, and on safety. Auto-ignition temperature: Not determined. Explosive properties: Not determined. Solvent content: Not determined.	Lower:	Not determined.	
Decomposition temperature: Not determined. pH Not determined. Viscosity: Kinematic viscosity Kinematic viscosity Not determined. Dynamic: Not determined. Solubility water: water: Not determined. Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: at 25,00 °C 11,6000 mbar Density and/or relative density Not determined. Partition coefficient n-octanol / water Not determined. Partition coefficient n-octanol / water (log value) Not determined. Vapour pressure: at 25,00 °C 11,6000 mbar Density and/or relative density 0,9750 1,025 D20/20 Vapour density Vapour density Not determined. Solubility. Solub et information No further relevant information available. Appearance: Viscous Important information on protection of health are environment, and on safety. Auto-ignition temperature: Not determined. Important information con protection of health are environment. Auto-ignition temperature: Not determined. Important information con protection of health are environment.	Upper:	Not determined.	
pH Not determined. Viscosity: Not determined. Kinematic viscosity Not determined. Dynamic: Not determined. Solubility Not determined. water: Not determined. Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: at 25,00 °C 11,6000 mbar Density and/or relative density 0,9750 1,025 D20/20 11,6000 mbar Pensity: Not determined. Not determined. Relative density 0,9750 1,025 D20/20 Vapour density Vapour density Not determined. Not determined. 9.2 Other information No further relevant information available. Appearance: Form: viscous Important information on protection of health arr environment, and on safety. Auto-ignition temperature: Auto-ignition temperature: Not determined. Sot determined. Explosive properties: Not determined. Sot determined. Solvent content: Not determined. Sot determined.	Flash point:	56,0 °C NFT 60-103 CC	
Viscosity: Not determined. Kinematic viscosity Not determined. Dynamic: Not determined. Solubility water: Not determined. water: Not determined. Partition coefficient n-octanol/water (log Not determined. value) Vapour pressure: at 25,00 °C 11,6000 mbar Vapour pressure: at 25,00 °C 11,6000 mbar Density and/or relative density 0,9750 1,025 D20/20 Vapour density Vapour density 0,9750 1,025 D20/20 Vapour density 9.2 Other information Not determined. Appearance: Viscous Form: viscous Important information on protection of health art environment, and on safety. Auto-ignition temperature: Not determined. Explosive properties: Not determined. Solvent content: Viscous	Decomposition temperature:	Not determined.	
Kinematic viscosity Not determined. Dynamic: Not determined. Solubility water: water: Not determined. Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: at 25,00 °C 11,6000 mbar Density and/or relative density Vot determined. Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: at 25,00 °C 11,6000 mbar Density and/or relative density 0,9750 1,025 D20/20 Vapour density 0,9750 1,025 D20/20 Vapour density Not determined. 9.2 Other information No further relevant information available. Appearance: Form: viscous Important information on protection of health = unvironment, and on safety. Auto-ignition temperature: Auto-ignition temperature: Not determined. Explosive properties: Not determined. Solvent content: Viscous	рН	Not determined.	
Dynamic: Not determined. Solubility Not determined. water: Not determined. Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: at 25,00 °C 11,6000 mbar Density and/or relative density 0,9750 1,025 D20/20 11,6000 mbar Density: Not determined. Not determined. Relative density 0,9750 1,025 D20/20 Vapour density Vapour density Not determined. Not determined. 9.2 Other information No further relevant information available. Appearance: viscous Important information on protection of health art environment, and on safety. Auto-ignition temperature: Not determined. Solvent content:	Viscosity:		
Solubility Not determined. water: Not determined. Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: at 25,00 °C 11,6000 mbar Density and/or relative density Density: Not determined. Relative density 0,9750 1,025 D20/20 Vapour density Vapour density Not determined. Vapour determined. 9.2 Other information No further relevant information available. Appearance: Viscous Viscous Important information on protection of health and environment, and on safety. Not determined. Auto-ignition temperature: Not determined. Not determined. Explosive properties: Not determined. Solvent content:	Kinematic viscosity	Not determined.	
water:Not determined.Partition coefficient n-octanol/water (log value)Not determined.Vapour pressure:at25,00 °C11,6000 mbarDensity and/or relative densityNot determined.Density:Not determined.Relative density0,9750 1,025 D20/20Vapour densityNot determined.9.2 Other informationNo further relevant information available.Appearance:viscousForm:viscousImportant information on protection of health and environment, and on safety.Auto-ignition temperature:Not determined.Solvent content:Not determined.	Dynamic:	Not determined.	
Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: at 25,00 °C 11,6000 mbar Density and/or relative density Density: Density: Not determined. Relative density 0,9750 1,025 D20/20 Vapour density Not determined. 9.2 Other information No further relevant information available. Appearance: Form: viscous Important information on protection of health and environment, and on safety. Auto-ignition temperature: Not determined. Solvent content:	Solubility		
value)Vapour pressure:at 25,00 °C11,6000 mbarDensity and/or relative densityNot determined.Density:Not determined.Relative density0,9750 1,025 D20/20Vapour densityNot determined.9.2 Other informationNo further relevant information available.Appearance:viscousForm:viscousImportant information on protection of health and environment, and on safety.Auto-ignition temperature:Not determined.Explosive properties:Not determined.Solvent content:Viscous	water:	Not determined.	
Density and/or relative density Not determined. Density: Not determined. Relative density 0,9750 1,025 D20/20 Vapour density Not determined. 9.2 Other information No further relevant information available. Appearance: Form: viscous Important information on protection of health and environment, and on safety. Auto-ignition temperature: Auto-ignition temperature: Not determined. Explosive properties: Not determined. Solvent content: Viscous		Not determined.	
Density: Not determined. Relative density 0,9750 1,025 D20/20 Vapour density Not determined. 9.2 Other information No further relevant information available. Appearance: Form: Form: viscous Important information on protection of health and environment, and on safety. Auto-ignition temperature: Not determined. Explosive properties: Not determined. Solvent content: Viscous	Vapour pressure:	at 25,00 °C 11,6000 mbar	
Relative density 0,9750 1,025 D20/20 Vapour density Not determined. 9.2 Other information No further relevant information available. Appearance: Viscous Important information on protection of health and environment, and on safety. Auto-ignition temperature: Not determined. Explosive properties: Not determined. Solvent content: Viscous	Density and/or relative density		
Vapour density Not determined. 9.2 Other information No further relevant information available. Appearance: Viscous Form: viscous Important information on protection of health and environment, and on safety. Auto-ignition temperature: Not determined. Explosive properties: Not determined. Solvent content: Viscous	Density:	Not determined.	
9.2 Other information No further relevant information available. Appearance: Viscous Form: viscous Important information on protection of health and environment, and on safety. Auto-ignition temperature: Not determined. Explosive properties: Not determined. Solvent content: Viscous	Relative density	0,9750 1,025 D20/20	
Appearance: viscous Form: viscous Important information on protection of health and environment, and on safety. Auto-ignition temperature: Not determined. Explosive properties: Not determined. Solvent content: Viscous	Vapour density	Not determined.	
Form: viscous Important information on protection of health and environment, and on safety. Auto-ignition temperature: Not determined. Explosive properties: Not determined. Solvent content: Viscous	9.2 Other information	No further relevant information available.	
Important information on protection of health and environment, and on safety.Auto-ignition temperature:Not determined.Explosive properties:Not determined.Solvent content:Vot determined.	Appearance:		
Auto-ignition temperature: Not determined. Explosive properties: Not determined. Solvent content: Not determined.	Form:	viscous	
Explosive properties: Not determined. Solvent content: Not determined.		and environment, and on safety.	
Solvent content:	Auto-ignition temperature:	Not determined.	
	Explosive properties:	Not determined.	
Solids content: 0,00 %	Solvent content:		
	Solids content:	0,00 %	



2329604

Reviewed on: 02.10.2024

Printing date: 0	02.10.2024
------------------	------------

		(continued of page 4)
Change in condition		
Evaporation rate	Not determined.	
nformation with regard to physical hazard	classes	
Explosives	not applicable	
Flammable gases	not applicable	
Aerosols	not applicable	
Oxidising gases	not applicable	
Gases under pressure	not applicable	
Flammable liquids	Flammable liquid and vapour.	
Flammable solids	not applicable	
Self-reactive substances and mixtures	not applicable	
Pyrophoric liquids	not applicable	
Pyrophoric solids	not applicable	
Self-heating substances and mixtures	not applicable	
Substances and mixtures, which emit flammable gases in contact with water	not applicable	
Oxidising liquids	not applicable	
Oxidising solids	not applicable	
Organic peroxides	not applicable	
Corrosive to metals	not applicable	
Desensitised explosives	not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Not determined.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

ISO LD/LC

(continued on page 6)

- Acute toxicity
- Harmful if swallowed.
- LD/LC50 values relevant for classification:

8016-37-3 Commiphora myrrha (Nees) Engl. Oral, LD50: 1650 mg/kg (rat)

87-44-5

BETA-CARYOPHYLLENE

- Oral, LD50: > 5000 mg/kg (rat) (Hart and Wong 1971)
- Primary irritant effect:
- Skin corrosion/irritation
- No irritant effect. Serious eye damage/irritation
- No irritating effect.
- Respiratory or skin sensitisation

*



2329604

Reviewed on: 02.10.2024 Printing date: 02.10.2024

RODUCT :	MYRRH ORGANIC OIL	
		(continued of page 5,
	ng effects known.	
87-44-5	BETA-CARYOPHYLLENE MES: NEGATIVE (in vitro) (Heck and al., 1989)	
Carcinoger		
Not determi		
 Reproduct 		
Not determi		
 STOT-sing 		
Not determi		
 STOT-repe Not determi 	eated exposure	
 Aspiration 		
Not determi	ned.	
	to chronic toxicity:	
Not determi		
	mation on other hazards	
	disrupting properties the ingredients is listed.	
None or	the ingreatenes is fisted.	
	Ecological information	
12.1 Toxicity		
 Aquatic to 		
8016-37-3	Commiphora myrrha (Nees) Engl.	
	14,818 mg/l (daphnia) (OECD 202 / EU Method C.2) h): 60,371 mg/l (algae) (OECD 201)	
E1030(072)	1). 00,571 mg/r (digde) (0100 201)	
12.2 Persiste	nce and degradability	
No further rele	vant information available.	
	in environmental systems:	
Not determi	ned.	
	mulative potential	
12.3 Bioaccu	mulative potential vant information available.	
12.3 Bioaccu No further rele	vant information available.	
12.3 Bioaccu No further rele 12.4 Mobility	vant information available.	
12.3 Bioaccu No further rele 12.4 Mobility No further rele	vant information available. r in soil vant information available.	
12.3 Bioaccu No further rele 12.4 Mobility No further rele 12.5 Results	vant information available. r in soil	
12.3 Bioaccu No further rele 12.4 Mobility No further rele 12.5 Results • PBT:	vant information available. in soil vant information available. of PBT and vPvB assessment	
 12.3 Bioaccu No further rele 12.4 Mobility No further rele 12.5 Results PBT: Not applical 	vant information available. in soil vant information available. of PBT and vPvB assessment	
12.3 Bioaccu No further rele 12.4 Mobility No further rele 12.5 Results • PBT: Not applical • vPvB:	vant information available. in soil vant information available. of PBT and vPvB assessment ble.	
12.3 Bioaccu No further rele 12.4 Mobility No further rele 12.5 Results • PBT: Not applical • vPvB: Not applical	vant information available. in soil vant information available. of PBT and vPvB assessment ble.	
12.3 Bioaccu No further rele 12.4 Mobility No further rele 12.5 Results • PBT: Not applical • vPvB: Not applical 12.6 Endocri	vant information available. in soil vant information available. of PBT and vPvB assessment ble.	properties.
 12.3 Bioaccu No further rele 12.4 Mobility No further rele 12.5 Results PBT: Not applical vPvB: Not applical 12.6 Endocri The product do 	vant information available. in soil vant information available. of PBT and vPvB assessment ble. ble. ne disrupting properties bes not contain substances with endocrine disrupting	properties.
 12.3 Bioaccu No further rele 12.4 Mobility No further rele 12.5 Results PBT: Not applical vPvB: Not applical 12.6 Endocri The product do 12.6 Other a 	vant information available. in soil vant information available. of PBT and vPvB assessment ble. ble. ne disrupting properties	properties.
 12.3 Bioaccu No further rele 12.4 Mobility No further rele 12.5 Results PBT: Not applical vPvB: Not applical 12.6 Endocri The product do 12.6 Other a 	vant information available. in soil vant information available. of PBT and vPvB assessment ble. ne disrupting properties ses not contain substances with endocrine disrupting dverse effects vant information available.	properties.
 12.3 Bioaccu No further rele 12.4 Mobility No further rele 12.5 Results PBT: Not applical vPvB: Not applical 12.6 Endocri The product do 12.6 Other a No further rele Ecotoxical Not determi 	vant information available. in soil vant information available. of PBT and vPvB assessment ble. ne disrupting properties bes not contain substances with endocrine disrupting dverse effects vant information available. effects:	properties.
 12.3 Bioaccu No further rele 12.4 Mobility No further rele 12.5 Results PBT: Not applical vPvB: Not applical 12.6 Endocri The product do 12.6 Other a No further rele Ecotoxical Not determi Remark: 	vant information available. in soil vant information available. of PBT and vPvB assessment ble. ne disrupting properties wes not contain substances with endocrine disrupting dverse effects vant information available. effects: ned.	properties.
12.3 Bioaccu No further rele 12.4 Mobility No further rele 12.5 Results • PBT: Not applical • vPvB: Not applical 12.6 Endocri The product do 12.6 Other a No further rele • Ecotoxical Not determi • Remark: Harmful to	vant information available. in soil vant information available. of PBT and vPvB assessment ble. ne disrupting properties bes not contain substances with endocrine disrupting dverse effects vant information available. effects: ned. fish	properties.
 12.3 Bioaccu No further rele 12.4 Mobility No further rele 12.5 Results PBT: Not applical vPvB: Not applical vPvB: Not applical 12.6 Endocri The product do 12.6 Other a No further rele Ecotoxical Not determi Remark: Harmful to f Additional 	vant information available. in soil vant information available. of PBT and vPvB assessment ble. ne disrupting properties bes not contain substances with endocrine disrupting dverse effects vant information available. effects: ned. fish ecological information:	properties.
 12.3 Bioaccu No further rele 12.4 Mobility No further rele 12.5 Results PBT: Not applical vPvB: Not applical 12.6 Endocri The product do 12.6 Other a No further rele Ecotoxical Not determi Remark: Harmful to f Additional General no 	vant information available. in soil vant information available. of PBT and vPvB assessment ble. ne disrupting properties bes not contain substances with endocrine disrupting dverse effects vant information available. effects: ned. fish ecological information:	ı properties.
 12.3 Bioaccu No further rele 12.4 Mobility No further rele 12.5 Results PBT: Not applical vPvB: Not applical vPvB: Not applical 12.6 Endocri The product do 12.6 Other a No further rele Ecotoxical Not determi Remark: Harmful to a Harmful to a 	vant information available. in soil vant information available. of PBT and vPvB assessment ble. ble. ne disrupting properties bes not contain substances with endocrine disrupting dverse effects vant information available. effects: ned. fish ecological information: btes:	ı properties.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Recommendation
- Must be specially treated adhering to official regulations. Uncleaned packaging:



2329604

Reviewed on: 02.10.2024 Printing date: 02.10.2024

 Recommendation: 	(continued of page
Disposal must be made accord	ing to official regulations.
ECTION 14: Transport info	rmation
14.1 UN number or ID number	
. ADR	UN1197
IMDG	UN1197
. IATA	UN1197
14.2 UN proper shipping nam	
ADR	1197 EXTRACTS, LIQUID
IMDG	EXTRACTS, LIQUID (COMMIPHORA MYRRHA (NEES) ENGL.)
. IATA	EXTRACTS, LIQUID
14.3 Transport hazard class(e . ADR	es)
Class	3 (F1) Flammable liquids.
Label	3
	3
IMDG	
Class	3 Flammable liquids.
. Label	3
	Å
	3
IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR	III
. IMDG	III
. IATA	III
14.5 Environmental hazards:	
Not applicable.	00
Danger code (Kemler):	30
. EMS Number:	F-E,S-D
14.6 Special precautions for Warning: Flammable liquids.	user
14.7 Maritime transport in bu Not applicable.	Ik according to IMO instruments
Transport/Additional inform ADR	nation:



2329604

Reviewed on: 02.10.2024

Printing	date:	02.10.2024

PRODUCT : MYRRH ORGANIC OIL . Limited quantities (LQ) 5L . Transport category 3 . Tunnel restriction code D/E . IMDG . . Limited quantities (LQ) 5L . Excepted quantities (EQ) E1	(continued of page 7)
Transport category 3 Tunnel restriction code D/E IMDG Limited quantities (LQ)	(continued of page 7)
Transport category 3 Tunnel restriction code D/E IMDG 5L	
Tunnel restriction code D/E IMDG Imited quantities (LQ)	
IMDG Limited quantities (LQ) 5L	
Limited quantities (LQ) 5L	
Excepted quantities (EQ) E1	
UN "Model Regulation":	
UN 1197 EXTRACTS, LIQUID, 3, III	
SECTION 15: Regulatory information	
 15.1 Safety, health and environmental regulations/legislation specific for the substate DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substate and electronic equipment - Annex II None of the ingredients is listed. REGULATION (EU) 2019/1148 Annex I DESTRICTED EXPLOSIVES DESCURSORS (Upper limit value for the pure section) 	nces in electrical
 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the pur under Article 5(3)) None of the ingredients is listed. 	pose of licensing
 Annex II - REPORTABLE EXPLOSIVES PRECURSORS 	
None of the ingredients is listed.	
 Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed. 	
 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade betw 	een the
Community and third countries in drug precursors	
None of the ingredients is listed.	
National regulations:	
 Technical instructions (air): Class Share in % I 0,01 	
Waterhazard class: Generally not hazardous for water.	
15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	
SECTION 16: Other information	
The information in this safety data sheet is based on the state of our knowledge at the information in this sheet must be regarded as a description of the safety requirements for the p to be considered a warranty or quality specification and have no contractual value on proper areas thereof. The information contained in this safety data sheet relate to the specific material not be valid with respect to the product associated with another product or process, unless it is of this document.	product, they are not ties and application designated and may
The required information complies with EU regulations in force. It does not exempt the use applying all the national regulations in force.	r from knowing and
 Relevant phrases H304 May be fatal if swallowed and enters airways. H317 May cause an allergic skin reaction. 	
 Training hints Minimum training in occupational risk prevention is recommended for personnel who will har purpose of facilitating the understanding and interpretation of this form of safety data in labeling of the product. 	
 Abbreviations and acronyms: IFRA:International Fragrance Association IOFI:International Organization of the Flavor Indus ADR: Accord européen sur le transport des marchandises dangereuses par Route (European the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par che 	Agreement concerning

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(continued on page 9)



2329604

Reviewed on: 02.10.2024

Printing date:	02.10.2024
----------------	------------

PRODUCT :	MYRRH ORGANIC OIL	
DOT: US D IATA: Inte ICAO: Inte GHS: Glob EINECS: E ELINCS: Er CAS: Chen	ernational Maritime Code for Dangerous Goods bepartment of Transportation rnational Air Transport Association ernational Civil Aviation Organisation ally Harmonised System of Classification and Labelling of Chemicals uropean Inventory of Existing Commercial Chemical Substances uropean List of Notified Chemical Substances nical Abstracts Service (division of the American Chemical Society) al concentration, 50 percent	(continued of page 8)
LD50: Leth PBT: Persis vPvB: very • Sources	al dose, 50 percent stent, Bioaccumulative and Toxic Persistent and very Bioaccumulative Labelling Manual,REACH registration dossier,supplier information	
• * Data co	mpared to the previous version altered.	