

2342001

Reviewed on: 25.01.2023
Printing date: 25.01.2023**SECTION 01: Identification of the substance/mixture and of the company/undertaking**

1.1 Product identifier

- Trade name:
ROSEMARY camphor S ORG OIL
- Article number:
B800
- CAS Number:
8000-25-7
- EC Number:
283-291-9
- No CAS EINECS:
84604-14-8
- Registration number
01-2120086955-39-0007

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the preparation

Perfume ingredient

Flavouring agent

Only for industrial use

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GOLGEMMA

TEL: +33(0)4.68.74.17.89

Route de FA

email: fds@golgemma.com

11260 ESPERAZA

FRANCE

1.4 Emergency telephone number:

FR-ORFILA (INRS):+33(0)1 45 42 59 59

SECTION 02: Hazards identification

2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008



GHS08

STOT SE 2 - H371 May cause damage to organs.

Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways.



GHS02

Flam. Liq. 3 - H226 Flammable liquid and vapour.



GHS07

Skin Irrit. 2 - H315 Causes skin irritation.

Eye Irrit. 2 - H319 Causes serious eye irritation.

Skin Sens. 1B - H317 May cause an allergic skin reaction.



GHS09

Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms

(continued on page 2)

2342001

Reviewed on: 25.01.2023
Printing date: 25.01.2023

PRODUCT : ROSEMARY camphor S ORG OIL

(continued of page 1)



GHS08 GHS02 GHS07 GHS09

- Signal word
Danger

- Hazard statements

- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H371 May cause damage to organs.
- H411 Toxic to aquatic life with long lasting effects.

- Precautionary statements

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P233 Keep container tightly closed.
- P240 Ground and bond container and receiving equipment.
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

2.3 Other hazards

- Results of PBT and vPvB assessment
- PBT:
Not applicable.
- vPvB:
Not applicable.
- Determination of endocrine-disrupting properties
Substance is not listed.

SECTION 03: Composition/information on ingredients

3.1 Substances

- | CAS No. | Description |
|-----------|----------------------------|
| 8000-25-7 | Rosmarinus officinalis L. |
| | • Identification number(s) |
| | • EC number:
283-291-9 |

• Dangerous components:

CAS Number		%
80-56-8	pin-2(3)-ene EC number: 201-291-9 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317	20,001-50,00
76-22-2	1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one EC number: 200-945-0 ⚠ Flam. Sol. 2 - H228; ⚠ Acute Tox. 4 - H302, Acute Tox. 4 - H332; ⚠ STOT SE 2 - H371	20,001-50,00
470-82-6	Eucalyptol EC number: 207-431-5 ⚠ Flam. Liq. 3 - H226; ⚠ Skin Sens. 1B - H317	20,001-50,00
79-92-5	camphene EC number: 201-234-8 ⚠ Flam. Sol. 1 - H228; ⚠ Aquatic	10,001-20,00

(continued on page 3)



























CHEMICAL SAFETY DATA SHEET
according to 2020/878/EC (1907/2006/EC Article 31)

2342001

Reviewed on: 25.01.2023
Printing date: 25.01.2023

PRODUCT : ROSEMARY camphor S ORG OIL

(continued of page 2)

5989-27-5	<p>Acute 1 - H400, Aquatic Chronic 1 - H410 d-limonene EC number: 227-813-5  Asp. Tox. 1 - H304;  Flam. Liq. 3 - H226;  Skin Irrit. 2 - H315, Skin Sens. 1B - H317;  Aquatic Acute 1 - H400; Aquatic Chronic 3 - H412</p>	5,001-10,00
123-35-3	<p>Myrcene EC number: 204-622-5  Asp. Tox. 1 - H304;  Flam. Liq. 3 - H226;  Skin Irrit. 2 - H315, Eye Irrit. 2 - H319</p>	5,001-10,00
127-91-3	<p>beta-Pinene EC number: 204-872-5  Asp. Tox. 1 - H304;  Flam. Liq. 3 - H226;  Skin Irrit. 2 - H315, Skin Sens. 1B - H317</p>	5,001-10,00
87-44-5	<p>beta-Caryophyllene EC number: 201-746-1  Asp. Tox. 1 - H304;  Skin Sens. 1B - H317</p>	1,001- 5,00
99-87-6	<p>p-cymene EC number: 202-796-7  Acute Tox. 3 - H331;  Asp. Tox. 1 - H304;  Flam. Liq. 3 - H226;  Aquatic Chronic 2 - H411</p>	1,001- 5,00
562-74-3	<p>4-Carvomenthenol EC number: 209-235-5  Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319</p>	1,001- 5,00
98-55-5	<p>p-menth-1-en-8-ol EC number: 202-680-6  Skin Irrit. 2 - H315, Eye Irrit. 2 - H319</p>	1,001- 5,00
99-85-4	<p>p-Mentha-1,4-diene EC number: 202-794-6  Asp. Tox. 1 - H304;  Flam. Liq. 3 - H226</p>	1,001- 5,00
586-62-9	<p>Terpinolene EC number: 209-578-0  Asp. Tox. 1 - H304;  Skin Sens. 1B - H317;  Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410</p>	1,001- 5,00
13466-78-9	<p>delta-3-Carene EC number: 236-719-3  Asp. Tox. 1 - H304;  Flam. Liq. 3 - H226;  Skin Irrit. 2 - H315, Skin Sens. 1B - H317</p>	1,001- 5,00
78-70-6	<p>Linalool</p>	1,001- 5,00






(continued on page 4)

2342001

Reviewed on: 25.01.2023
Printing date: 25.01.2023

PRODUCT : ROSEMARY camphor S ORG OIL

(continued of page 3)

99-83-2	<p>EC number: 201-134-4 </p> <p>Alpha phellandrene</p>	1,001- 5,00
99-86-5	<p>EC number: 202-792-5 </p> <p>1-isopropyl-4-methylcyclohexa-1,3-diene</p>	1,001- 5,00
3391-86-4	<p>EC number: 202-795-1 </p> <p>Oral: ATE = 1680 mg/kg 1-Octen-3-ol</p>	0,101-1,00
495-61-4	<p>EC number: 222-226-0 </p> <p>l-.beta.-Bisabolene</p>	0,101-1,00
	<p>EC number: 610-461-5 </p>	

SECTION 04: First aid measures

4.1 Description of first aid measures

- General information:
Seek immediate medical advice.
- After inhalation:
Supply fresh air and to be sure call for a doctor.
- After skin contact:
If skin irritation continues, consult a doctor.
Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
Seek immediate medical advice.
- Information for doctor:

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 05: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing agents:
CO₂, sand, extinguishing powder. Do not use water.
Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents:
Water with full jet

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

(continued on page 5)

CHEMICAL SAFETY DATA SHEET
according to 2020/878/EC (1907/2006/EC Article 31)

2342001

Reviewed on: 25.01.2023
Printing date: 25.01.2023

PRODUCT : ROSEMARY camphor S ORG OIL

(continued of page 4)

5.3 Advice for firefighters

- Protective equipment:
Do not inhale explosion gases or combustion gases.
- Additional information
Cool endangered receptacles with water spray.

SECTION 06: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 07: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.
Keep away from heat and direct sunlight.
Ensure good ventilation/exhaustion at the workplace.
Handle with care. Avoid jolting, friction and impact.

- Information about fire - and explosion protection:
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

- Requirements to be met by storerooms and receptacles:
Store only in the original receptacle.
Prevent any seepage into the ground.
Use only receptacles specifically permitted for this substance/ product.
- Information about storage in one common storage facility:
Not required.
- Further information about storage conditions:
Keep container tightly sealed.
Protect from heat and direct sunlight.
Store receptacle in a well ventilated area.

7.3 Specific end use(s)

No further relevant information available.

SECTION 08: Exposure controls/personal protection

8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:
Not required.
- Additional information:
The lists valid during the making were used as basis.

8.2 Exposure controls

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

(continued on page 6)

2342001

Reviewed on: 25.01.2023
Printing date: 25.01.2023

PRODUCT : ROSEMARY camphor S ORG OIL

(continued of page 5)

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

- **Respiratory protection:**
Use suitable respiratory protective device in case of insufficient ventilation.
- **Protection of hands:**
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye/face protection**
Safety glasses

SECTION 09: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state	Fluid
Colour:	colourless to green-yellow
Odour:	characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	< -20,0 °C
Boiling point or initial boiling point and boiling range	158,00 - 210,00 °C
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	47,3 °C NFT 60-103 CC
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	at 40,00 °C 6,00 mm ² /s
Dynamic:	Not determined.
Solubility	
water:	Not determined.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	0,8950 0,9200 D20/20
Vapour density	Not determined.
9.2 Other information	No further relevant information available.
Appearance:	
Form:	fluid
Important information on protection of health and environment, and on safety.	
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.

(continued on page 7)

2342001

Reviewed on: 25.01.2023
Printing date: 25.01.2023

PRODUCT : ROSEMARY camphor S ORG OIL

(continued of page 6)

Solvent content:	
Solids content:	0,00 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	not applicable
Flammable gases	not applicable
Aerosols	not applicable
Oxidising gases	not applicable
Gases under pressure	not applicable
Flammable liquids	Flammable liquid and vapour.
Flammable solids	not applicable
Self-reactive substances and mixtures	not applicable
Pyrophoric liquids	not applicable
Pyrophoric solids	not applicable
Self-heating substances and mixtures	not applicable
Substances and mixtures, which emit flammable gases in contact with water	not applicable
Oxidising liquids	not applicable
Oxidising solids	not applicable
Organic peroxides	not applicable
Corrosive to metals	not applicable
Desensitised explosives	not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions

No dangerous reactions known.

10.4 Conditions to avoid

No further relevant information available.

10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous decomposition products:

Not determined.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity

LD/LC50 values relevant for classification:

ISO LD/LC

8000-25-7 Rosmarinus officinalis L.

Oral, LD50: 5000 mg/kg (rat)

76-22-2 1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one

Oral, LD50: >5000 mg/kg (rat) (Opdyke 1978)

Dermal, LD50: >1000 mg/kg (mouse) (NTP 1998)

470-82-6 Eucalyptol

Oral, LD50: 3849 mg/kg (mouse) (Jiao Xu, 2014)

79-92-5 camphene

(continued on page 8)

2342001

Reviewed on: 25.01.2023
Printing date: 25.01.2023

PRODUCT : ROSEMARY camphor S ORG OIL

(continued of page 7)

- Oral, LD50: 5000 mg/kg (rat)
Dermal, LD50: 2500 mg/kg (Rabbit)
- 5989-27-5 (R)-p-mentha-1,8-diene**
Oral, LD50: 4400 mg/kg (rat)
- 87-44-5 beta-Caryophyllene**
Oral, LD50: > 5000 mg/kg (rat) (Hart and Wong 1971)
- 98-55-5 p-menth-1-en-8-ol**
Oral, LD50: 4300 mg/kg (rat)
- 13466-78-9 delta-3-Carene**
Oral, LD50: 4800 mg/kg (rat) (Moreno 1975)
- 78-70-6 Linalool**
Oral, LD50: 2790 mg/kg (rat)
Dermal, LD50: 5610 mg/kg (Rabbit)
- 99-83-2 Alpha phellandrene**
Oral, LD50: > 5700 mg/kg (rat) (Moreno 1972)
- 99-86-5 p-mentha-1,3-diene**
Oral, LD50: 1680 mg/kg (ATE)
- 3391-86-4 1-Octen-3-ol**
Oral, LD50: 340 mg/kg (rat)
Dermal, LD50: 3300 mg/kg (Rabbit)
- Primary irritant effect:
 - Skin corrosion/irritation
Irritant to skin and mucous membranes.
Causes skin irritation.
 - Serious eye damage/irritation
Irritating effect.
Causes serious eye irritation.
 - Respiratory or skin sensitisation
No sensitizing effects known.
 - Germ cell mutagenicity
- 76-22-2 1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one**
OECD 471 AMES: NEGATIVE (in vitro) (Anderson and Styles 1978)
- 470-82-6 Eucalyptol**
OECD 471 AMES: NEGATIVE (in vitro) (Haworth, 1983)
- 87-44-5 beta-Caryophyllene**
OECD 471 AMES: NEGATIVE (in vitro) (Heck and al., 1989)
- 78-70-6 Linalool**
OECD 471 AMES: NEGATIVE (in vitro) (Letizia and al., 2007)
- Carcinogenicity
- 76-22-2 1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one**
Micronoyau: NEGATIVE (mouse) (NTP 1999)
- 78-70-6 Linalool**
Micronoyau: NEGATIVE (mouse) (in vivo, Letizia and al., 2007)
Micronoyau: NEGATIVE (in vitro) (DiSotto and al., 2011)
- Reproductive toxicity
Not determined.
 - STOT-single exposure
May cause damage to organs.
 - STOT-repeated exposure
Not determined.
 - Aspiration hazard
May be fatal if swallowed and enters airways.
May be fatal if swallowed and enters airways.
 - Subacute to chronic toxicity:
- 76-22-2 1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one**
Oral, NOAEL: >800 mg/kg (rat) (fetal toxicity GD 6 to 15, NTP 1992)
- 87-44-5 beta-Caryophyllene**
Oral, NOAEL: 700 mg/kg (rat) (90 days Schmitt 2016)
- 78-70-6 Linalool**
Oral, NOAEL: 200 mg/kg (rat) (maternal toxicity, Politano and al., 2008)
- 11.2 Information on other hazards
- Endocrine disrupting properties
Substance is not listed.

EU

(continued on page 9)

2342001

Reviewed on: 25.01.2023
Printing date: 25.01.2023

PRODUCT : ROSEMARY camphor S ORG OIL

(continued of page 8)

SECTION 12: Ecological information

12.1 Toxicity

- Aquatic toxicity:

8000-25-7 Rosmarinus officinalis L.

CE50/48h: 4,7 mg/l (daphnia) (OECD 202)
ErC50(0-72h): 5,6 mg/l (algae) (OECD 201)
96h-LC50: 3,9 mg/l (fish) (OECD 203)

76-22-2 1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one

CE50/48h: 26,82 mg/l (daphnia)
ErC50(0-72h): 23,8 mg/l (algae)

5989-27-5 (R)-p-mentha-1,8-diene

LD50: 0,71 mg/l (fish) (OECD 203)

123-35-3 Myrcene

LD50: 0,51 mg/l (fish) (OECD 203)
CE50/48h: 0,65 mg/l (daphnia)

99-87-6 p-cymene

LD50: 1,63 mg/l (fish) (OECD 203)

78-70-6 Linalool

LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991)
ErC50(0-72h): 156,7 mg/l (algae)
ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202)

12.2 Persistence and degradability

No further relevant information available.

- Behaviour in environmental systems:
Not determined.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

- PBT:
Not applicable.
- vPvB:
Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.6 Other adverse effects

No further relevant information available.

- Ecotoxicological effects:
Not determined.
- Remark:
Toxic for fish
- Additional ecological information:
- General notes:
Toxic for aquatic organisms
The material is harmful to the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Recommendation
Must be specially treated adhering to official regulations.
- Uncleaned packaging:
- Recommendation:
Disposal must be made according to official regulations.

EU

(continued on page 10)

2342001

Reviewed on: 25.01.2023
Printing date: 25.01.2023

PRODUCT : ROSEMARY camphor S ORG OIL

(continued of page 9)

SECTION 14: Transport information

- 14.1 UN number or ID number
- * **ADR** UN1197
- * **IMDG** UN1197
- * **IATA** UN1197
- 14.2 UN proper shipping name
- * **ADR** 1197 EXTRACTS, LIQUID
- * **IMDG** EXTRACTS, LIQUID
- * **IATA** EXTRACTS, LIQUID

14.3 Transport hazard class(es)

ADR
Class 3 (F1) Flammable liquids.


Label



IMDG

Class 3 Flammable liquids.

Label



IATA

Class 3 Flammable liquids.

Label



14.4 Packing group

ADR III

IMDG III

IATA III

14.5 Environmental hazards:

Marine pollutant: Yes

14.6 Special precautions for user

Warning: Flammable liquids.

Danger code (Kemler): 30

EMS Number: F-E,S-D

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

- Transport/Additional information:
Not applicable.

ADR

Excepted quantities (EQ): E1

Limited quantities (LQ): 5L

Transport category: 3

(continued on page 11)

CHEMICAL SAFETY DATA SHEET
according to 2020/878/EC (1907/2006/EC Article 31)

2342001

Reviewed on: 25.01.2023
Printing date: 25.01.2023

PRODUCT : ROSEMARY camphor S ORG OIL

(continued of page 10)

Tunnel restriction code D/E

IMDG

Limited quantities (LQ) 5L

Excepted quantities (EQ) E1

- * • UN "Model Regulation":
UN 1197 EXTRACTS, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II
Substance is not listed.
- REGULATION (EU) 2019/1148
- Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
Substance is not listed.
- Annex II - REPORTABLE EXPLOSIVES PRECURSORS
Substance is not listed.
- Regulation (EC) No 273/2004 on drug precursors
Substance is not listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
Substance is not listed.

• National regulations:

- Technical instructions (air):
- Class Share in %
I 24,00

- Waterhazard class:
Water hazard class 2 (Self-assessment): hazardous for water.

15.2 Chemical safety assessment:
A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

- Relevant phrases

H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

- Training hints

(continued on page 12)

CHEMICAL SAFETY DATA SHEET
according to 2020/878/EC (1907/2006/EC Article 31)

2342001

Reviewed on: 25.01.2023
Printing date: 25.01.2023

PRODUCT : ROSEMARY camphor S ORG OIL*(continued of page 11)*

Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.

- **Abbreviations and acronyms:**

IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation DOT: US Department of Transportation
IATA: International Air Transport Association IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation ICAO: International Civil Aviation Organisation
GHS: Globally Harmonised System of Classification and Labelling of Chemicals GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society) CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative vPvB: very Persistent and very Bioaccumulative
CE50: effective concentration at 50% ErC50:concentration of test substance which results in a 50 percent reduction in either growth rate (ErC50)relative to the control within 72hrs exposure.

- **Sources**

IFRA/IOFI Labelling Manual,REACH registration dossier,supplier information

- *** Data compared to the previous version altered.**