



2698504

Reviewed on: 27.01.2025 Printing date: 27.01.2025

SECTION 01: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

• Trade name:

TEA TREE Kenya ORGANIC OIL FFL

Article number:

B892F

• CAS Number: 68647-73-4

EC Number:

285-377-1
• No CAS EINECS:

85085-48-9

 Registration number 01-2120743651-57-0014

1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation

Perfume ingredient Cosmetic ingredient Flavouring agent Only for industrial use

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GOLGEMMA TEL: +33(0)4.68.74.17.89 Route de FA email: fds@golgemma.com

11260 ESPERAZA

FRANCE

1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1 45 42 59 59

SECTION 02: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS08

Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways.



GHS02

Flam. Liq. 3 - H226 Flammable liquid and vapour.



GHS07

Acute Tox. 4 - H302 Harmful if swallowed. Acute Tox. 4 - H332 Harmful if inhaled. Skin Irrit. 2 - H315 Causes skin irritation.



GHS09

Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms

(continued on page 2)





2698504

Reviewed on: 27.01.2025

Printing date: 27.01.2025

(continued of page 1)

(continued on page 3)

PRODUCT: TEA TREE Kenya ORGANIC OIL FFL







GHS08 GHS02

GHS07

Signal word

Danger

Hazard statements

H226 Flammable liquid and vapour.

H302+H332 Harmful if swallowed or if inhaled.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

2.3 Other hazards

- · Results of PBT and vPvB assessment
- PBT:
- Not applicable.
- vPvB:
- Not applicable.
- Determination of endocrine-disrupting properties None of the ingredients is listed.

SECTION 03: Composition/information on ingredients

3.1 Substances

CAS No. Description

68647-73-4 Melaleuca alternifolia (Maiden & Betche) Cheel

EC number: 207-431-5

(Syn: Melaleuca linariifolia var. alternifolia

Maiden & Betche)

- Identification number(s)
- EC number: 285-377-1

 Dangerous CAS Number 		%
562-74-3	p-Menth-1-en-4-ol EC number: 209-235-5 ♦ Acute Tox. 4 - H302, Acute Tox. 4 -	20,001-50,00
	H332, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317, STOT SE 3 - H336	
99-85-4	p-Mentha-1,4-diene EC number: 202-794-6 ③ Asp. Tox. 1 - H304; ③ Flam. Liq. 3	20,001-50,00
	- H226	
99-86-5	1-isopropyl-4-methylcyclohexa-1,3-diene	10,001-20,00
	EC number: 202-795-1	
	🕸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 💠 Acute Tox. 4 - H302, Skin	
	Sens. 1 - H317; 🥸 Aquatic Chronic 2 -	
	H411	
470-82-6	Eucalyptol	1,001- 5,000



Page: 3 / 12

2698504

Reviewed on: 27.01.2025 Printing date: 27.01.2025

PRODUCT:	TEA TREE Kenya ORGANIC OIL FFL	
	^ ^	(continued of page 2)
	🏵 Flam. Liq. 3 - H226; 안 Skin Sens.	
	1B - H317	
586-62-9	TERPINOLENE	1,001- 5,000
	EC number: 209-578-0	
	♦ Asp. Tox. 1 - H304; ♦ Skin Sens.	
	1B - H317; 🥸 Aquatic Acute 1 - H400	
	(M=1), Aquatic Chronic 1 - H410 (M=1)	
98-55-5	p-menth-1-en-8-ol	1,001- 5,000
	EC number: 202-680-6	
	Skin Irrit. 2 - H315, Eye Irrit. 2 -	
	H319	
80-56-8	ALPHA-PINENE	1,001- 5,000
	EC number: 201-291-9	
	🚱 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 💠 Acute Tox. 4 - H302, Skin	
	Irrit. 2 - H315, Skin Sens. 1B - H317	
99-87-6	p-cymene	1,001- 5,000
	EC number: 202-796-7	, ,
	Acute Tox. 3 - H331; 😵 Asp. Tox. 1	
	- H304; 🧇 Flam. Lig. 3 - H226; 🔖	
	Aquatic Chronic 2 - H411	
5989-27-5	d-limonene	1,001- 5,000
0000 2. 0	EC number: 227-813-5	1,001 0,000
	♦ Asp. Tox. 1 - H304; ♦ Flam. Liq. 3	
	- H226; 🕚 Skin Irrit. 2 - H315, Skin	
	Sens. 1B - H317; 🄄 Aquatic Acute 1 -	
400.05.0	H400 (M=1); Aquatic Chronic 3 - H412	4 004 5 000
123-35-3	Myrcene EC number: 204-622-5	1,001- 5,000
	& Asp. Tox. 1 - H304;	
	- H226; Skin Irrit. 2 - H315, Eye	
	•	
40= 04 0	Irrit. 2 - H319	2 424 4 222
127-91-3	BETA-PINENE	0,101-1,000
	EC number: 204-872-5	
	· · · · · · · · · · · · · · · · · · ·	
	- H226; 🔱 Skin Irrit. 2 - H315, Skin	
	Sens. 1B - H317	
87-44-5	BETA-CARYOPHYLLENE	0,101-1,000
	EC number: 201-746-1	
	Asp. Tox. 1 - H304; 🔱 Skin Sens.	
	1B - H317	
78-70-6	LINALOOL	0,101-1,000
	EC number: 201-134-4	
	Skin Irrit. 2 - H315, Eye Irrit. 2 -	
	H319, Skin Sens. 1B - H317	



Page: 4 / 12

2698504

Reviewed on: 27.01.2025 Printing date: 27.01.2025

PRODUCT: TEA TREE Kenya ORGANIC OIL FFL

(continued of page 3)

SECTION 04: First aid measures

- 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Seek immediate medical advice.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Call for a doctor immediately.

Information for doctor:

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, sand, extinguishing powder. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents:

Water with full jet

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Mount respiratory protective device.

Do not inhale explosion gases or combustion gases.

Additional information

Cool endangered receptacles with water spray.

SECTION 06: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

ΕU



Page: 5 / 12

2698504

Reviewed on: 27.01.2025 Printing date: 27.01.2025

PRODUCT: TEA TREE Kenya ORGANIC OIL FFL

(continued of page 4)

SECTION 07: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Handle with care. Avoid jolting, friction and impact.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/ product.

- Information about storage in one common storage facility:
- Not required.
- Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

7.3 Specific end use(s)

No further relevant information available.

SECTION 08: Exposure controls/personal protection

8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information:

The lists valid during the making were used as basis.

8.2 Exposure controls

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

· Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter P3

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:

Protective aloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye/face protection
 - Safety glasses
- Body protection:

Impervious protective clothing

Boots

ΕU





CHEMICAL SAFETY DATA SHEET

according to 2020/878/EC (1907/2006/EC Article 31)

2698504

Reviewed on: 27.01.2025 Printing date: 27.01.2025

PRODUCT: TEA TREE Kenya ORGANIC OIL FFL

(continued of page 5)

SECTION 09: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid

Colour: colourless to light yellow

Odour: characteristic
Odour threshold: Not determined.
Melting point/freezing point: -22,0 °C

Boiling point or initial boiling point and 97,00 -

boiling range

97,00 - 220,00 °C

Not determined

Flammability
Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.

Flash point: 54,0 °C NFT 60-103 CC

Decomposition temperature: Not determined.

pH Not determined.

Not determined.

Viscosity:

Kinematic viscosity Not determined.

Dynamic: Not determined.

Solubility

water: at $20,00\,^{\circ}\text{C}$ $1,42\,\text{g/l}$

Partition coefficient n-octanol/water (log Not determined.

ralue)

Vapour pressure: at 25,00 °C 21,0000 mbar

Density and/or relative density

Density:Not determined.Relative density0,8850 0,906Vapour densityNot determined.

9.2 Other information No further relevant information available.

Appearance:

Form: fluid

Important information on protection of health and environment, and on safety.

Auto-ignition temperature: Not determined.

Explosive properties: Not determined.

Solvent content:

Solids content: 0,00 %

Change in condition

Evaporation rate Not determined.

Information with regard to physical hazard classes

Explosivesnot applicableFlammable gasesnot applicableAerosolsnot applicableOxidising gasesnot applicableGases under pressurenot applicable

Flammable liquids Flammable liquid and vapour.

Flammable solids not applicable
Self-reactive substances and mixtures not applicable
Pyrophoric liquids not applicable
Pyrophoric solids not applicable
Self-heating substances and mixtures not applicable

(continued on page 7)

Page: 7 / 12



CHEMICAL SAFETY DATA SHEET

according to 2020/878/EC (1907/2006/EC Article 31)

not applicable

2698504

Reviewed on: 27.01.2025 Printing date: 27.01.2025

PRODUCT: TEA TREE Kenya ORGANIC OIL FFL

(continued of page 6)

Substances and mixtures, which emit

flammable gases in contact with water

Oxidising liquids not applicable Oxidising solids not applicable Organic peroxides not applicable Corrosive to metals not applicable

Desensitised explosives not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions

No dangerous reactions known.

10.4 Conditions to avoid

No further relevant information available.

10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous decomposition products:

Not determined.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity

Harmful if swallowed.

• LD/LC50 values relevant for classification:

ISO LD/LC

68647-73-4 Melaleuca alternifolia (Maiden & Betche) Cheel

(Syn: Melaleuca linariifolia var. alternifolia

Maiden & Betche)

Oral, LD50: 1691 mg/kg (rat) (Litchfield and Wilcoxon (1949) Dermal, LD50: > 2000 mg/kg (Rabbit) (OECD Guideline 402) Inhalative, LC50/4h: 4,78 mg/l (rat) (OECD Guideline 403)

ALPHA-TERPINENE

Oral, LD50: 1680 mg/kg (ATE)

Eucalyptol 470-82-6

Oral, LD50: 3849 mg/kg (mouse) (Jiao Xu, 2014)

98-55-5 p-menth-1-en-8-ol

Oral, LD50: 4300 mg/kg (rat)

5989-27-5 (R)-p-mentha-1,8-diene

Oral, LD50: 4400 mg/kg (rat)

BETA-CARYOPHYLLENE 87-44-5

Oral, LD50: > 5000 mg/kg (rat) (Hart and Wong 1971)

78-70-6 LINALOOL

Oral, LD50: 2790 mg/kg (rat)

Dermal, LD50: 5610 mg/kg (Rabbit)

· Primary irritant effect:

· Skin corrosion/irritation

68647-73-4 Melaleuca alternifolia (Maiden & Betche) Cheel


(Syn: Melaleuca linariifolia var. alternifolia

Maiden & Betche)

Irritation of skin, OECD 404 DRAIZE: IRRITANT (Rabbit) (Study report -

Irritant to skin and mucous membranes.

(continued on page 8)



Page: 8 / 12

Golgemma

2698504

Reviewed on: 27.01.2025 Printing date: 27.01.2025

PRODUCT: TEA TREE Kenya ORGANIC OIL FFL

(continued of page 7)

Causes skin irritation.

· Serious eye damage/irritation

68647-73-4 Melaleuca alternifolia (Maiden & Betche) Cheel

(Syn: Melaleuca linariifolia var. alternifolia

Maiden & Betche)

Irritation of eyes, OECD 405 DRAIZE: NOT CLASSIFIED (Rabbit) (OECD Guideline 405 - 2013)

· Respiratory or skin sensitisation

68647-73-4 Melaleuca alternifolia (Maiden & Betche) Cheel

(Syn: Melaleuca linariifolia var. alternifolia

Maiden & Betche)

Dermal, OECD 429 LLNA: NON SENSÍTIZER (guinea Pig) (Magnusson & Kligmann method (non LLNA)

· Germ cell mutagenicity

68647-73-4 Melaleuca alternifolia (Maiden & Betche) Cheel

(Syn: Melaleuca linariifolia var. alternifolia

Maiden & Betche)

OECD 471 AMES: NEGATIVE (in vitro) (OECD Guideline 473)

470-82-6 Eucalyptol

OECD 471 AMES: NEGATIVE (in vitro) (Haworth, 1983)

87-44-5 BETA-CARYOPHYLLENE

OECD 471 AMES: NEGATIVE (in vitro) (Heck and al., 1989)

78-70-6 LINALOOL

OECD 471 AMES: NEGATIVE (in vitro) (Letizia and al., 2007)

Carcinogenicity

78-70-6 LINALOOL

Micronoyau: NEGATIVE (mouse) (in vivo, Letizia and al., 2007)

Micronoyau: NEGATIVE (in vitro) (DiSotto and al., 2011)

Reproductive toxicity

Not determined.

• STOT-single exposure

Not determined.

STOT-repeated exposure

Not determined.

Aspiration hazard

May be fatal if swallowed and enters airways.

May be fatal if swallowed and enters airways.

Subacute to chronic toxicity:

Not determined.

• 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

· Aquatic toxicity:

68647-73-4 Melaleuca alternifolia (Maiden & Betche) Cheel

(Syn : Melaleuca linariifolia var. alternifolia

Maiden & Betche)

CE50/48h: 13,6 mg/l (daphnia) (OECD Guideline 202) ErC50(0-72h): 35,9 mg/l (algae) (OECD Guideline 201)

LL50: 7,75 mg/l (fish) (OECD Guideline 203)

99-87-6 p-cymene LD50: 1,63 mg/l (fish) (OECD 203)

5989-27-5 (R)-p-mentha-1,8-diene

LD50: 0,71 mg/l (fish) (OECD 203)

123-35-3 Myrcene

LD50: 0,51 mg/l (fish) (OECD 203) CE50/48h: 0,65 mg/l (daphnia)

78-70-6 LINALOOL

LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991)

(continued on page 9)



Page: 9 / 12

2698504

Reviewed on: 27.01.2025 Printing date: 27.01.2025

(continued of page 8)

PRODUCT: TEA TREE Kenya ORGANIC OIL FFL

ErC50(0-72h): 156,7 mg/l (algae)

ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202)

12.2 Persistence and degradability

No further relevant information available.

· Behaviour in environmental systems: Not determined.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

• PBT:

Not applicable.

vPvB:

Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.6 Other adverse effects

No further relevant information available.

Ecotoxical effects:

Not determined.

Remark:

Toxic for fish

- Additional ecological information:
- General notes:

Toxic for aquatic organisms

Danger to drinking water if even extremely small quantities leak into the ground. The material is harmful to the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must be specially treated adhering to official regulations.

- Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

. ADR UN1197 . IMDG UN1197 . IATA UN1197

14.2 UN proper shipping name

. ADR 1197 EXTRACTS, LIQUID

. IMDG EXTRACTS, LIQUID (MELALEUCA ALTERNIFOLIA (MAIDEN & BETCHE)

CHEEL)

. IATA EXTRACTS, LIQUID

14.3 Transport hazard class(es)

ADR

Class 3 (F1) Flammable liquids.

(continued on page 10)

ΕU



Page: 10 / 12

2698504

Reviewed on: 27.01.2025 Printing date: 27.01.2025

(continued of page 9)

PRODUCT: TEA TREE Kenya ORGANIC OIL FFL

. Label





IMDG

. Class

3 Flammable liquids.

. Label





. IATA

. Class

3 Flammable liquids.

Label



14.4 Packing group

. ADR III . IMDG III

14.5 Environmental hazards:

. Marine pollutant: Yes
. Danger code (Kemler): 30
. EMS Number: F-E,S-D

14.6 Special precautions for user Warning: Flammable liquids.

14.7 Maritime transport in bulk according to IMO instruments Not applicable.

- Transport/Additional information:
- . ADR

Excepted quantities (EQ): E1
 Limited quantities (LQ) 5L
 Transport category 3
 Tunnel restriction code D/E

UN "Model Regulation":

UN 1197 EXTRACTS, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II None of the ingredients is listed.
- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
 None of the ingredients is listed.
- Annex II REPORTABLE EXPLOSIVES PRECURSORS

(continued on page 11)



Page: 11 / 12

2698504

Reviewed on: 27.01.2025 Printing date: 27.01.2025

PRODUCT: TEA TREE Kenya ORGANIC OIL FFL

(continued of page 10)

None of the ingredients is listed.

- Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed.
- · National regulations:
- Waterhazard class:

Water hazard class 3 (Self-assessment): extremely hazardous for water.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

Relevant phrases

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

· Training hints

Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.

- · Date of previous version:
- 01.08.2024
 - Version number of previous version:

· Abbreviations and acronyms:

IFRA: International Fragrance Association IOFI: International Organization of the Flavor Industry

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Sources

IFRA/IOFI Labelling Manual, REACH registration dossier, supplier information

(continued on page 12)



Page: 12 / 12

2698504

Reviewed on: 27.01.2025 Printing date: 27.01.2025

PRODUCT: TEA TREE Kenya ORGANIC OIL FFL

(continued of page 11)

 $\bullet\ \ *$ Data compared to the previous version altered.