


CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)





2346603

RODUCT : 1	HYME Linalool FRANCE ORG OIL	
	ble liquid and vapour.	(continued of page 1
H304 May be f H315 Causes s	atal if swallowed and enters airways. kin irritation.	
	se an allergic skin reaction. aquatic life with long lasting effects.	
- Precautionar	y statements	
	ay from heat, hot surfaces, sparks, open flames and other igniti tainer tightly closed.	on sources. No smoking.
P240 Ground a	nd bond container and receiving equipment. SWALLOWED: Immediately call a POISON CENTER/ doctor.	
P403+P235 St	ore in a well-ventilated place. Keep cool.	
P501 Dispose	of contents/container in accordance with local/regional/ nationa	l/international regulations.
2.3 Other haza		
 Results of PI PBT: 	3T and vPvB assessment	
Not applicable		
 vPvB: Not applicable 		
 Determination 	on of endocrine-disrupting properties	
None of the in	gredients is listed.	
ECTION 03: C	omposition/information on ingredients	
3.1 Substances CAS No.	Description	
8007-46-3	Thymus vulgaris L.	
 Identification EC number: 	ı number(s)	
284-535-7		
Dangerous c	omponents:	
CAS Number		%
78-70-6	LINALOOL EC number: 201-134-4	50,001-100
	Skin Irrit. 2 - H315, Eye Irrit. 2 -	
	H319, Skin Sens. 1B - H317	
115-95-7		5,001-10,00
	EC number: 204-116-4	
	🕚 Skin Irrit. 2 - H315, Eye Irrit. 2 -	
	H319, Skin Sens. 1 - H317	
87-44-5	BETA-CARYOPHYLLENE	1,001- 5,000
	EC number: 201-746-1	
	Asp. Tox. 1 - H304; (1) Skin Sens.	
89-83-8	1B - H317 thumal	1,001- 5,000
09-03-0	thymol EC number: 201-944-8	1,001- 5,000
	Skin Corr. 1B - H314, Eye Dam. 1 -	
	H318; 🚸 Acute Tox. 4 - H302: 🌜	
	H318; 🗘 Acute Tox. 4 - H302; 🚸 Aquatic Chronic 2 - H411	
562-74-3	Aquatic Chronic 2 - H411	1,001- 5,000
562-74-3		1,001- 5,000
562-74-3	Aquatic Chronic 2 - H411 p-Menth-1-en-4-ol	1,001- 5,000
562-74-3	Aquatic Chronic 2 - H411 p-Menth-1-en-4-ol EC number: 209-235-5 Acute Tox. 4 - H302, Acute Tox. 4 - H332, Skin Irrit. 2 - H315, Eye Irrit. 2 -	1,001- 5,000
	Aquatic Chronic 2 - H411 p-Menth-1-en-4-ol EC number: 209-235-5 Acute Tox. 4 - H302, Acute Tox. 4 - H332, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317, STOT SE 3 - H336	
562-74-3 99-87-6	Aquatic Chronic 2 - H411 p-Menth-1-en-4-ol EC number: 209-235-5 Acute Tox. 4 - H302, Acute Tox. 4 - H332, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317, STOT SE 3 - H336 p-cymene	1,001- 5,000 1,001- 5,000
	Aquatic Chronic 2 - H411 p-Menth-1-en-4-ol EC number: 209-235-5 Acute Tox. 4 - H302, Acute Tox. 4 - H332, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317, STOT SE 3 - H336	



2346603

24 24

Reviewed on:	12.12.202
Printing date:	12.12.202

PRODUCT :	THYME Linalool FRANCE ORG OIL	
		(continued of page 2)
	- H304; 🚸 Flam. Liq. 3 - H226; 🚯	
	Aquatic Chronic 2 - H411	
76-22-2	CAMPHOR	0,101-1,000
	EC number: 200-945-0	
	4 - H302, Acute Tox. 4 - H332; 🚸 STOT SE	
	2 - H371	
79-92-5	camphene	0,101-1,000
	EC number: 201-234-8	
	🚸 Flam. Sol. 1 - H228; 🚺 Eye Irrit.	
	2 - H319; 🔅 Aquatic Acute 1 - H400 (M=1)	
	, Aquatic Chronic 1 - H410 (M=1)	
3391-86-4	1-Octen-3-ol	0,101-1,000
	EC number: 222-226-0	
	Acute Tox. 4 - H302, Acute Tox. 4 -	
	H332, Skin Irrit. 2 - H315, Eye Irrit. 2 -	
	H319; 🍄 Aquatic Acute 1 - H400 (M=1)	
106-24-1	GERANIOL	0,101-1,000
	EC number: 203-377-1	
	🔗 Eye Dam. 1 - H318; 🕚 Skin Irrit. 2	
	- H315, Skin Sens. 1 - H317	
499-75-2	carvacrol	0,101-1,000
	EC number: 207-889-6	
	() Acute Tox. 4 - H302, Skin Irrit. 2 -	
	H315, Eye Irrit. 2 - H319, Skin Sens. 1B -	
	H317	
80-56-8	ALPHA-PINENE	0,101-1,000
	EC number: 201-291-9	
	Asp. Tox. 1 - H304; (*) Flam. Liq. 3	
	- H226; 🚸 Acute Tox. 4 - H302, Skin	
	Irrit. 2 - H315, Skin Sens. 1B - H317	
5989-27-5	d-limonene	0,101-1,000
	EC number: 227-813-5 � Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 🔶 Skin Irrit. 2 - H315, Skin	
	Sens. 1B - H317; 🚸 Aquatic Acute 1 -	
	H400 (M=1); Aquatic Chronic 3 - H412	
470-82-6	Eucalyptol	0,101-1,000
	EC number: 207-431-5	
	🚸 Flam. Liq. 3 - H226; 🔱 Skin Sens.	
	1B - H317	
99-86-5	1-isopropyl-4-methylcyclohexa-1,3-diene	0,101-1,000
	EC number: 202-795-1	
	🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 🚸 Acute Tox. 4 - H302, Skin	
	Sens. 1 - H317; 🚸 Aquatic Chronic 2 -	
	H411	
127-91-3	BETA-PINENE	0,101-1,000
	EC number: 204-872-5	
		(continued on page 4)



2346603

Reviewed on: 12.12.2024 Printing date: 12.12.2024

Printing date: 12.12.2024	
---------------------------	--

PRO	DUCT :	THYME Linalool FRANCE ORG OIL	
			(continued of page 3)
		🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
		- H226; 🚸 Skin Irrit. 2 - H315, Skin	
		Sens. 1B - H317	
1	105-87-3	GERANYL ACETATE	0,101-1,000
		EC number: 203-341-5	
		🚸 Skin Irrit. 2 - H315, Skin Sens. 1B -	
		H317; Aquatic Chronic 3 - H412	
SEC	TION 04: F	irst aid measures	
4	.1 Descriptio	n of first aid measures	
	General inf		
•	<u> </u>		
		ate medical advice.	
	After inhala	tion:	
•	After inhala Supply fresh	tion: air and to be sure call for a doctor.	
•	After inhala Supply fresh After skin c	tion: air and to be sure call for a doctor.	
•	After inhala Supply fresh After skin o If skin irritat	tion: air and to be sure call for a doctor. ontact: on continues, consult a doctor. wash with water and soap and rinse thoroughly.	

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing:

- Seek immediate medical advice.
- Information for doctor:

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 05: Firefighting measures

5.1 Extinguishing media

Water with full jet

Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions.
For safety reasons unsuitable extinguishing agents:

5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:
- Do not inhale explosion gases or combustion gases.
- Additional information
- Cool endangered receptacles with water spray.

SECTION 06: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

(continued on page 5)



234

	Reviewed on: 12.12. Printing date: 12.12.
PRODUCT :	THYME Linalool FRANCE ORG OIL
See Section 7 See Section 8	(continued of page 4) for information on safe handling. for information on personal protection equipment. 3 for disposal information.
SECTION 07:	Handling and storage
Keep recepta Keep away fr Ensure good Handle with o Informati Reep ignit Protect ag 7.2 Conditio Storage: Requirem Store only Prevent ar Use only r Informati Not requir Further in Keep conta	ions for safe handling cles tightly sealed. om heat and direct sunlight. ventilation/exhaustion at the workplace. vare. Avoid jolting, friction and impact. on about fire - and explosion protection: on sources away - Do not smoke. ainst electrostatic charges. ons for safe storage, including any incompatibilities ments to be met by storerooms and receptacles: in the original receptacle. y seepage into the ground. eceptacles specifically permitted for this substance/ product. on about storage in one common storage facility: ed. information about storage conditions: ainer tightly sealed. m heat and direct sunlight. ptacle in a well ventilated area.
7.3 Specific No further rel	end use(s) evant information available.
SECTION 08:	Exposure controls/personal protection
 Ingredier Not requir Additional 	parameters Its with limit values that require monitoring at the workplace: ed. I information: alid during the making were used as basis.
 General p The usual Keep away Immediate Wash hand Avoid cont Respirato Use suitab Protectioo Protective The glove Due to mi chemical r 	I protection measures, such as personal protective equipment protective and hygienic measures: precautionary measures are to be adhered to when handling chemicals. from foodstuffs, beverages and feed. ely remove all soiled and contaminated clothing is before breaks and at the end of work. act with the skin. act with the skin. in protection: le respiratory protective device in case of insufficient ventilation. n of hands: gloves material has to be impermeable and resistant to the product/ the substance/ the preparation. ssing tests no recommendation to the glove material can be given for the product/ the preparation/ the nixture.
 Material of The select varies fror Penetrati 	of the glove material on consideration of the penetration times, rates of diffusion and the degradation of gloves ion of the suitable gloves does not only depend on the material, but also on further marks of quality and n manufacturer to manufacturer. on time of glove material break through time has to be found out by the manufacturer of the protective gloves and has to be

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye/face protection Safety glasses
 Body protection: Impervious protective clothing

- EU -



2346603

(continued on page 7)

RODUCT : THYME Linalool FRANC	E ORG OIL	
Baata	(continued of	f page 5)
Boots		
ECTION 09: Physical and chemical p	properties	
9.1 Information on basic physical and chemic	cal properties	
General Information		
Physical state	Fluid	
Colour:	pale yellow to orange-yellow	
Odour:	mild	
Odour threshold:	Not determined.	
Boiling point or initial boiling point and boiling range	Not determined.	
Flammability	Not determined.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	55,0 °C NFT 60-103 CC	
Decomposition temperature:	Not determined.	
pH	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
Dynamic:	Not determined.	
Solubility		
water:	Not determined.	
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure:	Not determined.	
Density and/or relative density		
Density:	Not determined.	
Relative density	0,8700 0,885 D20/20	
Vapour density	Not determined.	
9.2 Other information	No further relevant information available.	
Appearance:		
Form:	fluid	
Important information on protection of health	n and environment, and on safety.	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Not determined.	
Solvent content:		
Solids content:	0,00 %	
Change in condition		
Evaporation rate	Not determined.	
Evaporation rate Information with regard to physical hazard cl		
Explosives	not applicable	
Explosives Flammable gases		
Flammable gases Aerosols	not applicable not applicable	
Oxidising gases	not applicable	

not applicable

not applicable

not applicable

not applicable

not applicable

Flammable liquid and vapour.

Gases under pressure Flammable liquids

Self-reactive substances and mixtures

Flammable solids

Pyrophoric liquids

Pyrophoric solids



CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

Reviewed on: 12.12.2024

Printing date: 12.12.2024

		(continued of page 6)
Self-heating substances and mixtures	not applicable	· · · · · · · · · · · · · · · · · · ·
Substances and mixtures, which emit flammable gases in contact with water	not applicable	
Oxidising liquids	not applicable	
Oxidising solids	not applicable	
Organic peroxides	not applicable	
Corrosive to metals	not applicable	
Desensitised explosives	not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Not determined.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity
- LD/LC50 values relevant for classification:

	Thymus vulgaris L. 4700 mg/kg (rat) 0: >=5000 mg/kg (Rabbit)	
	LINALOOL 2790 mg/kg (rat) 0: 5610 mg/kg (Rabbit)	
87-44-5 Oral, LD50: >	BETA-CARYOPHYLLENE > 5000 mg/kg (rat) (Hart and Wong 1971)	
89-83-8 Oral, LD50: 9	thymol 980 mg/kg (rat)	
	CAMPHOR 5000 mg/kg (rat) (Opdyke 1978) 0: >1000 mg/kg (mouse) (NTP 1998)	
	camphene 5000 mg/kg (rat) 5: 2500 mg/kg (Rabbit)	
	1-Octen-3-ol 840 mg/kg (rat) 0: 3300 mg/kg (Rabbit)	
499-75-2 Oral, LD50: 8	carvacrol B10 mg/kg (rat)	
5989-27-5 Oral, LD50: 4	(R)-p-mentha-1,8-diene 4400 mg/kg (rat)	
470-82-6 Oral, LD50: 3	Eucalyptol 8849 mg/kg (mouse) (Jiao Xu, 2014)	
99-86-5 Oral, LD50: 1	ALPHA-TERPINENE 1.680 mg/kg (ATE)	
-,		(continued on page 8)

ISO LD/LC

* * * * * * * * * * * * * * * *



2346603

Reviewed on: 12.12.2024 Printing date: 12.12.2024

	PRODUCT : THYME Linalool FRANCE ORG OIL	
		(continued of page 7)
*	 105-87-3 GERANYL ACETATE Oral, LD50: >4000 mg/kg (rat) (NTP 1987) Primary irritant effect: Skin corrosion/irritation Irritant to skin and mucous membranes. Causes skin irritation. Serious eye damage/irritation No irritating effect. Respiratory or skin sensitisation 	
k	Sensitization possible through skin contact.Germ cell mutagenicity	
	78-70-6 LINALOOL OECD 471 AMES: NEGATIVE (in vitro) (Letizia and al., 2007)	
*	115-95-7 LINALYL ACETATE OECD 471 AMES: NEGATIVE (in vitro) (RIFM 1989)	
k k	87-44-5 BETA-CARYOPHYLLENE OECD 471 AMES: NEGATIVE (in vitro) (Heck and al., 1989)	
*	76-22-2 CAMPHOR OECD 471 AMES: NEGATIVE (in vitro) (Anderson and Styles 1978)	
	470-82-6 Eucalyptol OECD 471 AMES: NEGATIVE (in vitro) (Haworth, 1983)	
	105-87-3 GERANYL ACETATE OECD 471 AMES: NEGATIVE (in vitro) (NTP 1987) • Carcinogenicity	
	78-70-6 LINALOOL Micronoyau: NEGATIVE (mouse) (in vivo, Letizia and al., 2007) Micronoyau: NEGATIVE (in vitro) (DiSotto and al., 2011)	
*	76-22-2 CAMPHOR Micronoyau: NEGATIVE (mouse) (NTP 1999)	
t t	 105-87-3 GERANYL ACETATE Micronoyau: NEGATIVE (mouse) (in vivo, Shelby 1993) Reproductive toxicity Not determined. STOT-single exposure Not determined. STOT-repeated exposure Not determined. Aspiration hazard May be fatal if swallowed and enters airways. May be fatal if swallowed and enters airways. Subacute to chronic toxicity: 78-70-6 LINALOOL 	
	Oral, NOAEL: 200 mg/kg (rat) (maternal toxicity, Politano and al., 2008)	
	 115-95-7 LINALYL ACETATE Oral, NOAEL: 250 mg/kg (rat) (90days, RIFM 1980) 87-44-5 BETA-CARYOPHYLLENE Oral, NOAEL: 700 mg/kg (rat) (90 days Schmitt 2016) 76-22-2 CAMPHOR Oral, NOAEL: >800 mg/kg (rat) (fetal toxicity GD 6 to 15, NTP 1992) 11.2 Information on other hazards Endocrine disrupting properties None of the ingredients is listed. 	

SECTION 12: Ecological information

12.1 Toxicity • Aquatic toxicity: 8007-46-3 Thymus vulgaris L. CE50/48h: 11,00 mg/l (daphnia) 78-70-6 LINALOOL LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991) ErC50(0-72h): 156,7 mg/l (algae) ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202)

(continued on page 9)

,



2346603

Reviewed on: 12.12.2024 Printing date: 12.12.2024

PRODUCT	: THYME Linalool FRANCE ORG OIL	
		(continued of page 8)
115-95	-7 LINALYL ACETATE	
ErC5	D(0-72h): 9,6 mg/l (algae) (RIFM 2015)	
	D(0-48h): 15 mg/l (daphnia) (RIFM 2015)	
96h-I	_C50: 11 mg/l (fish) (RIFM 1998)	
99-87-6	p-cymene	
LD50	: 1,63 mg/l (fish) (OECD 203)	
76-22-2	CAMPHOR	
CE50	/48h: 26,82 mg/l (daphnia)	
ErC5	0(0-72h): 23,8 mg/l (algae)	
5989-2	7-5 (R)-p-mentha-1,8-diene	
	: 0,71 mg/l (fish) (OECD 203)	
12.2 Pe	ersistence and degradability	
	er relevant information available.	
 Beha 	aviour in environmental systems:	
Not d	etermined.	
10.0.0		
	oaccumulative potential	
No furth	er relevant information available.	
12.4 M	obility in soil	
	er relevant information available.	
12 5 5	aulta of DDT and UDUD accomment	
	esults of PBT and vPvB assessment	
 PBT: 		
	pplicable.	
vPvE	pplicable.	
	ndocrine disrupting properties	
	duct does not contain substances with endocrine disrupting prope	rties
The proc	act does not contain substances with endocrine disrupting prope	ities.
12.6 O	ther adverse effects	
No furth	er relevant information available.	
 Ecot 	oxical effects:	
Not d	etermined.	
 Rem 	ark:	
Toxic	for fish	
 Addi 	tional ecological information:	
	eral notes:	
	for aquatic organisms	
The r	naterial is harmful to the environment.	

13.1 Waste treatment methods

- Recommendation
 - Must be specially treated adhering to official regulations.
- Uncleaned packaging:
- Recommendation:
 - Disposal must be made according to official regulations.

SECTION 14: Transport information

- 14.1 UN number or ID number
- ADR UN1197
- . IMDG UN1197 UN1197
- . IATA
- 14.2 UN proper shipping name . ADR
 - 1197 EXTRACTS, LIQUID
- EXTRACTS, LIQUID (THYMUS VULGARIS L.) . IMDG
- IATA EXTRACTS, LIQUID
- 14.3 Transport hazard class(es)



CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

		(continued of page §
ADR		
. Class	3 (F1) Flammable liquids.	
. Label	3	
. IMDG		
Class	3 Flammable liquids.	
. Label	3	
Class	3 Flammable liquids.	
Label	3	
14.4 Packing group . ADR	Ш	
. IMDG	III	
. IATA	···· 	
14.5 Environmental hazards:		
Marine pollutant:	Yes	
Danger code (Kemler):	30	
. EMS Number:	F-E,S-D	
14.6 Special precautions for Warning: Flammable liquids.	user	
14.7 Maritime transport in bu Not applicable.	ulk according to IMO instruments	
Transport/Additional inform ADR	nation:	
Excepted quantities (EQ):	E1	
Limited quantities (LQ)	5L	
Transport category	3	
Tunnel restriction code	D/E	
IMDG		
Limited quantities (LQ)	5L	
Excepted quantities (EQ)	E1	



CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

	THYME Linalool FRANCE ORG OIL (continued of page 10)
SECTION 15:	(continued of page 10) Regulatory information
 15.1 Safety, DIRECTIV and electr None of the REGULATI Annex I - under Art None of the Annex II - None of the Regulation None of the Regulation Communities 	health and environmental regulations/legislation specific for the substance or mixture E 2011/65/EU on the restriction of the use of certain hazardous substances in electrical onic equipment - Annex II ingredients is listed. ON (EU) 2019/1148 RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing
National r	
	instructions (air):
 Class Sha 	re in %
I 1	1,00
Waterhaza Generally n	ard class: ot hazardous for water.
,	
	al safety assessment: fety Assessment has not been carried out.
The informati information in to be conside areas thereof.	Other information on in this safety data sheet is based on the state of our knowledge at the date indicated. The this sheet must be regarded as a description of the safety requirements for the product, they are not red a warranty or quality specification and have no contractual value on properties and application The information contained in this safety data sheet relate to the specific material designated and may it property to the product according with a product or process.
The informati information in to be conside areas thereof. not be valid w of this docume The required applying all th	on in this safety data sheet is based on the state of our knowledge at the date indicated. The this sheet must be regarded as a description of the safety requirements for the product, they are not red a warranty or quality specification and have no contractual value on properties and application. The information contained in this safety data sheet relate to the specific material designated and may ith respect to the product associated with another product or process, unless it is specified in the text ent.
The informati information in to be conside areas thereof. not be valid w of this docume The required applying all th • Relevant H226	on in this safety data sheet is based on the state of our knowledge at the date indicated. The this sheet must be regarded as a description of the safety requirements for the product, they are not red a warranty or quality specification and have no contractual value on properties and application. The information contained in this safety data sheet relate to the specific material designated and may ith respect to the product associated with another product or process, unless it is specified in the text ent. information complies with EU regulations in force. It does not exempt the user from knowing and e national regulations in force. Phrases Flammable liquid and vapour.
The informati information in to be conside areas thereof. not be valid w of this docume The required applying all th Relevant H226 H228 H302	on in this safety data sheet is based on the state of our knowledge at the date indicated. The this sheet must be regarded as a description of the safety requirements for the product, they are not red a warranty or quality specification and have no contractual value on properties and application. The information contained in this safety data sheet relate to the specific material designated and may ith respect to the product associated with another product or process, unless it is specified in the text ent. Information complies with EU regulations in force. It does not exempt the user from knowing and e national regulations in force. Dhrases Flammable liquid and vapour. Flammable solid. Harmful if swallowed.
The informati information in to be conside areas thereof. not be valid w of this docume The required applying all th • Relevant H226 H228 H302 H304 H314	on in this safety data sheet is based on the state of our knowledge at the date indicated. The this sheet must be regarded as a description of the safety requirements for the product, they are not red a warranty or quality specification and have no contractual value on properties and application. The information contained in this safety data sheet relate to the specific material designated and may ith respect to the product associated with another product or process, unless it is specified in the text ent. information complies with EU regulations in force. It does not exempt the user from knowing and e national regulations in force. phrases Flammable liquid and vapour. Flammable solid. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage.
The informati information in to be conside areas thereof. not be valid w of this docume The required applying all th • Relevant H226 H228 H302 H304 H314 H315 H317	on in this safety data sheet is based on the state of our knowledge at the date indicated. The this sheet must be regarded as a description of the safety requirements for the product, they are not red a warranty or quality specification and have no contractual value on properties and application. The information contained in this safety data sheet relate to the specific material designated and may ith respect to the product associated with another product or process, unless it is specified in the text ent. information complies with EU regulations in force. It does not exempt the user from knowing and e national regulations in force. phrases Flammable liquid and vapour. Flammable solid. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction.
The informati information in to be conside areas thereof. not be valid w of this docume The required applying all th • Relevant H226 H228 H302 H304 H314 H315 H317 H318 H319	on in this safety data sheet is based on the state of our knowledge at the date indicated. The this sheet must be regarded as a description of the safety requirements for the product, they are not red a warranty or quality specification and have no contractual value on properties and application The information contained in this safety data sheet relate to the specific material designated and may ith respect to the product associated with another product or process, unless it is specified in the text ent. information complies with EU regulations in force. It does not exempt the user from knowing and e national regulations in force. ohrases Flammable liquid and vapour. Flammable solid. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage. Causes selin unitation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation.
The informati information in to be conside areas thereof. not be valid w of this docume The required applying all th • Relevant H226 H228 H302 H304 H314 H315 H317 H318 H319 H331 H332	on in this safety data sheet is based on the state of our knowledge at the date indicated. The this sheet must be regarded as a description of the safety requirements for the product, they are not red a warranty or quality specification and have no contractual value on properties and application. The information contained in this safety data sheet relate to the specific material designated and may ith respect to the product associated with another product or process, unless it is specified in the text ent. Information complies with EU regulations in force. It does not exempt the user from knowing and e national regulations in force. Set a state of the safety is specified in the text ent. Set a state of the safety is a state of the safety is the safety of the user from knowing and e national regulations in force. Set a state of the safety is a state of the safety is safety and the safety is a state of the safety is a state of the safety requirements for the product. The product associated with another product or process, unless it is specified in the text ent. Information complies with EU regulations in force. It does not exempt the user from knowing and e national regulations in force. Set a state of the safety is a state of the safety state of the safety state of the safety state of the safety state. Set a state of the safety state of the safe
The informati information in to be conside areas thereof. not be valid w of this docume The required applying all th • Relevant H226 H228 H302 H304 H314 H315 H317 H318 H319 H331	on in this safety data sheet is based on the state of our knowledge at the date indicated. The this sheet must be regarded as a description of the safety requirements for the product, they are not red a warranty or quality specification and have no contractual value on properties and application The information contained in this safety data sheet relate to the specific material designated and may ith respect to the product associated with another product or process, unless it is specified in the text ent. information complies with EU regulations in force. It does not exempt the user from knowing and e national regulations in force. ohrases Flammable liquid and vapour. Flammable solid. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Toxic if inhaled.
The informati information in to be conside areas thereof. not be valid w of this docume The required applying all th • Relevant H226 H228 H302 H304 H314 H315 H317 H318 H319 H331 H332 H336	on in this safety data sheet is based on the state of our knowledge at the date indicated. The this sheet must be regarded as a description of the safety requirements for the product, they are not red a warranty or quality specification and have no contractual value on properties and application. The information contained in this safety data sheet relate to the specific material designated and may ith respect to the product associated with another product or process, unless it is specified in the text ent. information complies with EU regulations in force. It does not exempt the user from knowing and e national regulations in force. bhrases Flammable liquid and vapour. Flammable solid. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage. Causes serious eye damage. Causes damage. Causes drowsiness or dizziness.
The informati information in to be conside areas thereof. not be valid w of this docume The required applying all th • Relevant 1 H226 H228 H302 H304 H314 H315 H317 H318 H319 H331 H332 H336 H371 H400	on in this safety data sheet is based on the state of our knowledge at the date indicated. The this sheet must be regarded as a description of the safety requirements for the product, they are not red a warranty or quality specification and have no contractual value on properties and application. The information contained in this safety data sheet relate to the specific material designated and may ith respect to the product associated with another product or process, unless it is specified in the text ent. information complies with EU regulations in force. It does not exempt the user from knowing and e national regulations in force. phrases Flammable liquid and vapour. Flammable solid. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage. Causes serious eye damage. Causes damage to organs. Very toxic to aquatic life.
The informati information in to be conside areas thereof. not be valid w of this docume The required applying all th • Relevant H226 H228 H302 H304 H314 H315 H317 H318 H319 H331 H332 H336 H371 H400 H411 H412	on in this safety data sheet is based on the state of our knowledge at the date indicated. The this sheet must be regarded as a description of the safety requirements for the product, they are not red a warranty or quality specification and have no contractual value on properties and application. The information contained in this safety data sheet relate to the specific material designated and may ith respect to the product associated with another product or process, unless it is specified in the text ent. information complies with EU regulations in force. It does not exempt the user from knowing and e national regulations in force. bhrases Flammable liquid and vapour. Flammable solid. Harmful if swallowed and enters airways. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Toxic if inhaled. May cause drowsiness or dizziness. May cause damage to organs. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.
The informati information in to be conside areas thereof. not be valid w of this docume The required applying all th • Relevant 1 H226 H228 H302 H304 H314 H315 H317 H318 H319 H331 H332 H336 H371 H400 H410 H411 H412 • Training h Minimum tr purpose of	on in this safety data sheet is based on the state of our knowledge at the date indicated. The this sheet must be regarded as a description of the safety requirements for the product, they are not red a warranty or quality specification and have no contractual value on properties and application. The information contained in this safety data sheet relate to the specific material designated and may ith respect to the product associated with another product or process, unless it is specified in the text ent. information complies with EU regulations in force. It does not exempt the user from knowing and e national regulations in force. bhrases Flammable liquid and vapour. Flammable solid. Harmful if swallowed and enters airways. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Toxic if inhaled. May cause drowsiness or dizziness. May cause damage to organs. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.
The informati information in to be conside areas thereof. not be valid w of this docume The required applying all th • Relevant 1 H226 H228 H302 H304 H314 H315 H317 H318 H319 H331 H322 H336 H371 H400 H411 H412 • Training h Minimum to purpose of labeling of • Date of pr	on in this safety data sheet is based on the state of our knowledge at the date indicated. The this sheet must be regarded as a description of the safety requirements for the product, they are not red a warranty or quality specification and have no contractual value on properties and application The information contained in this safety data sheet relate to the specific material designated and may ith respect to the product associated with another product or process, unless it is specified in the text ent. information complies with EU regulations in force. It does not exempt the user from knowing and e national regulations in force. Phrases Flammable solid. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage. Causes serious eye damage. Causes serious eye irritation. May cause an allergic skin reaction. Toxic if inhaled. Harmful if inhaled. May cause drowsiness or dizziness. May cause damage to organs. Very toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.
The informati information in to be conside areas thereof. not be valid w of this docume The required applying all th • Relevant (H226 H228 H302 H304 H314 H315 H317 H318 H319 H331 H332 H336 H371 H400 H410 H411 H412 • Training h Minimum tr purpose of labeling of • Date of pr 02.08.2024	on in this safety data sheet is based on the state of our knowledge at the date indicated. The this sheet must be regarded as a description of the safety requirements for the product, they are not red a warranty or quality specification and have no contractual value on properties and application The information contained in this safety data sheet relate to the specific material designated and may ith respect to the product associated with another product or process, unless it is specified in the text ent. information complies with EU regulations in force. It does not exempt the user from knowing and e national regulations in force. Phrases Flammable solid. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage. Causes serious eye damage. Causes serious eye irritation. May cause an allergic skin reaction. Toxic if inhaled. Harmful if inhaled. May cause drowsiness or dizziness. May cause damage to organs. Very toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.



CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

PRODUCT :	THYME Linalool FRANCE ORG OIL	
	(continued of page 11)	
Abbreviations and acronyms:		
IFRA: International Fragrance Association IOFI: International Organization of the Flavor Industry		
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Ágreement concerning		
	cional Carriage of Dangerous Goods by Road)	
	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations	
Concerning the International Transport of Dangerous Goods by Rail)		
IMDG: International Maritime Code for Dangerous Goods		
DOT: US Department of Transportation		
IATA: International Air Transport Association		
ICAO: Inter	ICAO: International Civil Aviation Organisation	
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: Eu	EINECS: European Inventory of Existing Commercial Chemical Substances	
	ELINCS: European List of Notified Chemical Substances	
CAS: Chem	CAS: Chemical Abstracts Service (division of the American Chemical Society)	
	al concentration, 50 percent	
	al dose, 50 percent	
PBT: Persist	tent, Bioaccumulative and Toxic	
vPvB: very	Persistent and very Bioaccumulative	
 Sources 		
IFRA/IOFI L	abelling Manual, REACH registration dossier, supplier information	
 * Data compared to the previous version altered. 		