


2611401

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)





2611401

PRODUCT :	THYME Thymol France ORG OIL	
		(continued of page 1)
- Signal word	HS08 GHS02 GHS07 GHS09	
Danger - Hazard state	ements	
H226 Flamma H302 Harmful	ible liquid and vapour. Lif swallowed	
H304 May be	fatal if swallowed and enters airways.	
	severe skin burns and eye damage. Ise an allergic skin reaction.	
H411 Toxic to	aquatic life with long lasting effects.	
	ry statements /ay from heat, hot surfaces, sparks, open flames and other igniti	on sources. No smoking.
P233 Keep co	ntainer tightly closed. and bond container and receiving equipment.	
P301+P310 IF	SWALLOWED: Immediately call a POISON CENTER/ doctor.	
P403+P235 St P501 Dispose	tore in a well-ventilated place. Keep cool. of contents/container in accordance with local/regional/ nationa	l/international regulations.
		-
2.3 Other hazaResults of P	ards BT and vPvB assessment	
- PBT:		
Not applicable - vPvB:	2.	
Not applicable		
	on of endocrine-disrupting properties ngredients is listed.	
SECTION 03: C 3.1 Substance CAS No.	Composition/information on ingredients s Description	
3.1 Substance CAS No. 8007-46-3 • Identificatio	s Description Thymus vulgaris L. n number(s)	
3.1 Substance CAS No. 8007-46-3	s Description Thymus vulgaris L. n number(s)	
 3.1 Substance CAS No. 8007-46-3 Identificatio EC number: 	S Description Thymus vulgaris L. n number(s)	
 3.1 Substance CAS No. 8007-46-3 Identificatio EC number: 284-535-7 	S Description Thymus vulgaris L. n number(s)	%
 3.1 Substance CAS No. 8007-46-3 Identificatio EC number: 284-535-7 Dangerous of 	Description Thymus vulgaris L. n number(s) components: thymol	% 50,001-100
 3.1 Substance CAS No. 8007-46-3 Identificatio EC number: 284-535-7 Dangerous of CAS Number 	Description Thymus vulgaris L. n number(s) components: thymol EC number: 201-944-8	
 3.1 Substance CAS No. 8007-46-3 Identificatio EC number: 284-535-7 Dangerous of CAS Number 	Description Thymus vulgaris L. n number(s) components: thymol EC number: 201-944-8 ∲ Skin Corr. 1B - H314, Eye Dam. 1 -	
 3.1 Substance CAS No. 8007-46-3 Identificatio EC number: 284-535-7 Dangerous of CAS Number 	Description Thymus vulgaris L. In number(s) components: thymol EC number: 201-944-8 ∲ Skin Corr. 1B - H314, Eye Dam. 1 - H318; ∲ Acute Tox. 4 - H302; ∳	
 3.1 Substance CAS No. 8007-46-3 Identificatio EC number: 284-535-7 Dangerous of CAS Number 89-83-8 	Description Thymus vulgaris L. n number(s) components: thymol EC number: 201-944-8 Skin Corr. 1B - H314, Eye Dam. 1 - H318; ↑ Acute Tox. 4 - H302; ↓ Aquatic Chronic 2 - H411	50,001-100
 3.1 Substance CAS No. 8007-46-3 Identificatio EC number: 284-535-7 Dangerous of CAS Number 	Description Thymus vulgaris L. n number(s) components: thymol EC number: 201-944-8 ♦ Skin Corr. 1B - H314, Eye Dam. 1 - H318; ↑ Acute Tox. 4 - H302; ↓ Aquatic Chronic 2 - H411 p-cymene	
 3.1 Substance CAS No. 8007-46-3 Identificatio EC number: 284-535-7 Dangerous of CAS Number 89-83-8 	Description Thymus vulgaris L. n number(s) components: thymol EC number: 201-944-8 ♦ Skin Corr. 1B - H314, Eye Dam. 1 - H318; ↑ Acute Tox. 4 - H302; ↓ Aquatic Chronic 2 - H411 p-cymene EC number: 202-796-7	50,001-100
 3.1 Substance CAS No. 8007-46-3 Identificatio EC number: 284-535-7 Dangerous of CAS Number 89-83-8 	Description Thymus vulgaris L. n number(s) components: thymol EC number: 201-944-8 ♦ Skin Corr. 1B - H314, Eye Dam. 1 - H318; ↑ Acute Tox. 4 - H302; ♦ Aquatic Chronic 2 - H411 p-cymene EC number: 202-796-7 ♦ Acute Tox. 3 - H331; ♦ Asp. Tox. 1	50,001-100
 3.1 Substance CAS No. 8007-46-3 Identificatio EC number: 284-535-7 Dangerous of CAS Number 89-83-8 	Description Thymus vulgaris L. n number(s) components: thymol EC number: 201-944-8 Skin Corr. 1B - H314, Eye Dam. 1 - H318; Acute Tox. 4 - H302; Aquatic Chronic 2 - H411 p-cymene EC number: 202-796-7 Acute Tox. 3 - H331; Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; 	50,001-100
 3.1 Substance CAS No. 8007-46-3 Identificatio EC number: 284-535-7 Dangerous of CAS Number 89-83-8 	Description Thymus vulgaris L. n number(s) components: thymol EC number: 201-944-8 ♦ Skin Corr. 1B - H314, Eye Dam. 1 - H318; ♦ Acute Tox. 4 - H302; ♦ Aquatic Chronic 2 - H411 p-cymene EC number: 202-796-7 ♦ Acute Tox. 3 - H331; ♦ Asp. Tox. 1 - H304; ♦ Flam. Liq. 3 - H226; ♦ Aquatic Chronic 2 - H411	50,001-100 20,001-50,00
3.1 Substance CAS No. 8007-46-3 • Identificatio • EC number: 284-535-7 • Dangerous of CAS Number 89-83-8	Description Thymus vulgaris L. n number(s) components: thymol EC number: 201-944-8 Skin Corr. 1B - H314, Eye Dam. 1 - H318; Acute Tox. 4 - H302; Aquatic Chronic 2 - H411 p-cymene EC number: 202-796-7 Acute Tox. 3 - H331; Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; 	50,001-100
3.1 Substance CAS No. 8007-46-3 • Identificatio • EC number: 284-535-7 • Dangerous of CAS Number 89-83-8	Description Thymus vulgaris L. In number(s) components: thymol EC number: 201-944-8 أ Skin Corr. 1B - H314, Eye Dam. 1 - H318; $أ$ Acute Tox. 4 - H302; $∮$ Aquatic Chronic 2 - H411 p-cymene EC number: 202-796-7 ∲ Acute Tox. 3 - H331; $∲$ Asp. Tox. 1 - H304; $∲$ Flam. Liq. 3 - H226; $∮$ Aquatic Chronic 2 - H411 p-Mentha-1,4-diene	50,001-100 20,001-50,00
3.1 Substance CAS No. 8007-46-3 • Identificatio • EC number: 284-535-7 • Dangerous of CAS Number 89-83-8	Description Thymus vulgaris L. In number(s) components: thymol EC number: 201-944-8 أ Skin Corr. 1B - H314, Eye Dam. 1 - H318; $أ$ Acute Tox. 4 - H302; $∮$ Aquatic Chronic 2 - H411 p-cymene EC number: 202-796-7 ∲ Acute Tox. 3 - H331; $∲$ Asp. Tox. 1 - H304; $∲$ Flam. Liq. 3 - H226; $∮$ Aquatic Chronic 2 - H411 p-Mentha-1,4-diene EC number: 202-794-6	50,001-100 20,001-50,00 20,001-50,00
3.1 Substance CAS No. 8007-46-3 • Identificatio • EC number: 284-535-7 • Dangerous of CAS Number 89-83-8	SDescription Thymus vulgaris L. n number(s)components:thymolEC number: 201-944-8< $♦$ $♦$ Skin Corr. 1B - H314, Eye Dam. 1 - H318; $♦$ Aquatic Chronic 2 - H411 p-cymeneEC number: 202-796-7 $♦$ Acute Tox. 3 - H331; $♦$ Asp. Tox. 1 - H304; $♦$ Flam. Liq. 3 - H226; $♦$ Aquatic Chronic 2 - H411 p-Mentha-1,4-dieneEC number: 202-794-6 $♦$ Asp. Tox. 1 - H304; $♦$ Flam. Liq. 3 + H226carvacrol	50,001-100 20,001-50,00
 3.1 Substance CAS No. 8007-46-3 Identificatio EC number: 284-535-7 Dangerous of CAS Number 89-83-8 99-87-6 99-85-4 	SDescription Thymus vulgaris L. n number(s)components:thymolEC number: 201-944-8< $♦$ $♦$ Skin Corr. 1B - H314, Eye Dam. 1 - H318; $♦$ Acute Tox. 4 - H302; $♦$ Aquatic Chronic 2 - H411 p-cymeneEC number: 202-796-7 $♦$ Acute Tox. 3 - H331; $♦$ Asp. Tox. 1 - H304; $♦$ Flam. Liq. 3 - H226; $♦$ Aquatic Chronic 2 - H411 p-Mentha-1,4-dieneEC number: 202-794-6 $♦$ Asp. Tox. 1 - H304; $♦$ Flam. Liq. 3 - H226carvacrol EC number: 207-889-6	50,001-100 20,001-50,00 20,001-50,00
 3.1 Substance CAS No. 8007-46-3 Identificatio EC number: 284-535-7 Dangerous of CAS Number 89-83-8 99-87-6 99-85-4 	SDescription Thymus vulgaris L. n number(s)components:thymolEC number: 201-944-8< $♦$ $♦$ Skin Corr. 1B - H314, Eye Dam. 1 - H318; $♦$ Aquatic Chronic 2 - H411 p-cymeneEC number: 202-796-7 $♦$ Acute Tox. 3 - H331; $♦$ Asp. Tox. 1 - H304; $♦$ Flam. Liq. 3 - H226; $♦$ Aquatic Chronic 2 - H411 p-Mentha-1,4-dieneEC number: 202-794-6 $♦$ Asp. Tox. 1 - H304; $♦$ Flam. Liq. 3 + H226carvacrol	50,001-100 20,001-50,00 20,001-50,00



2611401

			Printing date: 02.08.202
	PRODUCT :	THYME Thymol France ORG OIL	
			(continued of page 2)
*		H317	
*	78-70-6	LINALOOL	5,001-10,00
*		EC number: 201-134-4	
		Skin Irrit. 2 - H315, Eye Irrit. 2 -	
*	87-44-5	H319, Skin Sens. 1B - H317 BETA-CARYOPHYLLENE	F 001 10 00
*	07-44-5	EC number: 201-746-1	5,001-10,00
*		Asp. Tox. 1 - H304; Skin Sens.	
*		1B - H317	
*	470-82-6	Eucalyptol	1,001- 5,000
*		EC number: 207-431-5	
*		🚸 Flam. Liq. 3 - H226; 안 Skin Sens.	
*		1B - H317	
*	562-74-3	p-Menth-1-en-4-ol	1,001- 5,000
*		EC number: 209-235-5	
*		🚸 Acute Tox. 4 - H302, Acute Tox. 4 -	
*		H332, Skin Irrit. 2 - H315, Eye Irrit. 2 -	
*		H319, Skin Sens. 1B - H317, STOT SE 3 - H336	
*	3391-86-4	1-Octen-3-ol	1,001- 5,000
*		EC number: 222-226-0	
*		Acute Tox. 4 - H302, Acute Tox. 4 -	
*		H332, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319; 🊸 Aquatic Acute 1 - H400 (M=1)	
*	123-35-3	Myrcene	1,001- 5,000
*		EC number: 204-622-5	
*		🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
*		- H226; 🚸 Skin Irrit. 2 - H315, Eye	
*		Irrit. 2 - H319	
*	80-56-8	ALPHA-PINENE	1,001- 5,000
*		EC number: 201-291-9	
*		🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
*		- H226; 🚸 Acute Tox. 4 - H302, Skin	
*		Irrit. 2 - H315, Skin Sens. 1B - H317	
*	99-86-5	1-isopropyl-4-methylcyclohexa-1,3-diene	1,001- 5,000
*		EC number: 202-795-1 � Asp. Tox. 1 - H304; � Flam. Liq. 3	
*		- H226; (*) Acute Tox. 4 - H302, Skin	
		- H226; V Acute Tox. 4 - H302, Skin Sens. 1 - H317; V Aquatic Chronic 2 -	
Î.			
*			
*	586-62-9	TERPINOLENE EC number: 209-578-0	1,001- 5,000
*		 Asp. Tox. 1 - H304; Skin Sens. 	
*		1B - H317; 4 Aquatic Acute 1 - H400	
*			
*	507-70-0	(M=1), Aquatic Chronic 1 - H410 (M=1) I-Borneol	1,001- 5,000
*	507-70-0	EC number: 208-080-0	1,001- 3,000
*		Flam. Sol. 2 - H228; Skin Irrit.	
*		2 - H315	
*	115-95-7		1,001- 5,000
*		EC number: 204-116-4	
			(continued on page 4)



2611401

Reviewed on: 02.08.2024 Printing date: 02.08.2024

PRODUCT :	THYME Thymol France ORG OIL	
		(continued of page 3)
*	🚸 Skin Irrit. 2 - H315, Eye Irrit. 2 -	
*	H319, Skin Sens. 1 - H317	
* 79-92-5	camphene	1,001- 5,000
*	EC number: 201-234-8	
*	🚸 Flam. Sol. 1 - H228; 🕚 Eye Irrit.	
*	2 - H319; 🚸 Aquatic Acute 1 - H400 (M=1)	
*	, Aquatic Chronic 1 - H410 (M=1)	
* 1139-30-6	Caryophyllene oxide	1,001- 5,000
*	EC number: 214-519-7	
*	Aquatic Chronic 2 - H411	
* 106-24-1	GERANIOL	1,001- 5,000
*	EC number: 203-377-1	
*	🍄 Eye Dam. 1 - H318; 🕐 Skin Irrit. 2	
*	- H315, Skin Sens. 1 - H317	
* 99-83-2	Alpha phellandrene	0,101-1,000
*	EC number: 202-792-5	
*	🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
*	- H226	
* 127-91-3	BETA-PINENE	0,101-1,000
*	EC number: 204-872-5	
	Asp. Tox. 1 - H304; Slam. Liq. 3	
*	- H226; 🔶 Skin Irrit. 2 - H315, Skin	
*	Sens. 1B - H317	
* 98-55-5	p-menth-1-en-8-ol	0,101-1,000
*	EC number: 202-680-6	
*	🚸 Skin Irrit. 2 - H315, Eye Irrit. 2 -	
*	H319	
* 5989-27-5	d-limonene	0,101-1,000
*	EC number: 227-813-5 � Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
*	- H226; 🔶 Skin Irrit. 2 - H315, Skin	
*	Sens. 1B - H317; 🌜 Aquatic Acute 1 -	
*	H400 (M=1); Aquatic Chronic 3 - H412	
* 5392-40-5	CITRAL	0,101-1,000
*	EC number: 226-394-6	
*	🕚 Skin Irrit. 2 - H315, Eye Irrit. 2 -	
*	H319, Skin Sens. 1B - H317	
* 13466-78-9		0,101-1,000
*	EC number: 236-719-3	
<u>^</u>	liq. 3 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
*	- H226; \land Skin Irrit. 2 - H315, Skin	
*	Sens. 1B - H317	

SECTION 04: First aid measures

4.1 Description of first aid measures • General information: Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. Seek immediate medical advice. (continued on page 5)



2611401

Reviewed on: 02.08.2024

PRODUCT : THYME Thymol France ORG OIL	
	(continued of page 4)
 After inhalation: In case of unconsciousness place patient stably in side position for transporta 	tion.
After skin contact:	
If skin irritation continues, consult a doctor.	
Immediately wash with water and soap and rinse thoroughly.	
 After eye contact: Rinse opened eye for several minutes under running water. If symptoms persi 	ist consult a doctor
 After swallowing: 	
Call for a doctor immediately.	
Drink plenty of water and provide fresh air. Call for a doctor immediately.	
Information for doctor:	
4.2 Most important symptoms and effects, both acute and delayed	
No further relevant information available.	
4.3 Indication of any immediate medical attention and special treatme No further relevant information available.	ent needed
No further relevant information available.	
SECTION 05: Firefighting measures	
5.1 Extinguishing media	
Suitable extinguishing agents:	
CO2, sand, extinguishing powder. Do not use water.	
Use fire extinguishing methods suitable to surrounding conditions.	
 For safety reasons unsuitable extinguishing agents: Water with full jet 	
Water with full jet	
5.2 Special hazards arising from the substance or mixture	
Formation of toxic gases is possible during heating or in case of fire.	
E 2 Advice for fireficktore	
5.3 Advice for firefightersProtective equipment:	
Do not inhale explosion gases or combustion gases.	
 Additional information 	
Cool endangered receptacles with water spray.	
SECTION 06: Accidental release measures	
6.1 Personal precautions, protective equipment and emergency proceed	dures
Wear protective equipment. Keep unprotected persons away.	
Ensure adequate ventilation	
Keep away from ignition sources.	
6.2 Environmental precautions:	
Do not allow product to reach sewage system or any water course.	
Inform respective authorities in case of seepage into water course or sewage sys	tem.
6.3 Mothods and material for containment and cleaning up	
6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
6.4 Reference to other sections	
See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
·	
CCTION 07. Handling and storn ge	
SECTION 07: Handling and storage	
7.1 Precautions for safe handling	
Keep receptacles tightly sealed.	
Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace.	

Ensure good ventilation/exhaustion at the workplace.
Handle with care. Avoid jolting, friction and impact.
Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

(continued on page 6)



2611401

PRODUCT : THYME Thymol France ORG OIL
(continued of page 5)
7.2 Conditions for safe storage, including any incompatibilities
Storage:
 Requirements to be met by storerooms and receptacles:
Store only in the original receptacle.
Prevent any seepage into the ground.
Use only receptacles specifically permitted for this substance/ product.
 Information about storage in one common storage facility:
Not required.
Further information about storage conditions:
Keep container tightly sealed. Protect from heat and direct sunlight.
Store receptacle in a well ventilated area.
7.3 Specific end use(s)
No further relevant information available.
CECTION 0.9. Europeuro controle/nerround protection
SECTION 08: Exposure controls/personal protection
8.1 Control parameters
 Ingredients with limit values that require monitoring at the workplace:
Not required.
Additional information:
The lists valid during the making were used as basis.
8.2 Exposure controls
 Individual protection measures, such as personal protective equipment
General protective and hygienic measures:
The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the skin.
Avoid contact with the eyes.
Respiratory protection:
Use suitable respiratory protective device in case of insufficient ventilation.
Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
 Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and
varies from manufacturer to manufacturer.
Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be
observed.
Eye/face protection
Safety glasses
Safety glasses
Body protection:
Impervious protective clothing
Boots

9.1 Information on basic physical and chemic General Information	cal properties	
Physical state	Fluid	
Colour:	yellow to amber	
Odour:	herbal	
Odour threshold:	Not determined.	
Boiling point or initial boiling point and boiling range	Not determined.	



2611401

Printing date	e: 02.08.2024
---------------	---------------

	(continued of page
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	55,0 °C NFT 60-103 CC
Decomposition temperature:	Not determined.
PH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not determined.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	0,8950 0,935 D20/20
Vapour density	Not determined.
9.2 Other information	No further relevant information available.
Appearance:	
Form:	fluid
mportant information on protection of health	
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Solvent content:	
Solids content:	0,00 %
Change in condition	0,00 /0
-	N () ()
Evaporation rate	Not determined.
nformation with regard to physical hazard c	
Explosives	not applicable
Flammable gases	not applicable
Aerosols	not applicable
Oxidising gases	not applicable
Gases under pressure	not applicable
Flammable liquids	Flammable liquid and vapour.
Flammable solids	not applicable
Self-reactive substances and mixtures	not applicable
Pyrophoric liquids	not applicable
Pyrophoric solids	not applicable
Self-heating substances and mixtures	not applicable
Substances and mixtures, which emit flammable gases in contact with water	not applicable
Oxidising liquids	not applicable
Oxidising solids	not applicable
Organic peroxides	not applicable
Corrosive to metals	not applicable
Desensitised explosives	not applicable



2611401

Reviewed on: 02.08.2024

Printing	date:	02.08.2024

			(continued of page 7
SECTION 10	: Stability and reactivity		
10.1 Reac No further r	tivity elevant information available.		
10.2 Chen	nical stability		
	bility of hazardous reactions us reactions known.		
	itions to avoid elevant information available.		
	npatible materials: elevant information available.		
10.6 Haza Not determi	rdous decomposition products: ned.		
SECTION 11	: Toxicological information		
11.1 Infor • Acute to	mation on hazard classes as defined in Regulation (EC) oxicity	No 1272/2008	
	if swallowed.) values relevant for classification:		
	Thymus vulgaris L. 50: 4700 mg/kg (rat) LD50: >=5000 mg/kg (Rabbit)	ISO LD/LC	
89-83-8	thymol 50: 980 mg/kg (rat)		
499-75-2	carvacrol 50: 810 mg/kg (rat)		
,	LINALOOL 50: 2790 mg/kg (rat) LD50: 5610 mg/kg (Rabbit)		
87-44-5	BETA-CARYOPHYLLENE 50: > 5000 mg/kg (rat) (Hart and Wong 1971)		
	Eucalyptol 50: 3849 mg/kg (mouse) (Jiao Xu, 2014)		
3391-86-4 Oral, LD! Dermal,	1-Octen-3-ol 50: 340 mg/kg (rat) LD50: 3300 mg/kg (Rabbit)		
99-86-5 Oral, LD!	ALPHA-TERPINENE 50: 1680 mg/kg (ATE)		
79-92-5 Oral, LD! Dermal,	camphene 50: 5000 mg/kg (rat) LD50: 2500 mg/kg (Rabbit)		
1139-30-6	Caryophyllene oxide 50: >5000 mg/kg (rat) (Moreno 1978)		
99-83-2 Oral, LD!	Alpha phellandrene 50: > 5700 mg/kg (rat) (Moreno 1972)		
	p-menth-1-en-8-ol 50: 4300 mg/kg (rat)		
	(R)-p-mentha-1,8-diene 50: 4400 mg/kg (rat) CITRAL		
5392-40-5 Oral, LD 13466-78-9	50: 4960 mg/kg (rat)		
Oral, LD! • Primary	50: 4800 mg/kg (rat) (Moreno 1975) irritant effect:		
	rosion/irritation austic effect on skin and mucous membranes. evere skin burns and eye damage.		



2611401

	-	
	PRODUCT : THYME Thymol France ORG OIL	
*	 Serious eye damage/irritation Strong caustic effect. Strong irritant with the danger of severe eye injury. Causes serious eye damage. Respiratory or skin sensitisation Sensitization possible through skin contact. Germ cell mutagenicity 	
*	78-70-6 LINALOOL OECD 471 AMES: NEGATIVE (in vitro) (Letizia and al., 2007)	
*	87-44-5 BETA-CARYOPHYLLENE OECD 471 AMES: NEGATIVE (in vitro) (Heck and al., 1989)	
	470-82-6 Eucalyptol OECD 471 AMES: NEGATIVE (in vitro) (Haworth, 1983)	
*	115-95-7LINALYL ACETATEOECD 471 AMES: NEGATIVE (in vitro) (RIFM 1989)	
	1139-30-6Caryophyllene oxideOECD 471 AMES: NEGATIVE (in vitro) (Richold and al, 1979)• Carcinogenicity	
*	 78-70-6 LINALOOL Micronoyau: NEGATIVE (mouse) (in vivo, Letizia and al., 2007) Micronoyau: NEGATIVE (in vitro) (DiSotto and al., 2011) Reproductive toxicity Not determined. STOT-single exposure Not determined. STOT-repeated exposure Not determined. STOT-repeated exposure Not determined. Aspiration hazard May be fatal if swallowed and enters airways. May be fatal if swallowed and enters airways. Subacute to chronic toxicity: 	
*	78-70-6 LINALOOL Oral, NOAEL: 200 mg/kg (rat) (maternal toxicity, Politano and al., 2008)	
*	87-44-5 BETA-CARYOPHYLLENE Oral, NOAEL: 700 mg/kg (rat) (90 days Schmitt 2016)	
*	 115-95-7 LINALYL ACETATE Oral, NOAEL: 250 mg/kg (rat) (90days, RIFM 1980) Additional toxicological information: Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach. 	
* * *	 11.2 Information on other hazards Endocrine disrupting properties None of the ingredients is listed. 	

	12.1 Toxicity	
	Aquatic toxicity:	
	8007-46-3 Thymus vulgaris L. CE50/48h: 21,995 mg/l (daphnia) (OECD 202 / EU Method C.2) ErC50(0-72h): 13 mg/l (algae) (OECD 201) 96h-LC50: 29,173 mg/l (fish) (OECD 203 / EU Method C.1)	
	99-87-6 p-cymene LD50: 1,63 mg/l (fish) (OECD 203)	
*	78-70-6 LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991) ErC50(0-72h): 156,7 mg/l (algae) ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202)	
	123-35-3 Myrcene LD50: 0,51 mg/l (fish) (OECD 203) CE50/48h: 0,65 mg/l (daphnia)	
*	115-95-7 ErC50(0-72h): 9,6 mg/l (algae) (RIFM 2015) ErC50(0-48h): 15 mg/l (daphnia) (RIFM 2015)	
		(continued on page 10)



2611401

Reviewed on: 02.08.2024 Printing date: 02.08.2024

(continued on page 11)

	Printing date: 02.08.20
PRODUCT : THYME Thyn	nol France ORG OIL
 $06h \downarrow CE0, 11 mg/l (fish) (DI$	(continued of page 9)
96h-LC50: 11 mg/l (fish) (RI 5989-27-5 (R)-p-me	ntha-1,8-diene
LD50: 0,71 mg/l (fish) (OECl	
12.2 Persistence and degra	dability
No further relevant information	
 Behaviour in environmen Not determined. 	tal systems:
12.3 Bioaccumulative poten No further relevant information	
12.4 Mobility in soil	
No further relevant information	available.
12.5 Results of PBT and vPv • PBT:	/B assessment
Not applicable.	
• vPvB:	
Not applicable. 12.6 Endocrine disrupting p	roperties
	bstances with endocrine disrupting properties.
12.6 Other adverse effects	
No further relevant informationEcotoxical effects:	available.
Not determined.	
Remark:	
Toxic for fishAdditional ecological info	mation
 General notes: 	maton.
Toxic for aquatic organisms	
The material is harmful to th	e environment.
SECTION 13: Disposal con	siderations
13.1 Waste treatment meth	ods
 Recommendation Must be specially treated adh 	pering to official regulations
Uncleaned packaging:	
 Recommendation: 	
Disposal must be made acco	rding to official regulations.
SECTION 14: Transport inf	
14.1 UN number or ID num . ADR	ber UN2924
IMDG	UN2924
	UN2924
14.2 UN proper shipping na	
. ADR	2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS VULGARIS L.)
IMDG	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS VULGARIS L.)
. IATA	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMUS VULGARIS L.)
14.3 Transport hazard class . ADR	(es)

- . ADR
- . Class 3 (FC) Flammable liquids.





2611401

Reviewed on: 02.08.2024 Printing date: 02.08.2024

RODUCT : THYME Thym	ol France ORG OIL	
		(continued of page 10
Label		^
	3 8	\sim
IMDG	 ▼ ▼ 	\checkmark
	3 Flammable liquids.	
Label	3 1 animable ilquids.	
	Å Å	\wedge
		Ar.
		$\langle \mathbf{T}_{\mathbf{y}} \rangle$
		\sim
IATA		
Class	3 Flammable liquids.	
Label	3 8	
	V	
14.4 Packing group		
ADR	III 	
IMDG	III 	
. IATA	III	
14.5 Environmental hazards		
. Marine pollutant:	Yes	
14.6 Special precautions for	ecial precautions for user	
Warning: Flammable liquids. Danger code (Kemler):	38	
EMS Number:	F-E,S-C	
EWG Number.	1-2,3-0	
14.7 Maritime transport in b	ulk according to IMO instruments	
Not applicable.	J	
 Transport/Additional information 	nation	
ADR	nauon.	
Excepted quantities (EQ):	E1	
Limited quantities (LQ)	5L	
Transport category	3	
. Tunnel restriction code	D/E	
. IMDG		
Limited quantities (LQ)	5L	
Excepted quantities (EQ)	E1	
UN "Model Regulation":		
	CORROSIVE, N.O.S. (THYMUS VULGARIS L), 3
(8), III, ENVIRONMENTALLY		

(continued on page 12)



2611401

Reviewed on: 02.08.2024

neviewed on.	02.00.2024
Printing date:	02.08.2024

of ottonet	(continued of page 11)		
	5: Regulatory information		
 DIRECT and ele None of REGUL Annex 	ty, health and environmental regulations/legislation specific for the substance or mixture IVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical ctronic equipment - Annex II the ingredients is listed. ATION (EU) 2019/1148 I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing Article 5(3))		
	the ingredients is listed.		
	II - REPORTABLE EXPLOSIVES PRECURSORS the ingredients is listed.		
 Regula 	ion (EC) No 273/2004 on drug precursors		
None of the ingredients is listed. • Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the			
Commu	the ingredients is listed.		
Nationa	I regulations:		
	al instructions (air):		
• Class S I	hare in % 0,50		
 Waterh 	azard class:		
	y not hazardous for water.		
	nical safety assessment:		
A Chemical	Safety Assessment has not been carried out.		
The inform information to be cons areas there not be value	5: Other information ation in this safety data sheet is based on the state of our knowledge at the date indicated. The in this sheet must be regarded as a description of the safety requirements for the product, they are not dered a warranty or quality specification and have no contractual value on properties and application of. The information contained in this safety data sheet relate to the specific material designated and may d with respect to the product associated with another product or process, unless it is specified in the text		
The inform information to be cons areas there not be valid of this doct The require applying al	ation in this safety data sheet is based on the state of our knowledge at the date indicated. The in this sheet must be regarded as a description of the safety requirements for the product, they are not dered a warranty or quality specification and have no contractual value on properties and application of. The information contained in this safety data sheet relate to the specific material designated and may d with respect to the product associated with another product or process, unless it is specified in the text iment. ad information complies with EU regulations in force. It does not exempt the user from knowing and t the national regulations in force. It phrases Flammable liquid and vapour. Flammable solid. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause are old mage. Causes serious eye irritation. Toxic if inhaled. Harmful if inhaled. May cause drowsiness or dizziness. Very toxic to aquatic life. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects.		
The inform information to be cons areas there not be vali of this doct The require applying al • Releval H226 H228 H302 H304 H314 H315 H317 H318 H319 H331 H332 H336 H400 H411 H412 • Training Minimur purpose	ation in this safety data sheet is based on the state of our knowledge at the date indicated. The in this sheet must be regarded as a description of the safety requirements for the product, they are not dered a warranty or quality specification and have no contractual value on properties and application of. The information contained in this safety data sheet relate to the specific material designated and may d with respect to the product associated with another product or process, unless it is specified in the text iment. ad information complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force. t phrases Flammable liquid and vapour. Flammable solid. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage. Causes serious eye damage. Causes serious eye damage. Causes serious eye damage. Causes serious eye irritation. Toxic if inhaled. May cause an allergic skin reaction. Causes serious eye irritation. Toxic if inhaled. May cause drowsiness or dizziness. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquat		
The inform information to be cons areas there not be valid of this doct The require applying al • Releval H304 H314 H315 H317 H318 H319 H331 H332 H336 H400 H410 H411 H412 • Training Minimur purpose labeling	ation in this safety data sheet is based on the state of our knowledge at the date indicated. The in this sheet must be regarded as a description of the safety requirements for the product, they are not dered a warranty or quality specification and have no contractual value on properties and application of. The information contained in this safety data sheet relate to the specific material designated and may d with respect to the product associated with another product or process, unless it is specified in the text ment. ad information complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force. It phrases Flammable liquid and vapour. Flammable solid. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye damage. Causes serious eye damage. Causes serious eye irritation. Toxic if inhaled. Harmful if inhaled. May cause drowsiness or dizziness. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.		
The information information to be cons areas there not be valid of this doct The require applying al • Relevat H226 H228 H302 H304 H314 H315 H317 H318 H319 H331 H332 H336 H400 H410 H411 H412 • Training Minimur purpose labeling • Abbrev IFRA:In	ation in this safety data sheet is based on the state of our knowledge at the date indicated. The in this sheet must be regarded as a description of the safety requirements for the product, they are not dered a warranty or quality specification and have no contractual value on properties and application of. The information contained in this safety data sheet relate to the specific material designated and may d with respect to the product associated with another product or process, unless it is specified in the text ment. ed information complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force. It phrases Flammable liquid and vapour. Flammable solid. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage. Causes severe skin burns and eye damage. Causes serious eye damage. Causes serious eye damage. Causes serious eye irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness or dizziness. Very toxic to aquatic life. Very toxic to aquatic life. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic of quatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Itaring in occupational risk prevention is recommended for personnel who will handle this product, in the of facilitating the understanding and interpretation of this form of safety data in the same way as th of facilitating the understanding and interpretation of this form of safety data in the same way as th of the product.		
The inform information to be cons areas there not be vali of this doct The require applying al • Releval H226 H228 H302 H304 H314 H315 H317 H318 H319 H331 H332 H336 H400 H410 H411 H412 • Trainin- Minimur purpose labeling • Abbrev IFRA:In ADR: Ac the Inte	ation in this safety data sheet is based on the state of our knowledge at the date indicated. The in this sheet must be regarded as a description of the safety requirements for the product, they are not dered a warranty or quality specification and have no contractual value on properties and application of. The information contained in this safety data sheet relate to the specific material designated and may d with respect to the product associated with another product or process, unless it is specified in the text imment. d information complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force. It phrases Flammable liquid and vapour. Flammable solid. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage. Causes serious eye damage. Causes serious eye inritation. May cause an allergic skin reaction. Causes serious eye inritation. Toxic if inhaled. Harmful if inhaled. May cause drowsiness or dizziness. Very toxic to aquatic life. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. It raining in occupational risk prevention is recommended for personnel who will handle this product, in the of facilitating the understanding and interpretation of this form of safety data in the same way as th of the product. iations and acronyms: remational Fragrance Association IOFI:International Organization of the Flavor Industry cord européen sur le transport des marchandises dangereuses par Route (European Agreemen		
The information information to be cons areas there not be valid of this doct The require applying al • Releval H226 H228 H302 H304 H314 H315 H317 H318 H319 H331 H332 H336 H400 H410 H411 H412 • Training Minimur purpose labeling • Abbrev IFRA:In ADR: Ac the Inte RID: Rè	ation in this safety data sheet is based on the state of our knowledge at the date indicated. The in this sheet must be regarded as a description of the safety requirements for the product, they are not dered a warranty or quality specification and have no contractual value on properties and application of. The information contained in this safety data sheet relate to the specific material designated and may d with respect to the product associated with another product or process, unless it is specified in the text iment. d information complies with EU regulations in force. It does not exempt the user from knowing and the national regulations in force. It phrases Flammable liquid and vapour. Flammable solid. Harmful if swallowed. May be fatal if swallowed and enters airways. Causes severe skin burns and eye damage. Causes series use damage. Causes series use damage. Causes series use damage. Causes serious eye irritation. Toxic if inhaled. May cause an allergic skin reaction. Causes serious eye irritation. Toxic if inhaled. May cause drowsiness or dizziness. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long la		



2611401

CT: THYME Thymol France ORG OIL	
IDG: International Maritime Code for Dangerous Goods DT: US Department of Transportation TA: International Air Transport Association AO: International Civil Aviation Organisation 15: Globally Harmonised System of Classification and Labelling of Chemicals NECS: European Inventory of Existing Commercial Chemical Substances INCS: European List of Notified Chemical Substances SS: Chemical Abstracts Service (division of the American Chemical Society) 250: Lethal concentration, 50 percent 550: Lethal dose, 50 percent TI: Persistent, Bioaccumulative and Toxic vB: very Persistent and very Bioaccumulative	(continued of page 12)
ources RA/IOFI Labelling Manual,REACH registration dossier,supplier information Data compared to the previous version altered.	
	 G: International Maritime Code for Dangerous Goods T: US Department of Transportation A: International Air Transport Association O: International Civil Aviation Organisation Globally Harmonised System of Classification and Labelling of Chemicals ECS: European Inventory of Existing Commercial Chemical Substances NCS: European List of Notified Chemical Substances C: Chemical Abstracts Service (division of the American Chemical Society) O: Lethal dose, 50 percent Persistent, Bioaccumulative and Toxic B: very Persistent and very Bioaccumulative