

2800500

Reviewed on: 13.03.2023
Printing date: 13.03.2023

PRODUCT : YLANG MADAGASC III ORG OIL FFL

(continued of page 1)

P264 Wash thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

2.3 Other hazards

- Results of PBT and vPvB assessment
- PBT:
Not applicable.
- vPvB:
Not applicable.
- Determination of endocrine-disrupting properties
Substance is not listed.

SECTION 03: Composition/information on ingredients

3.1 Substances

CAS No. Description
8006-81-3 Cananga odorata (Lam.) Hook. f. et Thomson, forma genuina

- Identification number(s)
- EC number:
947-049-2

• Dangerous components:

CAS Number		%
87-44-5	beta-Caryophyllene EC number: 201-746-1 ⚠ Asp. Tox. 1 - H304; ⚠ Skin Sens. 1B - H317	10,001-20,00
120-51-4	Benzyl benzoate EC number: 204-402-9 ⚠ Acute Tox. 4 - H302; ⚠ Aquatic Acute 1 - H400, Aquatic Chronic 2 - H411	10,001-20,00
105-87-3	Geranyl acetate EC number: 203-341-5 ⚠ Skin Irrit. 2 - H315, Skin Sens. 1B - H317; Aquatic Chronic 3 - H412	5,001-10,00
4602-84-0	Farnesol EC number: 225-004-1 ⚠ Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317	1,001- 5,00
118-58-1	benzyl salicylate EC number: 204-262-9 ⚠ Skin Sens. 1 - H317; Aquatic Chronic 3 - H412	1,001- 5,00
140-11-4	benzyl acetate EC number: 205-399-7 Aquatic Chronic 3 - H412	1,001- 5,00
78-70-6	Linalool EC number: 201-134-4 ⚠ Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317	1,001- 5,00
104-93-8	p-Methylanisole EC number: 203-253-7 ⚠ Acute Tox. 4 - H302, Skin Irrit. 2 -	1,001- 5,00


















(continued on page 3)

2800500

Reviewed on: 13.03.2023
Printing date: 13.03.2023

PRODUCT : YLANG MADAGASC III ORG OIL FFL

(continued of page 2)

93-58-3	H315;  Repr. 2 - H361 methyl benzoate EC number: 202-259-7  Acute Tox. 4 - H302	1,001- 5,00
1139-30-6	Caryophyllene oxide EC number: 214-519-7  Aquatic Chronic 2 - H411	1,001- 5,00
97-53-0	Eugenol EC number: 202-589-1  Eye Irrit. 2 - H319, Skin Sens. 1B - H317	0,101-1,00
106-24-1	geraniol EC number: 203-377-1  Eye Dam. 1 - H318;  Skin Irrit. 2 - H315, Skin Sens. 1 - H317	0,101-1,00
97-54-1	isoeugenol EC number: 202-590-7  Acute Tox. 4 - H302, Acute Tox. 4 - H312, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1A - H317; Skin Sens. 1A; H317: C >= 0,01 %	0,101-1,00
7212-44-4	Nerolidol (isomer unspecified) EC number: 230-597-5  Skin Sens. 1B - H317;  Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410	0,101-1,00
470-82-6	Eucalyptol EC number: 207-431-5  Flam. Liq. 3 - H226;  Skin Sens. 1B - H317	0,101-1,00
80-56-8	pin-2(3)-ene EC number: 201-291-9  Asp. Tox. 1 - H304;  Flam. Liq. 3 - H226;  Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317	0,101-1,00
127-91-3	beta-Pinene EC number: 204-872-5  Asp. Tox. 1 - H304;  Flam. Liq. 3 - H226;  Skin Irrit. 2 - H315, Skin Sens. 1B - H317	0,101-1,00

SECTION 04: First aid measures

4.1 Description of first aid measures

- General information:
Seek immediate medical advice.
- After inhalation:
Supply fresh air and to be sure call for a doctor.
- After skin contact:
If skin irritation continues, consult a doctor.
Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(continued on page 4)

CHEMICAL SAFETY DATA SHEET
according to 2020/878/EC (1907/2006/EC Article 31)

2800500

Reviewed on: 13.03.2023
Printing date: 13.03.2023**PRODUCT : YLANG MADAGASC III ORG OIL FFL***(continued of page 3)*

- After swallowing:
Seek immediate medical advice.
- Information for doctor:

4.2 Most important symptoms and effects, both acute and delayed
No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed
No further relevant information available.

SECTION 05: Firefighting measures**5.1 Extinguishing media**

- Suitable extinguishing agents:
CO₂, sand, extinguishing powder. Do not use water.
Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents:
Water with full jet

5.2 Special hazards arising from the substance or mixture
Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

- Protective equipment:
Do not inhale explosion gases or combustion gases.
- Additional information
Cool endangered receptacles with water spray.

SECTION 06: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources.

6.2 Environmental precautions:
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.

6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 07: Handling and storage**7.1 Precautions for safe handling**

Keep receptacles tightly sealed.
Keep away from heat and direct sunlight.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Handle with care. Avoid jolting, friction and impact.

- Information about fire - and explosion protection:
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities
Storage:

- Requirements to be met by storerooms and receptacles:
Store only in the original receptacle.
Prevent any seepage into the ground.

(continued on page 5)

2800500

Reviewed on: 13.03.2023
Printing date: 13.03.2023

PRODUCT : YLANG MADAGASC III ORG OIL FFL

(continued of page 4)

- Use only receptacles specifically permitted for this substance/ product.
- Information about storage in one common storage facility:
Not required.
- Further information about storage conditions:
Keep container tightly sealed.
Protect from heat and direct sunlight.
Store receptacle in a well ventilated area.

7.3 Specific end use(s)
No further relevant information available.

SECTION 08: Exposure controls/personal protection

8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:
Not required.
- Additional information:
The lists valid during the making were used as basis.

8.2 Exposure controls

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
Do not inhale dust / smoke / mist.
Avoid contact with the skin.
- Respiratory protection:
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye/face protection
Safety glasses

SECTION 09: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state	Fluid
Colour:	pale yellow to yellow
Odour:	floral
Odour threshold:	Not determined.
Boiling point or initial boiling point and boiling range	Not determined.
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.

(continued on page 6)

2800500

Reviewed on: 13.03.2023
Printing date: 13.03.2023

PRODUCT : YLANG MADAGASC III ORG OIL FFL

(continued of page 5)

Flash point:	78,0 °C NFT 60-103 CC
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not determined.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	0,9150 0,945 D20/20
Vapour density	Not determined.
9.2 Other information	No further relevant information available.
Appearance:	
Form:	liquid sometimes cloudy
Important information on protection of health and environment, and on safety.	
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Solvent content:	
Solids content:	0,00 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	not applicable
Flammable gases	not applicable
Aerosols	not applicable
Oxidising gases	not applicable
Gases under pressure	not applicable
Flammable liquids	not applicable
Flammable solids	not applicable
Self-reactive substances and mixtures	not applicable
Pyrophoric liquids	not applicable
Pyrophoric solids	not applicable
Self-heating substances and mixtures	not applicable
Substances and mixtures, which emit flammable gases in contact with water	not applicable
Oxidising liquids	not applicable
Oxidising solids	not applicable
Organic peroxides	not applicable
Corrosive to metals	not applicable
Desensitised explosives	not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions

No dangerous reactions known.

(continued on page 7)

2800500

Reviewed on: 13.03.2023
Printing date: 13.03.2023

PRODUCT : YLANG MADAGASC III ORG OIL FFL

(continued of page 6)

10.4 Conditions to avoid
No further relevant information available.

10.5 Incompatible materials:
No further relevant information available.

10.6 Hazardous decomposition products:
Not determined.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity
- LD/LC50 values relevant for classification:

ISO LD/LC

8006-81-3 Cananga odorata (Lam.) Hook. f. et Thomson, forma genuina

Oral, LD50: >=5000 mg/kg (rat)
Dermal, LD50: >=5000 mg/kg (Rabbit)

87-44-5 beta-Caryophyllene

Oral, LD50: > 5000 mg/kg (rat) (Hart and Wong 1971)

120-51-4 Benzyl benzoate

Oral, LD50: 1700 mg/kg (rat)
Oral, LD50: 3450 mg/kg (mouse) (Bier, 1979)
Dermal, LD50: 4000 mg/kg (Rabbit)

105-87-3 Geranyl acetate

Oral, LD50: >4000 mg/kg (rat) (NTP 1987)

4602-84-0 Farnesol

Oral, LD50: 20000 mg/kg (rat)
Dermal, LD50: 15000 mg/kg (rat)

140-11-4 benzyl acetate

Oral, LD50: 2490 mg/kg (rat) (INRS 2011)
Dermal, LD50: >5000 mg/kg (Rabbit) (INRS 2011)

78-70-6 Linalool

Oral, LD50: 2790 mg/kg (rat)
Dermal, LD50: 5610 mg/kg (Rabbit)

104-93-8 p-Methylanisole

Oral, LD50: 1920 mg/kg (rat)

93-58-3 methyl benzoate

Oral, LD50: 1177 mg/kg (rat)

1139-30-6 Caryophyllene oxide

Oral, LD50: >5000 mg/kg (rat) (Moreno 1978)

97-53-0 Eugenol

Oral, LD50: 1930 mg/kg (rat)

97-54-1 isoeugenol

Oral, LD50: 1560 mg/kg (rat)

7212-44-4 Nerolidol (isomer unspecified)

Oral, LD50: >5000 mg/kg (rat) (RIFM 1973)
Oral, LD50: 9626 mg/kg (mouse) (RIFM 1967)
Dermal, LD50: >5000 mg/kg (Rabbit) (RIFM 1973)

470-82-6 Eucalyptol

Oral, LD50: 3849 mg/kg (mouse) (Jiao Xu, 2014)

- Primary irritant effect:
- Skin corrosion/irritation
Irritant to skin and mucous membranes.
Causes skin irritation.
- Serious eye damage/irritation

7212-44-4 Nerolidol (isomer unspecified)

Irritation of eyes, OECD 405 DRAIZE: NOT CLASSIFIED (Rabbit) (RIFM 1967)

- Respiratory or skin sensitisation

120-51-4 Benzyl benzoate

Sensitisation, NESIL: 59000 ug/cm² (human being) (Standard IFRA)

(continued on page 8)

2800500

Reviewed on: 13.03.2023
Printing date: 13.03.2023

PRODUCT : YLANG MADAGASC III ORG OIL FFL

(continued of page 7)

- Germ cell mutagenicity
 - 87-44-5** **beta-Caryophyllene**
OECD 471 AMES: NEGATIVE (in vitro) (Heck and al., 1989)
 - 120-51-4** **Benzyl benzoate**
OECD 471 AMES: NEGATIVE (in vitro) (Schunk and al., 1986)
 - 105-87-3** **Geranyl acetate**
OECD 471 AMES: NEGATIVE (in vitro) (NTP 1987)
 - 140-11-4** **benzyl acetate**
OECD 471 AMES: NEGATIVE (in vitro) (Tennant and al., 1987)
 - 78-70-6** **Linalool**
OECD 471 AMES: NEGATIVE (in vitro) (Letizia and al., 2007)
 - 104-93-8** **p-Methylanisole**
OECD 471 AMES: NEGATIVE (in vitro) (RIFM 1984)
 - 1139-30-6** **Caryophyllene oxide**
OECD 471 AMES: NEGATIVE (in vitro) (Richold and al, 1979)
 - 470-82-6** **Eucalyptol**
OECD 471 AMES: NEGATIVE (in vitro) (Haworth, 1983)
- Carcinogenicity
 - 105-87-3** **Geranyl acetate**
Micronoyau: NEGATIVE (mouse) (in vivo, Shelby 1993)
 - 78-70-6** **Linalool**
Micronoyau: NEGATIVE (mouse) (in vivo, Letizia and al., 2007)
Micronoyau: NEGATIVE (in vitro) (DiSotto and al., 2011)
 - 104-93-8** **p-Methylanisole**
Micronoyau: NEGATIVE (mouse) (RIFM 2018)
- Reproductive toxicity
 - Not determined.
- STOT-single exposure
 - Not determined.
- STOT-repeated exposure
 - Not determined.
- Aspiration hazard
 - May be fatal if swallowed and enters airways.
 - May be fatal if swallowed and enters airways.
- Subacute to chronic toxicity:
 - 87-44-5** **beta-Caryophyllene**
Oral, NOAEL: 700 mg/kg (rat) (90 days Schmitt 2016)
 - 140-11-4** **benzyl acetate**
Oral, NOAEL: 14,5 mg/kg (rat) (2 years, NTP 1993)
 - 78-70-6** **Linalool**
Oral, NOAEL: 200 mg/kg (rat) (maternal toxicity, Politano and al., 2008)
 - 104-93-8** **p-Methylanisole**
Oral, NOAEL: 100 mg/kg (rat) (28 days, RIFM 2013)
- 11.2 Information on other hazards
- Endocrine disrupting properties
 - Substance is not listed.

SECTION 12: Ecological information

12.1 Toxicity

- Aquatic toxicity:
 - 8006-81-3** **Cananga odorata (Lam.) Hook. f. et Thomson, forma genuina**
CE50/48h: 11,2 mg/l (daphnia)
 - 140-11-4** **benzyl acetate**
ErC50(0-72h): 92 mg/l (algae) (RIFM 2017)
ErC50(0-48h): 37 mg/l (daphnia) (RIFM 2011)
96h-LC50: 4,6 mg/l (fish) (RIFM 1994)
 - 78-70-6** **Linalool**
LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991)
ErC50(0-72h): 156,7 mg/l (algae)
ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202)

(continued on page 9)

2800500

Reviewed on: 13.03.2023
Printing date: 13.03.2023

PRODUCT : YLANG MADAGASC III ORG OIL FFL

(continued of page 8)

104-93-8 p-Methylanisole
CE50/48h: 17 mg/l (daphnia) (RIFM 2018)
96h-LC50: 68,2 mg/l (fish) (RIFM 2018)

12.2 Persistence and degradability
No further relevant information available.
• Behaviour in environmental systems:
Not determined.

12.3 Bioaccumulative potential
No further relevant information available.

12.4 Mobility in soil
No further relevant information available.

12.5 Results of PBT and vPvB assessment
• PBT:
Not applicable.
• vPvB:
Not applicable.

12.6 Endocrine disrupting properties
The product does not contain substances with endocrine disrupting properties.

12.6 Other adverse effects
No further relevant information available.
• Ecotoxicological effects:
Not determined.
• Remark:
Toxic for fish
• Additional ecological information:
• General notes:
Toxic for aquatic organisms
The material is harmful to the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods
• Recommendation
Must be specially treated adhering to official regulations.
• Uncleaned packaging:
• Recommendation:
Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number
ADR UN3082
IMDG UN3082
IATA UN3082

14.2 UN proper shipping name
ADR 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(CANANGA ODORATA)
IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(CANANGA ODORATA)
IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(CANANGA ODORATA)

14.3 Transport hazard class(es)
ADR
Class 9 (M6) Miscellaneous dangerous substances and articles.

(continued on page 10)


2800500

Reviewed on: 13.03.2023
Printing date: 13.03.2023

PRODUCT : YLANG MADAGASC III ORG OIL FFL

(continued of page 9)

Label




IMDG

Class

9 Miscellaneous dangerous substances and articles.

Label




IATA

Class

9 Miscellaneous dangerous substances and articles.

Label



14.4 Packing group

ADR III

IMDG III

IATA III

14.5 Environmental hazards:

Marine pollutant: Yes

14.6 Special precautions for user

Warning: Miscellaneous dangerous substances and articles.

Danger code (Kemler): 90

EMS Number: F-A,S-F

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

• Transport/Additional information:

Not applicable.

ADR

Excepted quantities (EQ): E1

Limited quantities (LQ) 5L

Transport category 3

IMDG

Limited quantities (LQ) 5L

Excepted quantities (EQ) E1

• UN "Model Regulation":

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CANANGA ODORATA), 9, III

EU

(continued on page 11)

CHEMICAL SAFETY DATA SHEET
according to 2020/878/EC (1907/2006/EC Article 31)

2800500

 Reviewed on: 13.03.2023
 Printing date: 13.03.2023

PRODUCT : YLANG MADAGASC III ORG OIL FFL
(continued of page 10)
SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II
Substance is not listed.
 - REGULATION (EU) 2019/1148
 - Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
Substance is not listed.
 - Annex II - REPORTABLE EXPLOSIVES PRECURSORS
Substance is not listed.
 - Regulation (EC) No 273/2004 on drug precursors
Substance is not listed.
 - Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
Substance is not listed.

 - National regulations:

 - Waterhazard class:
Generally not hazardous for water.

15.2 Chemical safety assessment:
A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

- Relevant phrases

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

- Training hints
Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.

- Abbreviations and acronyms:
 IFRA: International Fragrance Association IOFI: International Organization of the Flavor Industry
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ICAO: International Civil Aviation Organisation
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances

(continued on page 12)

CHEMICAL SAFETY DATA SHEET
according to 2020/878/EC (1907/2006/EC Article 31)

2800500

Reviewed on: 13.03.2023
Printing date: 13.03.2023

PRODUCT : YLANG MADAGASC III ORG OIL FFL

(continued of page 11)

CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative

- Sources
IFRA/IOFI Labelling Manual, REACH registration dossier, supplier information
- * Data compared to the previous version altered.