

2793001

Reviewed on: 23.09.2024
Printing date: 23.09.2024

SECTION 01: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Trade name:
WOODY BLEND ORGANIC
- Article number:
CB075
- UFI:
7VP0-D0PQ-Y00C-RWXQ

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the preparation
Only for industrial use

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:
GOLGEMMA TEL: +33(0)4.68.74.17.89
Route de FA email: fds@golgemma.com
11260 ESPERAZA
FRANCE

1.4 Emergency telephone number:

FR-ORFILA (INRS):+33(0)1 45 42 59 59

SECTION 02: Hazards identification

2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008



GHS08

Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways.



GHS07

Skin Irrit. 2 - H315 Causes skin irritation.
Eye Irrit. 2 - H319 Causes serious eye irritation.
Skin Sens. 1B - H317 May cause an allergic skin reaction.



GHS09

Aquatic Acute 1 - H400 Very toxic to aquatic life.
Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms



GHS08



GHS07



GHS09

- Signal word
Danger

- Hazard-determining components of labelling:
Eucalyptol / ALPHA-PINENE / BETA-PINENE / EUGENOL / (R)-p-mentha-1,8-diene / BETA-CARYOPHYLLENE
- Hazard statements
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

(continued on page 2)

CHEMICAL SAFETY DATA SHEET

according to 2020/878/EC (1907/2006/EC Article 31)

2793001

Reviewed on: 23.09.2024
 Printing date: 23.09.2024

PRODUCT : WOODY BLEND ORGANIC

(continued of page 1)

- H410 Very toxic to aquatic life with long lasting effects.
- Precautionary statements
 - P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 - P264 Wash thoroughly after handling.
 - P272 Contaminated work clothing should not be allowed out of the workplace.
 - P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
 - P405 Store locked up.
 - P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

2.3 Other hazards

- Results of PBT and vPvB assessment
 - PBT:
Not applicable.
 - vPvB:
Not applicable.
- Determination of endocrine-disrupting properties
None of the ingredients is listed.

SECTION 03: Composition/information on ingredients

- 3.2 Mixtures
- Description:
Mixture

• Dangerous components:

* CAS Number		%
470-82-6	Eucalyptol EC number: 207-431-5 ⚠ Flam. Liq. 3 - H226; ⚠ Skin Sens. 1B - H317	20,001-50,00
80-56-8	ALPHA-PINENE EC number: 201-291-9 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 Oral: ATE = 500 mg/kg	10,001-20,00
127-91-3	BETA-PINENE EC number: 204-872-5 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Skin Irrit. 2 - H315, Skin Sens. 1B - H317	5,001-10,00
97-53-0	EUGENOL EC number: 202-589-1 ⚠ Eye Irrit. 2 - H319, Skin Sens. 1B - H317 Oral: ATE = 1930 mg/kg	1,001- 5,000
5989-27-5	d-limonene EC number: 227-813-5 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Skin Irrit. 2 - H315, Skin Sens. 1B - H317; ⚠ Aquatic Acute 1 - H400 (M=1); Aquatic Chronic 3 - H412	1,001- 5,000
87-44-5	BETA-CARYOPHYLLENE EC number: 201-746-1 ⚠ Asp. Tox. 1 - H304; ⚠ Skin Sens. 1B - H317	1,001- 5,000

(continued on page 3)

CHEMICAL SAFETY DATA SHEET
according to 2020/878/EC (1907/2006/EC Article 31)

2793001

Reviewed on: 23.09.2024
Printing date: 23.09.2024

PRODUCT : WOODY BLEND ORGANIC		
<i>(continued of page 2)</i>		
* 99-87-6	p-cymene	1,001- 5,000
* EC number: 202-796-7		
*  Acute Tox. 3 - H331;  Asp. Tox. 1		
* - H304;  Flam. Liq. 3 - H226; 		
* Aquatic Chronic 2 - H411		
* 475-20-7	longifolene	1,001- 5,000
* EC number: 207-491-2		
*  Asp. Tox. 1 - H304;  Skin Irrit.		
* 2 - H315, Skin Sens. 1B - H317; 		
* Aquatic Acute 1 - H400 (M=10), Aquatic		
* Chronic 1 - H410 (M=10)		
* 79-92-5	camphene	1,001- 5,000
* EC number: 201-234-8		
*  Flam. Sol. 1 - H228;  Eye Irrit.		
* 2 - H319;  Aquatic Acute 1 - H400 (M=1)		
* , Aquatic Chronic 1 - H410 (M=1)		
* 123-35-3	Myrcene	1,001- 5,000
* EC number: 204-622-5		
*  Asp. Tox. 1 - H304;  Flam. Liq. 3		
* - H226;  Skin Irrit. 2 - H315, Eye		
* Irrit. 2 - H319		
* 13466-78-9	delta-3-Carene	1,001- 5,000
* EC number: 236-719-3		
*  Asp. Tox. 1 - H304;  Flam. Liq. 3		
* - H226;  Skin Irrit. 2 - H315, Skin		
* Sens. 1B - H317		
* 98-55-5	p-menth-1-en-8-ol	1,001- 5,000
* EC number: 202-680-6		
*  Skin Irrit. 2 - H315, Eye Irrit. 2 -		
* H319		
* 586-62-9	TERPINOLENE	0,101-1,000
* EC number: 209-578-0		
*  Asp. Tox. 1 - H304;  Skin Sens.		
* 1B - H317;  Aquatic Acute 1 - H400		
* (M=1), Aquatic Chronic 1 - H410 (M=1)		
* 469-61-4	alpha-Cedrene	0,101-1,000
* EC number: 207-418-4		
*  Asp. Tox. 1 - H304;  Aquatic		
* Acute 1 - H400 (M=10), Aquatic Chronic 1 -		
* H410 (M=10)		
* 13877-91-3	3,7-Dimethyl-1,3,6-octatriene	0,101-1,000
* EC number: 237-641-2		
*  Asp. Tox. 1 - H304;  Flam. Liq. 3		
* - H226;  Skin Irrit. 2 - H315; 		
* Aquatic Acute 1 - H400 (M=1), Aquatic		
* Chronic 2 - H411		
* 78-70-6	LINALOOL	0,101-1,000
* EC number: 201-134-4		
*  Skin Irrit. 2 - H315, Eye Irrit. 2 -		

(continued on page 4)

CHEMICAL SAFETY DATA SHEET






according to 2020/878/EC (1907/2006/EC Article 31)

2793001

Reviewed on: 23.09.2024
 Printing date: 23.09.2024

PRODUCT : WOODY BLEND ORGANIC

(continued of page 3)

*		H319, Skin Sens. 1B - H317	
*	99-86-5	1-isopropyl-4-methylcyclohexa-1,3-diene	0,101-1,000
*		EC number: 202-795-1	
*		 Asp. Tox. 1 - H304;  Flam. Liq. 3	
*		- H226;  Acute Tox. 4 - H302, Skin	
*		Sens. 1 - H317;  Aquatic Chronic 2 -	
*		H411	
*	105-87-3	GERANYL ACETATE	0,101-1,000
*		EC number: 203-341-5	
*		 Skin Irrit. 2 - H315, Skin Sens. 1B -	
*		H317; Aquatic Chronic 3 - H412	
<ul style="list-style-type: none"> Additional information: For the wording of the listed risk phrases refer to section 16. 			

SECTION 04: First aid measures

- 4.1 Description of first aid measures
- General information:
 Seek immediate medical advice.
 - After inhalation:
 Supply fresh air and to be sure call for a doctor.
 - After skin contact:
 If skin irritation continues, consult a doctor.
 Immediately wash with water and soap and rinse thoroughly.
 - After eye contact:
 Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
 - After swallowing:
 Seek immediate medical advice.
 - Information for doctor:
- 4.2 Most important symptoms and effects, both acute and delayed
 No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
 No further relevant information available.

SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
 CO₂, sand, extinguishing powder. Do not use water.
 Use fire extinguishing methods suitable to surrounding conditions.
 - For safety reasons unsuitable extinguishing agents:
 Water with full jet
- 5.2 Special hazards arising from the substance or mixture
 Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment:
 Do not inhale explosion gases or combustion gases.
 - Additional information
 Cool endangered receptacles with water spray.

EU

(continued on page 5)

CHEMICAL SAFETY DATA SHEET

according to 2020/878/EC (1907/2006/EC Article 31)

2793001

Reviewed on: 23.09.2024
Printing date: 23.09.2024

PRODUCT : WOODY BLEND ORGANIC

(continued of page 4)

SECTION 06: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources.

6.2 Environmental precautions:
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.

6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 07: Handling and storage

7.1 Precautions for safe handling
Keep receptacles tightly sealed.
Keep away from heat and direct sunlight.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Handle with care. Avoid jolting, friction and impact.
• **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities
Storage:
• **Requirements to be met by storerooms and receptacles:**
Store only in the original receptacle.
Prevent any seepage into the ground.
Use only receptacles specifically permitted for this substance/ product.
• **Information about storage in one common storage facility:**
Not required.
• **Further information about storage conditions:**
Keep container tightly sealed.
Protect from heat and direct sunlight.
Store receptacle in a well ventilated area.

7.3 Specific end use(s)
No further relevant information available.

SECTION 08: Exposure controls/personal protection

8.1 Control parameters
• **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
• **Additional information:**
The lists valid during the making were used as basis.

8.2 Exposure controls
• **Individual protection measures, such as personal protective equipment**
• **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
Do not inhale dust / smoke / mist.
Avoid contact with the eyes.

(continued on page 6)

CHEMICAL SAFETY DATA SHEET

according to 2020/878/EC (1907/2006/EC Article 31)

2793001

Reviewed on: 23.09.2024
Printing date: 23.09.2024

PRODUCT : WOODY BLEND ORGANIC
(continued of page 5)

- Respiratory protection:
Use suitable respiratory protective device in case of insufficient ventilation.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye/face protection
Safety glasses
Safety glasses
- Body protection:
Impervious protective clothing
Boots

*
*
*
*

SECTION 09: Physical and chemical properties
9.1 Information on basic physical and chemical properties
General Information

Physical state	Fluid
Colour:	colourless to dark yellow
Odour:	fresh
Odour threshold:	Not determined.
Boiling point or initial boiling point and boiling range	0,0 °C
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	62,0 °C NFT 60-103 CC
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not determined.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	0,9050 0,925 D20/20
Vapour density	Not determined.

9.2 Other information No further relevant information available.

Appearance:
Form: fluid

Important information on protection of health and environment, and on safety.
Auto-ignition temperature: Not determined.

Explosive properties: Not determined.

(continued on page 7)

CHEMICAL SAFETY DATA SHEET

according to 2020/878/EC (1907/2006/EC Article 31)

2793001

Reviewed on: 23.09.2024
Printing date: 23.09.2024

PRODUCT : WOODY BLEND ORGANIC

(continued of page 6)

Solvent content:	
Solids content:	0,00 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	not applicable
Flammable gases	not applicable
Aerosols	not applicable
Oxidising gases	not applicable
Gases under pressure	not applicable
Flammable liquids	not applicable
Flammable solids	not applicable
Self-reactive substances and mixtures	not applicable
Pyrophoric liquids	not applicable
Pyrophoric solids	not applicable
Self-heating substances and mixtures	not applicable
Substances and mixtures, which emit flammable gases in contact with water	not applicable
Oxidising liquids	not applicable
Oxidising solids	not applicable
Organic peroxides	not applicable
Corrosive to metals	not applicable
Desensitised explosives	not applicable

SECTION 10: Stability and reactivity

- 10.1 Reactivity
No further relevant information available.
- 10.2 Chemical stability
- 10.3 Possibility of hazardous reactions
No dangerous reactions known.
- 10.4 Conditions to avoid
No further relevant information available.
- 10.5 Incompatible materials:
No further relevant information available.
- 10.6 Hazardous decomposition products:
Not determined.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity
- LD/LC50 values relevant for classification:

ISO LD/LC

470-82-6 Eucalyptol
Oral, LD50: 3849 mg/kg (mouse) (Jiao Xu, 2014)

97-53-0 EUGENOL
Oral, LD50: 1930 mg/kg (rat)

5989-27-5 (R)-p-mentha-1,8-diene
Oral, LD50: 4400 mg/kg (rat)

87-44-5 BETA-CARYOPHYLLENE
Oral, LD50: > 5000 mg/kg (rat) (Hart and Wong 1971)

(continued on page 8)

2793001

Reviewed on: 23.09.2024

Printing date: 23.09.2024

PRODUCT : WOODY BLEND ORGANIC

(continued of page 7)

- * **79-92-5 camphene**
- * Oral, LD50: 5000 mg/kg (rat)
- * Dermal, LD50: 2500 mg/kg (Rabbit)
- * **13466-78-9 delta-3-Carene**
- * Oral, LD50: 4800 mg/kg (rat) (Moreno 1975)
- * **98-55-5 p-menth-1-en-8-ol**
- * Oral, LD50: 4300 mg/kg (rat)
- * **78-70-6 LINALOOL**
- * Oral, LD50: 2790 mg/kg (rat)
- * Dermal, LD50: 5610 mg/kg (Rabbit)
- * **99-86-5 ALPHA-TERPINENE**
- * Oral, LD50: 1680 mg/kg (ATE)
- * **105-87-3 GERANYL ACETATE**
- * Oral, LD50: >4000 mg/kg (rat) (NTP 1987)
- Primary irritant effect:
- Skin corrosion/irritation
- Irritant to skin and mucous membranes.
- Causes skin irritation.
- Serious eye damage/irritation
- Irritating effect.
- Causes serious eye irritation.
- Respiratory or skin sensitisation
- No sensitizing effects known.
- Germ cell mutagenicity
- * **470-82-6 Eucalyptol**
- * OECD 471 AMES: NEGATIVE (in vitro) (Haworth, 1983)
- * **87-44-5 BETA-CARYOPHYLLENE**
- * OECD 471 AMES: NEGATIVE (in vitro) (Heck and al., 1989)
- * **78-70-6 LINALOOL**
- * OECD 471 AMES: NEGATIVE (in vitro) (Letizia and al., 2007)
- * **105-87-3 GERANYL ACETATE**
- * OECD 471 AMES: NEGATIVE (in vitro) (NTP 1987)
- Carcinogenicity
- * **78-70-6 LINALOOL**
- * Micronoyau: NEGATIVE (mouse) (in vivo, Letizia and al., 2007)
- * Micronoyau: NEGATIVE (in vitro) (DiSotto and al., 2011)
- * **105-87-3 GERANYL ACETATE**
- * Micronoyau: NEGATIVE (mouse) (in vivo, Shelby 1993)
- Reproductive toxicity
- Not determined.
- STOT-single exposure
- Not determined.
- STOT-repeated exposure
- Not determined.
- Aspiration hazard
- May be fatal if swallowed and enters airways.
- May be fatal if swallowed and enters airways.
- Subacute to chronic toxicity:
- * **87-44-5 BETA-CARYOPHYLLENE**
- * Oral, NOAEL: 700 mg/kg (rat) (90 days Schmitt 2016)
- Additional toxicological information:
- The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
- Harmful
- Irritant
- Carcinogenic if inhaled.
- 11.2 Information on other hazards
- Endocrine disrupting properties
- None of the ingredients is listed.

EU

(continued on page 9)

2793001

Reviewed on: 23.09.2024
Printing date: 23.09.2024

PRODUCT : WOODY BLEND ORGANIC

(continued of page 8)

SECTION 12: Ecological information

12.1 Toxicity

- Aquatic toxicity:

5989-27-5 (R)-p-mentha-1,8-diene
LD50: 0,71 mg/l (fish) (OECD 203)

99-87-6 p-cymene
LD50: 1,63 mg/l (fish) (OECD 203)

123-35-3 Myrcene
LD50: 0,51 mg/l (fish) (OECD 203)
CE50/48h: 0,65 mg/l (daphnia)

469-61-4 alpha-Cedrene
LD50: 0,099 mg/l (daphnia)

* 78-70-6 LINALOOL
LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991)
ErC50(0-72h): 156,7 mg/l (algae)
ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202)

12.2 Persistence and degradability

No further relevant information available.

- Behaviour in environmental systems:

Not determined.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

- PBT:
Not applicable.
- vPvB:
Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.6 Other adverse effects

No further relevant information available.

- Ecotoxicological effects:

Not determined.

- Remark:

Very toxic for fish

- Additional ecological information:

- General notes:

Very toxic for aquatic organisms

Danger to drinking water if even extremely small quantities leak into the ground.

The product contains materials that are harmful to the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Recommendation
Must be specially treated adhering to official regulations.
- Uncleaned packaging:
- Recommendation:
Disposal must be made according to official regulations.

EU

(continued on page 10)

CHEMICAL SAFETY DATA SHEET

according to 2020/878/EC (1907/2006/EC Article 31)

2793001

Reviewed on: 23.09.2024
Printing date: 23.09.2024

PRODUCT : WOODY BLEND ORGANIC

(continued of page 9)

SECTION 14: Transport information

14.1 UN number or ID number


- . **ADR** UN3082
- . **IMDG** UN3082
- . **IATA** UN3082

14.2 UN proper shipping name

- * . **ADR** 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LONGIFOLENE)
- * . **IMDG** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LONGIFOLENE)
- * . **IATA** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LONGIFOLENE)


14.3 Transport hazard class(es)

- . **ADR**
- . **Class** 9 (M6) Miscellaneous dangerous substances and articles.
- . **Label**




- . **IMDG**
- . **Class**
- . **Label**

9 Miscellaneous dangerous substances and articles.



- . **IATA**
- . **Class**
- . **Label**

9 Miscellaneous dangerous substances and articles.



14.4 Packing group

- . **ADR** III
- . **IMDG** III
- . **IATA** III

14.5 Environmental hazards:

- . **Marine pollutant:** Yes
- . **Danger code (Kemler):** 90
- . **EMS Number:** F-A,S-F

14.6 Special precautions for user

Warning: Miscellaneous dangerous substances and articles.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

- * • Transport/Additional information:
 - . **ADR**
 - . **Excepted quantities (EQ):** E1
 - . **Limited quantities (LQ)** 5L

(continued on page 11)

CHEMICAL SAFETY DATA SHEET

according to 2020/878/EC (1907/2006/EC Article 31)

2793001

Reviewed on: 23.09.2024
Printing date: 23.09.2024

PRODUCT : WOODY BLEND ORGANIC

(continued of page 10)

Transport category 3

- * UN "Model Regulation":
- * UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
- * (LONGIFOLENE), 9, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- REGULATION (EC) No 1907/2006 ANNEX XVII
Conditions of restriction: 3, 40
 - DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II
None of the ingredients is listed.
 - REGULATION (EU) 2019/1148
 - Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
None of the ingredients is listed.
 - Annex II - REPORTABLE EXPLOSIVES PRECURSORS
None of the ingredients is listed.
 - Regulation (EC) No 273/2004 on drug precursors
None of the ingredients is listed.
 - Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
None of the ingredients is listed.
 - National regulations:
 - Technical instructions (air):
 - Class Share in %
I 0,13
 - Waterhazard class:
Water hazard class 3 (Self-assessment): extremely hazardous for water.

15.2 Chemical safety assessment:
A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

- * • Relevant phrases
- * H226 Flammable liquid and vapour.
- * H228 Flammable solid.
- * H302 Harmful if swallowed.
- * H304 May be fatal if swallowed and enters airways.
- * H315 Causes skin irritation.
- * H317 May cause an allergic skin reaction.
- * H319 Causes serious eye irritation.
- * H331 Toxic if inhaled.
- * H400 Very toxic to aquatic life.
- * H410 Very toxic to aquatic life with long lasting effects.
- * H411 Toxic to aquatic life with long lasting effects.
- * H412 Harmful to aquatic life with long lasting effects.

• Training hints

Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.

(continued on page 12)

CHEMICAL SAFETY DATA SHEET
according to 2020/878/EC (1907/2006/EC Article 31)

2793001

Reviewed on: 23.09.2024
Printing date: 23.09.2024

PRODUCT : WOODY BLEND ORGANIC*(continued of page 11)*

- Abbreviations and acronyms:
IFRA: International Fragrance Association IOFI: International Organization of the Flavor Industry
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
- Sources
IFRA/IOFI Labelling Manual, REACH registration dossier, supplier information
- * Data compared to the previous version altered.