


1413207

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)





1413207

_		
Danger		(continued of page
-	unining components of labelling.	
 Hazard-dete (R)-p-mentha- 	rmining components of labelling:	
- Hazard state		
	ble liquid and vapour.	
H304 May be f H315 Causes s	atal if swallowed and enters airways.	
	se an allergic skin reaction.	
	erious eye irritation.	
- Precautionar	aquatic life with long lasting effects. v statements	
	ay from heat, hot surfaces, sparks, open flames and other igniti	on sources. No smoking.
	tainer tightly closed.	
	nd bond container and receiving equipment. SWALLOWED: Immediately call a POISON CENTER/ doctor.	
P403+P235 St	ore in a well-ventilated place. Keep cool.	
P501 Dispose	of contents/container in accordance with local/regional/ nationa	l/international regulations.
2.3 Other haza	rds	
	BT and vPvB assessment	
- PBT:		
Not applicable		
 vPvB: Not applicable 		
	on of endocrine-disrupting properties	
None of the in	gredients is listed.	
Deserves		
 Dangerous c 		
CAS Number	omponents:	%
CAS Number 80-56-8		% 20.001-50.00
CAS Number 80-56-8	ALPHA-PINENE	% 20,001-50,00
	ALPHA-PINENE EC number: 201-291-9	
	ALPHA-PINENE EC number: 201-291-9 ♦ Asp. Tox. 1 - H304; ♦ Flam. Liq. 3	
	ALPHA-PINENE EC number: 201-291-9 ♦ Asp. Tox. 1 - H304; ♦ Flam. Liq. 3 - H226; ♦ Acute Tox. 4 - H302, Skin	
80-56-8	ALPHA-PINENE EC number: 201-291-9 ♦ Asp. Tox. 1 - H304; ● Flam. Liq. 3 - H226; ● Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317	20,001-50,00
	ALPHA-PINENE EC number: 201-291-9 ♦ Asp. Tox. 1 - H304; ● Flam. Liq. 3 - H226; ● Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 sabinene	
80-56-8	ALPHA-PINENE EC number: 201-291-9	20,001-50,00
80-56-8 3387-41-5	ALPHA-PINENE EC number: 201-291-9	20,001-50,00 10,001-20,00
80-56-8	ALPHA-PINENE EC number: 201-291-9	20,001-50,00
80-56-8 3387-41-5	ALPHA-PINENE EC number: 201-291-9	20,001-50,00 10,001-20,00
80-56-8 3387-41-5	ALPHA-PINENE EC number: 201-291-9	20,001-50,00 10,001-20,00
80-56-8 3387-41-5	ALPHA-PINENE EC number: 201-291-9	20,001-50,00 10,001-20,00
80-56-8 3387-41-5	ALPHA-PINENE EC number: 201-291-9	20,001-50,00 10,001-20,00
80-56-8 3387-41-5	ALPHA-PINENE EC number: 201-291-9	20,001-50,00 10,001-20,00
80-56-8 3387-41-5 123-35-3	ALPHA-PINENE EC number: 201-291-9	20,001-50,00 10,001-20,00 10,001-20,00
80-56-8 3387-41-5 123-35-3	ALPHA-PINENE EC number: 201-291-9 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 sabinene EC number: 222-212-4 Cumber: 224-622-5 Cumber:	20,001-50,00 10,001-20,00 10,001-20,00
80-56-8 3387-41-5 123-35-3	ALPHA-PINENE EC number: 201-291-9 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 sabinene EC number: 222-212-4 Cumber: 222-212-4 Acute Tox. 4 - H302 Myrcene EC number: 204-622-5 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Eye Irrit. 2 - H319 BETA-PINENE EC number: 204-872-5 Asp. Tox. 1 - H304; Flam. Liq. 3	20,001-50,00 10,001-20,00 10,001-20,00
80-56-8 3387-41-5 123-35-3	ALPHA-PINENE EC number: 201-291-9 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 sabinene EC number: 222-212-4 Cumber: 204-622-5 Cumber:	20,001-50,00 10,001-20,00 10,001-20,00
80-56-8 3387-41-5 123-35-3 127-91-3	ALPHA-PINENE EC number: 201-291-9 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 sabinene EC number: 222-212-4 Cumber: 204-622-5 Cumber: 204-622-5 Cumber: 204-622-5 Cumber: 204-622-5 Cumber: 204-622-5 Cumber: 204-622-5 Cumber: 204-622-5 Cumber: 204-622-5 Cumber: 204-872-5 Cumber:	20,001-50,00 10,001-20,00 10,001-20,00 1,001- 5,000
80-56-8 3387-41-5 123-35-3	ALPHA-PINENE EC number: 201-291-9 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 sabinene EC number: 222-212-4 Cumber: 224-622-5 Cumber: 204-622-5 Cumber: 204-622-5 Cumber: 204-622-5 Cumber: 204-622-5 Cumber: 204-622-5 Cumber: 204-622-5 Cumber: 204-872-5 Cumber:	20,001-50,00 10,001-20,00 10,001-20,00
80-56-8 3387-41-5 123-35-3 127-91-3	ALPHA-PINENE EC number: 201-291-9 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 sabinene EC number: 222-212-4 Cumber: 222-212-4 Cumber: 222-212-4 Cumber: 204-622-5 Solution Asp. Tox. 4 - H302 Myrcene EC number: 204-622-5 Solution Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Eye Irrit. 2 - H319 BETA-PINENE EC number: 204-872-5 Solution Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Skin Sens. 1B - H317 d-limonene EC number: 227-813-5	20,001-50,00 10,001-20,00 10,001-20,00 1,001- 5,000
80-56-8 3387-41-5 123-35-3 127-91-3	ALPHA-PINENE EC number: 201-291-9 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 sabinene EC number: 222-212-4 C number: 222-212-4 C Acute Tox. 4 - H302 Myrcene EC number: 204-622-5 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Eye Irrit. 2 - H319 BETA-PINENE EC number: 204-872-5 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Skin Sens. 1B - H317 d-limonene EC number: 227-813-5 Asp. Tox. 1 - H304; Flam. Liq. 3	20,001-50,00 10,001-20,00 10,001-20,00 1,001- 5,000
80-56-8 3387-41-5 123-35-3 127-91-3	ALPHA-PINENE EC number: 201-291-9 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 sabinene EC number: 222-212-4 Cumber: 222-212-4 Cumber: 222-212-4 Cumber: 204-622-5 Solution Asp. Tox. 4 - H302 Myrcene EC number: 204-622-5 Solution Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Eye Irrit. 2 - H319 BETA-PINENE EC number: 204-872-5 Solution Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Skin Sens. 1B - H317 d-limonene EC number: 227-813-5	20,001-50,00 10,001-20,00 10,001-20,00 1,001- 5,000



1413207

Reviewed on: 06.12.2023

Printing date:	14.12.2023
----------------	------------

PRODUCT :	JUNIPER OIL	
		(continued of page 2)
	Sens. 1B - H317; 🌜 Aquatic Acute 1 -	
	H400 (M=1); Aquatic Chronic 3 - H412	
562-74-3	4-Carvomenthenol	1,001- 5,000
	EC number: 209-235-5	
	🔅 Acute Tox. 4 - H302, Skin Irrit. 2 -	
	H315, Eye Irrit. 2 - H319	
99-85-4	p-Mentha-1,4-diene	1,001- 5,000
	EC number: 202-794-6	
	🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226	
87-44-5	BETA-CARYOPHYLLENE	1,001- 5,000
	EC number: 201-746-1	
	🚸 Asp. Tox. 1 - H304; 🚸 Skin Sens.	
	1B - H317	
586-62-9	TERPINOLENE	1,001- 5,000
	EC number: 209-578-0	
	🚸 Asp. Tox. 1 - H304; 🚸 Skin Sens.	
	1B - H317; 🕸 Aquatic Acute 1 - H400	
	(M=1), Aquatic Chronic 1 - H410 (M=1)	
99-87-6	p-cymene	1,001- 5,000
	EC number: 202-796-7	
	🔶 Acute Tox. 3 - H331; 🚸 Asp. Tox. 1	
	- H304; 🚸 Flam. Liq. 3 - H226; 🚸	
	Aquatic Chronic 2 - H411	
99-86-5	1-isopropyl-4-methylcyclohexa-1,3-diene	1,001- 5,000
	EC number: 202-795-1	-,
	🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 🚸 Acute Tox. 4 - H302, Skin	
	Sens. 1 - H317; 😵 Aquatic Chronic 2 -	
	H411	
469-61-4	alpha-Cedrene	0,101-1,000
400-01-4	EC number: 207-418-4	0,101-1,000
	Asp. Tox. 1 - H304;	
	Acute 1 - H400 (M=10), Aquatic Chronic 1 -	
	H410 (M=10)	
475-20-7	longifolene	0,010-0,100
	EC number: 207-491-2	0,010-0,100
	Asp. Tox. 1 - H304; Skin Irrit.	
	2 - H315, Skin Sens. 1B - H317; 🚸	
	Aquatic Acute 1 - H400 (M=10), Aquatic	
	Chronic 1 - H410 (M=10)	
Addition:	al information:	

SECTION 04: First aid measures

4.1 Description of first aid measures

General information: Seek immediate medical advice.

• After inhalation: Supply fresh air and to be sure call for a doctor.



1413207

Reviewed on: 06.12.2023 Printing date: 14.12.2023

RODUCT :	JUNIPER OIL
	(continued of page 3)
 After skin If skin irrit 	ation continues, consult a doctor.
	ly wash with water and soap and rinse thoroughly.
After eye	
 After swa 	ed eye for several minutes under running water. If symptoms persist, consult a doctor.
	ediate medical advice.
 Information 	on for doctor:
4.2 Most im	portant symptoms and effects, both acute and delayed
	evant information available.
	on of any immediate medical attention and special treatment needed evant information available.
ECTION 05:	Firefighting measures
5.1 Extingui	
	extinguishing agents: extinguishing powder. Do not use water.
	tinguishing methods suitable to surrounding conditions.
 For safety 	reasons unsuitable extinguishing agents:
Water with	tuli jet
5.2 Special	hazards arising from the substance or mixture
Formation of	toxic gases is possible during heating or in case of fire.
5.3 Advice f	or firefighters
 Protective 	e equipment:
	ale explosion gases or combustion gases.
	l information
	gered receptacles with water spray.
	ngered receptacles with water spray.
	Accidental release measures
ECTION 06: 6.1 Persona	Accidental release measures
ECTION 06: 6.1 Persona Wear protection	Accidental release measures I precautions, protective equipment and emergency procedures ve equipment. Keep unprotected persons away.
CTION 06: 6.1 Persona Wear protecti Ensure adequa	Accidental release measures I precautions, protective equipment and emergency procedures ve equipment. Keep unprotected persons away. ate ventilation
ECTION 06: 6.1 Persona Wear protecti Ensure adequa	Accidental release measures I precautions, protective equipment and emergency procedures ve equipment. Keep unprotected persons away.
CTION 06: 6.1 Persona Wear protecti Ensure adequa Keep away fro 6.2 Environi	Accidental release measures I precautions, protective equipment and emergency procedures ve equipment. Keep unprotected persons away. ate ventilation om ignition sources. mental precautions:
ECTION 06: 6.1 Persona Wear protecti Ensure adequa Keep away fro 6.2 Environi Do not allow	Accidental release measures I precautions, protective equipment and emergency procedures ve equipment. Keep unprotected persons away. ate ventilation om ignition sources. mental precautions: product to reach sewage system or any water course.
6.1 Persona Wear protecti Ensure adequi Keep away fro 6.2 Environr Do not allow	Accidental release measures I precautions, protective equipment and emergency procedures ve equipment. Keep unprotected persons away. ate ventilation om ignition sources. mental precautions:
CTION 06: 6.1 Persona Wear protecti Ensure adequi Keep away fro 6.2 Environi Do not allow j Inform respect 6.3 Methods	Accidental release measures I precautions, protective equipment and emergency procedures we equipment. Keep unprotected persons away. ate ventilation om ignition sources. mental precautions: product to reach sewage system or any water course. tive authorities in case of seepage into water course or sewage system. and material for containment and cleaning up:
CTION 06: 6.1 Persona Wear protecti Ensure adequa Keep away fro 6.2 Environn Do not allow p Inform respect 6.3 Methods Dispose conta	Accidental release measures I precautions, protective equipment and emergency procedures we equipment. Keep unprotected persons away. ate ventilation om ignition sources. mental precautions: product to reach sewage system or any water course. tive authorities in case of seepage into water course or sewage system. ate and material for containment and cleaning up: minated material as waste according to item 13.
6.1 Persona Wear protecti Ensure adequa Keep away fro 6.2 Environn Do not allow p Inform respect 6.3 Methods Dispose conta	Accidental release measures I precautions, protective equipment and emergency procedures we equipment. Keep unprotected persons away. ate ventilation om ignition sources. mental precautions: product to reach sewage system or any water course. tive authorities in case of seepage into water course or sewage system. and material for containment and cleaning up:
CTION 06: 6.1 Persona Wear protecti Ensure adequa Keep away fro 6.2 Environn Do not allow p Inform respect 6.3 Methods Dispose conta Ensure adequa 6.4 Reference	Accidental release measures I precautions, protective equipment and emergency procedures ve equipment. Keep unprotected persons away. ate ventilation om ignition sources. mental precautions: product to reach sewage system or any water course. tive authorities in case of seepage into water course or sewage system. ate ventilation for containment and cleaning up: minated material as waste according to item 13. ate ventilation. ce to other sections
CTION 06: 6.1 Persona Wear protectiv Ensure adequa Keep away fro 6.2 Environn Do not allow p Inform respect 6.3 Methods Dispose conta Ensure adequa 6.4 Reference See Section 7	Accidental release measures I precautions, protective equipment and emergency procedures ve equipment. Keep unprotected persons away. ate ventilation om ignition sources. mental precautions: product to reach sewage system or any water course. tive authorities in case of seepage into water course or sewage system. s and material for containment and cleaning up: minated material as waste according to item 13. ate ventilation. ce to other sections for information on safe handling.
CTION 06: 6.1 Persona Wear protectiv Ensure adequa Keep away fro 6.2 Environn Do not allow p Inform respect 6.3 Methods Dispose conta Ensure adequa 6.4 Reference See Section 7 See Section 8	Accidental release measures I precautions, protective equipment and emergency procedures ve equipment. Keep unprotected persons away. ate ventilation om ignition sources. mental precautions: product to reach sewage system or any water course. tive authorities in case of seepage into water course or sewage system. ate ventilation for containment and cleaning up: minated material as waste according to item 13. ate ventilation. ce to other sections
CTION 06: 6.1 Persona Wear protectiv Ensure adequa Keep away fro 6.2 Environn Do not allow p Inform respect 6.3 Methods Dispose conta Ensure adequa 6.4 Reference See Section 7 See Section 8	Accidental release measures I precautions, protective equipment and emergency procedures we equipment. Keep unprotected persons away. ate ventilation om ignition sources. mental precautions: product to reach sewage system or any water course. tive authorities in case of seepage into water course or sewage system. s and material for containment and cleaning up: minated material as waste according to item 13. ate ventilation. cce to other sections for information on safe handling. for information on personal protection equipment.
CTION 06: 6.1 Persona Wear protectiv Ensure adequi Keep away fro 6.2 Environn Do not allow p Inform respec 6.3 Methods Dispose conta Ensure adequi 6.4 Reference See Section 7 See Section 8 See Section 1	Accidental release measures I precautions, protective equipment and emergency procedures we equipment. Keep unprotected persons away. ate ventilation om ignition sources. mental precautions: product to reach sewage system or any water course. tive authorities in case of seepage into water course or sewage system. s and material for containment and cleaning up: minated material as waste according to item 13. ate ventilation. cce to other sections for information on safe handling. for information on personal protection equipment.
CTION 06: 6.1 Persona Wear protective Ensure adequa Keep away from 0.2 Environin Do not allow p Inform respect 6.3 Methods Dispose contate Ensure adequa 6.4 Referent See Section 7 See Section 1 See Section 1	Accidental release measures I precautions, protective equipment and emergency procedures we equipment. Keep unprotected persons away. ate ventilation om ignition sources. mental precautions: product to reach sewage system or any water course. tive authorities in case of seepage into water course or sewage system. ate ventilation and material for containment and cleaning up: minated material as waste according to item 13. ate ventilation. ce to other sections for information on safe handling. for information on personal protection equipment. 3 for disposal information.
CTION 06: 6.1 Persona Wear protecti Ensure adequa Keep away fro 6.2 Environe Do not allow p Inform respect 6.3 Methods Dispose conta Ensure adequa 6.4 Reference See Section 7 See Section 7 See Section 8 See Section 1 CTION 07: 7.1 Precauti	Accidental release measures I precautions, protective equipment and emergency procedures we equipment. Keep unprotected persons away. ate ventilation om ignition sources. mental precautions: product to reach sewage system or any water course. tive authorities in case of seepage into water course or sewage system. s and material for containment and cleaning up: minated material as waste according to item 13. ate ventilation. cce to other sections for information on safe handling. for information on personal protection equipment. 3 for disposal information.
CTION 06: 6.1 Persona Wear protectiv Ensure adequa Keep away fro 6.2 Environn Do not allow p Inform respect 6.3 Methods Dispose conta Ensure adequa 6.4 Reference See Section 7 See Section 7 See Section 8 See Section 1 CTION 07: 7.1 Precauti Keep receptaa Keep away fro	Accidental release measures I precautions, protective equipment and emergency procedures we equipment. Keep unprotected persons away. ate ventilation mm ignition sources. mental precautions: product to reach sewage system or any water course. tive authorities in case of seepage into water course or sewage system. ate and material for containment and cleaning up: minated material as waste according to item 13. ate ventilation. ce to other sections for information on safe handling. for information on personal protection equipment. 3 for disposal information. Handling and storage ons for safe handling ies tightly sealed. mm heat and direct sunlight.
CTION 06: 6.1 Persona Wear protectiv Ensure adequi Keep away fro 6.2 Environin Do not allow p Inform respect 6.3 Methods Dispose conta Ensure adequi 6.4 Referent See Section 7 See Section 7 See Section 8 See Section 1 CTION 07: 7.1 Precauti Keep receptad	Accidental release measures Accidental release of seepage into water course or sewage system. Accidental release of seepage into water course or sewage system. Accidental release of seepage into water course or sewage system. Accidental release of seepage into water course or sewage system. Accidental release according to item 13. Accidental release of seepage into accident of the workplace. Accidental release of seepage into accident of the workplace. Accidental release of the measure of the workplace. Accidental release of the measure of the workplace. Accidental release of the measure of the measure of the measurement of the workplac
CTION 06: 6.1 Persona Wear protective Ensure adequa Keep away from 6.2 Environing Do not allow provide the second on the allow provide the second on the allow provide the second on the second the seco	Accidental release measures I precautions, protective equipment and emergency procedures we equipment. Keep unprotected persons away. ate ventilation mm ignition sources. mental precautions: product to reach sewage system or any water course. tive authorities in case of seepage into water course or sewage system. ate and material for containment and cleaning up: minated material as waste according to item 13. ate ventilation. ce to other sections for information on safe handling. for information on personal protection equipment. 3 for disposal information. Handling and storage ons for safe handling ies tightly sealed. mm heat and direct sunlight.

7.2 Conditions for safe storage, including any incompatibilities

(continued on page 5)



1413207

PRODUCT :	JUNIPER OIL
	(continued of page 4)
Storage:	
	nents to be met by storerooms and receptacles:
	r in the original receptacle. Ny seepage into the ground.
	eceptacles specifically permitted for this substance/ product.
	ion about storage in one common storage facility:
Not requir	ed.
	nformation about storage conditions:
	ainer tightly sealed.
	om heat and direct sunlight. Iptacle in a well ventilated area.
Store rece	placie in a wen ventraleu area.
	c end use(s)
No further re	levant information available.
SECTION 08	Exposure controls/personal protection
8.1 Control	parameters
	nts with limit values that require monitoring at the workplace:
	ct does not contain any relevant quantities of materials with critical values that have to be monitored a
the workp	
	al information:
The lists v	alid during the making were used as basis.
8.2 Exposu	re controls
	al protection measures, such as personal protective equipment
	protective and hygienic measures:
	precautionary measures are to be adhered to when handling chemicals.
	y from foodstuffs, beverages and feed.
	ely remove all soiled and contaminated clothing
	ds before breaks and at the end of work. tact with the eyes.
	bry protection:
	le respiratory protective device in case of insufficient ventilation.
 Protectio 	n of hands:
Protective	
	material has to be impermeable and resistant to the product/ the substance/ the preparation.
chemical i	ssing tests no recommendation to the glove material can be given for the product/ the preparation/ the nixture.
	of the glove material on consideration of the penetration times, rates of diffusion and the degradation
 Material 	
	ion of the suitable gloves does not only depend on the material, but also on further marks of quality an
	n manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of
	material can not be calculated in advance and has therefore to be checked prior to the application. on time of glove material
	break through time has to be found out by the manufacturer of the protective gloves and has to b
observed.	break anough ame has to be found out by the manufacturer of the protective groves and has to b
 Eye/face 	protection
Safety gla	SSES
 Body pro 	
	is protective clothing
Boots	

General Information		
Physical state	Fluid	
Colour:	colourless to light yellow	
Odour:	terpenic	
Odour threshold:	Not determined.	
Melting point/freezing point:	< -20,0 °C	
Boiling point or initial boiling point and boiling range	171,0 °C	



- EU -

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

1413207

Reviewed on: 06.12.2023 Printing date: 14 12 2023

	(continued of)	oage 5,
Flammability	Not determined.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	38,5 °C NFT 60-103 CC	
Decomposition temperature:	Not determined.	
pH	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
Dynamic:	Not determined.	
Solubility		
water:	Not determined.	
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure:	Not determined.	-
Density and/or relative density		
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
9.2 Other information	No further relevant information available.	
Appearance:		
Form:	fluid	
Important information on protection of health	n and environment, and on safety.	
Auto-ignition temperature:	240 °C	
Explosive properties:	Not determined.	
Solvent content:		
Solids content:	0,00 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard cl	asses	
Explosives	not applicable	
Flammable gases	not applicable	
Aerosols	not applicable	
Oxidising gases	not applicable	
Gases under pressure	not applicable	
Flammable liquids	Flammable liquid and vapour.	
Flammable solids	not applicable	
Self-reactive substances and mixtures	not applicable	
Pyrophoric liquids	not applicable	
Pyrophoric solids	not applicable	
Self-heating substances and mixtures	not applicable	
Substances and mixtures, which emit flammable gases in contact with water	not applicable	
Oxidising liquids	not applicable	
Oxidising solids	not applicable	
Organic peroxides	not applicable	
Corrosive to metals	not applicable	

(continued on page 7)



1413207

Printing date: 1	14.12.2023
------------------	------------

PRODUCT :	JUNIPER OIL	
	(continued of	page 6)
SECTION 10	: Stability and reactivity	
10.1 React		
No further n	elevant information available.	
10.2 Cherr	ical stability	
10.3 Possi	pility of hazardous reactions	
	is reactions known.	
	tions to avoid	
No further n	elevant information available.	
	npatible materials:	
No further r	elevant information available.	
10.6 Haza Not determi	dous decomposition products:	
	ieu.	
	: Toxicological information	
11.1 InformAcute to	nation on hazard classes as defined in Regulation (EC) No 1272/2008	
	values relevant for classification:	
	ISO LD/LC	
	JUNIPER OIL 0: 5000 mg/kg (rat)	
	irritant effect:	
,	rosion/irritation	
	skin and mucous membranes.	
	in irritation. eye damage/irritation	
Irritating		
	prious eye irritation.	
	ory or skin sensitisation	
	ion possible through skin contact.	
Germ ce	ll mutagenicity	
87-44-5	BETA-CARYOPHYLLENE	
	LAMES: NEGATIVE (in vitro) (Heck and al., 1989)	
 Carcinog Not deter 		
	ctive toxicity	
Not deter		
	ngle exposure	
Not deter		
SIUI-re Not deter	peated exposure	
 Aspiration 		
•	tal if swallowed and enters airways.	
May be fa	tal if swallowed and enters airways.	
 Subacut 	e to chronic toxicity:	
87-44-5	BETA-CARYOPHYLLENE	
	EL: 700 mg/kg (rat) (90 days Schmitt 2016)	
	al toxicological information:	: f :··
	uct shows the following dangers according to the calculation method of the General EU Class s for Preparations as issued in the latest version:	ssification
Guidenne	ז זיד דיביסימוטווס מס וסטעכע ווו גווכ ומנכט עלוטוטוו.	
Harmful		
Harmful Irritant		
Irritant Carcinog	nic if inhaled.	
Irritant Carcinog • 11.2 Inf	ormation on other hazards	
Irritant Carcinog • 11.2 Inf • Endocrir		



1413207

Reviewed on: 06.12.2023

Printing date:	14.12.2023
----------------	------------

•	PRODUCT : JUNIPER OIL	(continued of page 7)
9	SECTION 12: Ecological information	(continued of page 7)
	12.1 ToxicityAquatic toxicity:	
	123-35-3 Myrcene	
	LD50: 0,51 mg/l (fish) (OECD 203)	
	CE50/48h: 0,65 mg/l (daphnia)	
	5989-27-5 (R)-p-mentha-1,8-diene LD50: 0,71 mg/l (fish) (OECD 203)	
	99-87-6 p-cymene	
	LD50: 1,63 mg/l (fish) (OECD 203)	
	469-61-4 alpha-Cedrene LD50: 0,099 mg/l (daphnia)	
	12.2 Persistence and degradability	
	No further relevant information available. • Behaviour in environmental systems:	
	Not determined.	
	12.3 Bioaccumulative potential	
	No further relevant information available.	
	12.4 Mobility in soil No further relevant information available.	
	12.5 Results of PBT and vPvB assessment	
	PBT: Not applicable.	
	• vPvB:	
	Not applicable.	
	12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.	
	The product does not contain substances with endocrine distupting properties.	
	12.6 Other adverse effects	
	No further relevant information available. • Ecotoxical effects:	
	Not determined.	
	Remark:	
	Toxic for fish	
	 Additional ecological information: General notes: 	
	Toxic for aquatic organisms	
	The product contains materials that are harmful to the environment.	
¢	SECTION 13: Disposal considerations	
	13.1 Waste treatment methods	

Recommendation

- Must be specially treated adhering to official regulations.
- Uncleaned packaging: .
- Recommendation: •

Disposal must be made according to official regulations.

SECTION 14: Transport information

- 14.1 UN number or ID number
- . ADR UN1993 . IMDG UN1993 UN1993
- . IATA
 - 14.2 UN proper shipping name
- * . ADR * . IMDG
- 1993 FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S.

(continued on page 9)



1413207

PRODUCT : JUNIPER OIL	·	
. IATA	FLAMMABLE LIQUID, N.O.S.	(continued of page 8,
14.3 Transport hazard class		
. ADR		
. Class	3 (F1) Flammable liquids.	
Label	3	
IMDG		
Class	3 Flammable liquids.	
Label	3	
. IATA		
Class	3 Flammable liquids.	
Label	3	
14.4 Packing group	3	
. IMDG		
14.5 Environmental hazards . Marine pollutant:	: Yes	
14.6 Special precautions for Warning: Flammable liquids.		
Danger code (Kemler):	30	
. EMS Number:	F-E,S-E	
14.7 Maritime transport in b Not applicable.	ulk according to IMO instruments	
 Transport/Additional infor ADR 	mation:	
Excepted quantities (EQ):	E1	
Limited quantities (LQ)	5L	
Transport category	3	
. Tunnel restriction code . IMDG	D/E	
Limited quantities (LQ)	5L	
Excepted quantities (EQ)	E1	
UN "Model Regulation":		
	, N.O.S., 3, III, ENVIRONMENTALLY HAZARDOUS	



1413207

 (aanšii	
SECTION 15: Regulatory information	nued of page 9)
 15.1 Safety, health and environmental regulations/legislation specific for the substance o DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in and electronic equipment - Annex II None of the ingredients is listed. 	
 REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose o under Article 5(3)) None of the ingredients is listed. 	f licensing
 Annex II - REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed. 	
 Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed. 	
 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between th Community and third countries in drug precursors None of the ingredients is listed. 	ie
National regulations:	
 Technical instructions (air): Class Share in % 	
I 0,03	
 Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water. 	
15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	
SECTION 16: Other information The information in this safety data sheet is based on the state of our knowledge at the date in information in this sheet must be regarded as a description of the safety requirements for the product to be considered a warranty or quality specification and have no contractual value on properties an areas thereof. The information contained in this safety data sheet relate to the specific material designs not be valid with respect to the product associated with another product or process, unless it is specific of this document	, they are not id application ated and may
The information in this safety data sheet is based on the state of our knowledge at the date in information in this sheet must be regarded as a description of the safety requirements for the product to be considered a warranty or quality specification and have no contractual value on properties an areas thereof. The information contained in this safety data sheet relate to the specific material designs not be valid with respect to the product associated with another product or process, unless it is specif of this document.The required information complies with EU regulations in force. It does not exempt the user from applying all the national regulations in force.• Relevant phrases H226H226H302Harmful if swallowed. H304H315Causes skin irritation. H319H317May cause an allergic skin reaction. H331H331Toxic if inhaled. H400Very toxic to aquatic life.	, they are not id application ated and may ied in the text
 The information in this safety data sheet is based on the state of our knowledge at the date in information in this sheet must be regarded as a description of the safety requirements for the product to be considered a warranty or quality specification and have no contractual value on properties an areas thereof. The information contained in this safety data sheet relate to the specific material designs not be valid with respect to the product associated with another product or process, unless it is specific of this document. The required information complies with EU regulations in force. It does not exempt the user from applying all the national regulations in force. Relevant phrases H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H331 Toxic if inhaled. 	, they are not id application ated and may ied in the text
 The information in this safety data sheet is based on the state of our knowledge at the date in information in this sheet must be regarded as a description of the safety requirements for the product to be considered a warranty or quality specification and have no contractual value on properties an areas thereof. The information contained in this safety data sheet relate to the specific material designs not be valid with respect to the product associated with another product or process, unless it is specif of this document. The required information complies with EU regulations in force. It does not exempt the user from applying all the national regulations in force. Relevant phrases H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H311 Toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. 	, they are not id application ated and may ied in the text knowing and s product, in the
 The information in this safety data sheet is based on the state of our knowledge at the date in information in this sheet must be regarded as a description of the safety requirements for the product to be considered a warranty or quality specification and have no contractual value on properties an areas thereof. The information contained in this safety data sheet relate to the specific material designs not be valid with respect to the product associated with another product or process, unless it is specific of this document. The required information complies with EU regulations in force. It does not exempt the user from applying all the national regulations in force. Relevant phrases H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H311 Toxic if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. 	, they are not id application ated and may ied in the text knowing and s product, in the
 The information in this safety data sheet is based on the state of our knowledge at the date in information in this sheet must be regarded as a description of the safety requirements for the product to be considered a warranty or quality specification and have no contractual value on properties an areas thereof. The information contained in this safety data sheet relate to the specific material designs not be valid with respect to the product associated with another product or process, unless it is specific f this document. The required information complies with EU regulations in force. It does not exempt the user from applying all the national regulations in force. Relevant phrases H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H311 Toxic if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Training hints Minimum training in occupational risk prevention is recommended for personnel who will handle this purpose of facilitating the understanding and interpretation of this form of safety data in the s labeling of the product. Date of previous version: 	, they are not id application ated and may ied in the text knowing and s product, in the
 The information in this safety data sheet is based on the state of our knowledge at the date in information in this sheet must be regarded as a description of the safety requirements for the product to be considered a warranty or quality specification and have no contractual value on properties an areas thereof. The information contained in this safety data sheet relate to the specific material designs not be valid with respect to the product associated with another product or process, unless it is specif of this document. The required information complies with EU regulations in force. It does not exempt the user from applying all the national regulations in force. Relevant phrases H226 Flammable liquid and vapour. H304 May be fatal if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H311 Toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H512 Harmful to accupational risk prevention is recommended for personnel who will handle this purpose of facilitating the understanding and interpretation of this form of safety data in the s labeling of the product. Date of previous version: 19.12.2022 Version number of previous version: 	, they are not d application ated and may ied in the text knowing and s product, in the ame way as the



1413207

Reviewed on: 06.12.2023

Printing date:	14.12.2023
----------------	------------

	(continued of page 10)
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ICAO: International Civil Aviation Organisation	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Sources	
IFRA/IOFI Labelling Manual, REACH registration dossier, supplier information	
, · · · · · · · · · · · · · · · · · · ·	
 * Data compared to the previous version altered. 	