

1730005

Reviewed on: 19.12.2022
Printing date: 19.12.2022

SECTION 01: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Trade name:
LAVENDER 40/42 OIL
- Article number:
E7443
- CAS Number:
90063-37-9
- EC Number:
289-995-2
- Registration number
01-2120746582-51-0006

1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation

Perfume ingredient
Flavouring agent
Only for industrial use

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:
BIOLANDES, BP2 TEL: +33(0)5.58.51.00.00
2760 Route de Bélis email: fds@biolandes.com
40420 LE SEN
FRANCE

1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1 45 42 59 59

SECTION 02: Hazards identification

2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008



GHS08

Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways.



GHS07

Eye Irrit. 2 - H319 Causes serious eye irritation.
Skin Sens. 1B - H317 May cause an allergic skin reaction.
Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms



GHS08 GHS07

- Signal word
Danger

- Hazard-determining components of labelling:

- * Eucalyptol / geraniol / (R)-p-mentha-1,8-diene / 1-Octen-3-yl acetate
- Hazard statements
- H304 May be fatal if swallowed and enters airways.
- H317 May cause an allergic skin reaction.
- * H319 Causes serious eye irritation.
- * H412 Harmful to aquatic life with long lasting effects.
- Precautionary statements

(continued on page 2)

1730005

Reviewed on: 19.12.2022
Printing date: 19.12.2022

PRODUCT : LAVENDER 40/42 OIL

(continued of page 1)

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 Wash thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

2.3 Other hazards

- Results of PBT and vPvB assessment
 - PBT:
Not applicable.
 - vPvB:
Not applicable.
 - Determination of endocrine-disrupting properties
- * None of the ingredients is listed.

SECTION 03: Composition/information on ingredients

- 3.2 Mixtures
- Description:
Mixture

- Dangerous components:

CAS Number		%
78-70-6	Linalool EC number: 201-134-4 ⚠ Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1B - H317	20,001-50,00
115-95-7	Linalyl acetate EC number: 204-116-4 ⚠ Skin Irrit. 2 - H315, Eye Irrit. 2 - H319, Skin Sens. 1 - H317	20,001-50,00
* 3338-55-4	cis-beta-Ocimene EC number: 222-081-3 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226	5,001-10,00
* 562-74-3	4-Carvomenthenol EC number: 209-235-5 ⚠ Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Eye Irrit. 2 - H319	1,001- 5,00
* 13877-91-3	3,7-Dimethyl-1,3,6-octatriene EC number: 237-641-2 ⚠ Asp. Tox. 1 - H304; ⚠ Flam. Liq. 3 - H226; ⚠ Skin Irrit. 2 - H315	1,001- 5,00
* 87-44-5	beta-Caryophyllene EC number: 201-746-1 ⚠ Asp. Tox. 1 - H304; ⚠ Skin Sens. 1B - H317	1,001- 5,00
* 98-55-5	p-menth-1-en-8-ol EC number: 202-680-6 ⚠ Skin Irrit. 2 - H315, Eye Irrit. 2 - H319	1,001- 5,00
* 470-82-6	Eucalyptol EC number: 207-431-5 ⚠ Flam. Liq. 3 - H226; ⚠ Skin Sens. 1B - H317	0,101-1,00

(continued on page 3)

1730005

Reviewed on: 19.12.2022
Printing date: 19.12.2022

PRODUCT : LAVENDER 40/42 OIL	
<i>(continued of page 2)</i>	
<p>* 106-24-1</p> <p>* geraniol</p> <p>* EC number: 203-377-1</p> <p>* Eye Dam. 1 - H318; Skin Irrit. 2</p> <p>* - H315, Skin Sens. 1 - H317</p>	0,101-1,00
<p>* 5989-27-5</p> <p>* d-limonene</p> <p>* EC number: 227-813-5</p> <p>* Asp. Tox. 1 - H304; Flam. Liq. 3</p> <p>* - H226; Skin Irrit. 2 - H315, Skin</p> <p>* Sens. 1B - H317; Aquatic Acute 1 -</p> <p>* H400; Aquatic Chronic 3 - H412</p>	0,101-1,00
<p>* 99-86-5</p> <p>* 1-isopropyl-4-methylcyclohexa-1,3-diene</p> <p>* EC number: 202-795-1</p> <p>* Asp. Tox. 1 - H304; Flam. Liq. 3</p> <p>* - H226; Acute Tox. 4 - H302, Skin</p> <p>* Sens. 1 - H317; Aquatic Chronic 2 -</p> <p>* H411</p> <p>* Oral: ATE = 1680 mg/kg</p>	0,101-1,00
<p>* 105-87-3</p> <p>* Geranyl acetate</p> <p>* EC number: 203-341-5</p> <p>* Skin Irrit. 2 - H315, Skin Sens. 1B -</p> <p>* H317; Aquatic Chronic 3 - H412</p>	0,101-1,00
<p>* 2442-10-6</p> <p>* 1-Octen-3-yl acetate</p> <p>* EC number: 219-474-7</p> <p>* Acute Tox. 4 - H302, Skin Sens. 1B -</p> <p>* H317</p>	0,101-1,00
<p>* 80-56-8</p> <p>* pin-2(3)-ene</p> <p>* EC number: 201-291-9</p> <p>* Asp. Tox. 1 - H304; Flam. Liq. 3</p> <p>* - H226; Acute Tox. 4 - H302, Skin</p> <p>* Irrit. 2 - H315, Skin Sens. 1B - H317</p>	0,101-1,00
<p>* Additional information: For the wording of the listed risk phrases refer to section 16.</p>	

SECTION 04: First aid measures

4.1 Description of first aid measures

- General information:
Seek immediate medical advice.
- After inhalation:
Supply fresh air and to be sure call for a doctor.
- After skin contact:
If skin irritation continues, consult a doctor.
- After eye contact:
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
Seek immediate medical advice.
- Information for doctor:

4.2 Most important symptoms and effects, both acute and delayed
No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed
No further relevant information available.

EU

(continued on page 4)

1730005

Reviewed on: 19.12.2022
Printing date: 19.12.2022

PRODUCT : LAVENDER 40/42 OIL

(continued of page 3)

SECTION 05: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing agents:
CO₂, sand, extinguishing powder. Do not use water.
Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents:
Water with full jet

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

- Protective equipment:
Do not inhale explosion gases or combustion gases.
- Additional information
Cool endangered receptacles with water spray.

SECTION 06: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 07: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.
Keep away from heat and direct sunlight.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Handle with care. Avoid jolting, friction and impact.

- Information about fire - and explosion protection:
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

- Requirements to be met by storerooms and receptacles:
Store only in the original receptacle.
Prevent any seepage into the ground.
Use only receptacles specifically permitted for this substance/ product.
- Information about storage in one common storage facility:
Not required.
- Further information about storage conditions:
Keep container tightly sealed.
Protect from heat and direct sunlight.
Store receptacle in a well ventilated area.

*

7.3 Specific end use(s)

No further relevant information available.

EU

(continued on page 5)

1730005

Reviewed on: 19.12.2022
Printing date: 19.12.2022

PRODUCT : LAVENDER 40/42 OIL

(continued of page 4)

* **SECTION 08: Exposure controls/personal protection**

8.1 Control parameters

- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:**
The lists valid during the making were used as basis.

8.2 Exposure controls

- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
Do not inhale dust / smoke / mist.
Avoid contact with the eyes.
- **Respiratory protection:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
Use suitable respiratory protective device in case of insufficient ventilation.
- **Protection of hands:**
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye/face protection**
Safety glasses

* **SECTION 09: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

General Information

* Physical state	Fluid
Colour:	light yellow
Odour:	lavender
Odour threshold:	Not determined.
Melting point/freezing point:	< -20,0 °C
Boiling point or initial boiling point and boiling range	172,0 °C
Flammability	Not determined.
Lower and upper explosion limit	
* Lower:	Not determined.
* Upper:	Not determined.
Flash point:	78,0 °C NFT 60-103 CC
* Decomposition temperature:	Not determined.
* pH	Not determined.
Viscosity:	
* Kinematic viscosity	Not determined.
* Dynamic:	Not determined.
Solubility	
water:	Not determined.

(continued on page 6)

1730005

Reviewed on: 19.12.2022
Printing date: 19.12.2022

PRODUCT : LAVENDER 40/42 OIL

(continued of page 5)

	Partition coefficient n-octanol/water (log value)	Not determined.
	Vapour pressure:	Not determined.
	Density and/or relative density	
	Density:	Not determined.
*	Relative density	0,8800 - 0,8900 D20/4
*	Vapour density	Not determined.
	9.2 Other information	No further relevant information available.
	Appearance:	
	Form:	fluid
	Important information on protection of health and environment, and on safety.	
	Auto-ignition temperature:	250 °C
	Explosive properties:	Not determined.
	Solvent content:	
*	Solids content:	0,00 %
	Change in condition	
*	Evaporation rate	Not determined.
	Information with regard to physical hazard classes	
*	Explosives	not applicable
*	Flammable gases	not applicable
*	Aerosols	not applicable
*	Oxidising gases	not applicable
*	Gases under pressure	not applicable
*	Flammable liquids	not applicable
*	Flammable solids	not applicable
*	Self-reactive substances and mixtures	not applicable
*	Pyrophoric liquids	not applicable
*	Pyrophoric solids	not applicable
*	Self-heating substances and mixtures	not applicable
*	Substances and mixtures, which emit flammable gases in contact with water	not applicable
*	Oxidising liquids	not applicable
*	Oxidising solids	not applicable
*	Organic peroxides	not applicable
*	Corrosive to metals	not applicable
*	Desensitised explosives	not applicable

* **SECTION 10: Stability and reactivity**

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions

No dangerous reactions known.

10.4 Conditions to avoid

No further relevant information available.

10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous decomposition products:

Not determined.

EU

(continued on page 7)

1730005

Reviewed on: 19.12.2022
Printing date: 19.12.2022

PRODUCT : LAVENDER 40/42 OIL

(continued of page 6)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity

LD/LC50 values relevant for classification:

ISO LD/LC

LAVENDER 40/42 OIL

Oral, LD50: >5000 mg/kg (rat) (OECD 401)

- Primary irritant effect:

- Skin corrosion/irritation

LAVENDER 40/42 OIL

Irritation of skin, OECD 439: NOT CLASSIFIED (in vitro) (Episkin, 2016)

- Serious eye damage/irritation

LAVENDER 40/42 OIL

Irritation of eyes, OECD 492: IRRITANT (in vitro) (Epiocular, 2016)
Irritating effect.

- Causes serious eye irritation.

*

- Respiratory or skin sensitisation

2442-10-6

1-Octen-3-yl acetate

Dermal, OECD 429 LLNA: SENSITIZER (mouse) (EC3 > 7500, IFRA STANDARD 2009)

Sensitisation, NESIL: 3500 ug/cm2 (mouse) (IFRA 2009)

- Germ cell mutagenicity

LAVENDER 40/42 OIL

OECD 471 AMES: NEGATIVE (in vitro) (2014)

- Carcinogenicity

78-70-6

Linalool

Micronoyau: NEGATIVE (mouse) (in vivo, Letizia and al., 2007)

Micronoyau: NEGATIVE (in vitro) (DiSotto and al., 2011)

*

105-87-3

Geranyl acetate

Micronoyau: NEGATIVE (mouse) (in vivo, Shelby 1993)

*

2442-10-6

1-Octen-3-yl acetate

Micronoyau: NEGATIVE (in vitro) (RIFM 2014)

*

- Reproductive toxicity

Not determined.

- STOT-single exposure

Not determined.

- STOT-repeated exposure

Not determined.

- Aspiration hazard

May be fatal if swallowed and enters airways.

*

May be fatal if swallowed and enters airways.

- Subacute to chronic toxicity:

78-70-6

Linalool

Oral, NOAEL: 200 mg/kg (rat) (maternal toxicity, Politano and al., 2008)

115-95-7

Linalyl acetate

Oral, NOAEL: 250 mg/kg (rat) (90days, RIFM 1980)

*

87-44-5

beta-Caryophyllene

Oral, NOAEL: 700 mg/kg (rat) (90 days Schmitt 2016)

*

- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Carcinogenic if inhaled.

11.2 Information on other hazards

- Endocrine disrupting properties

*

None of the ingredients is listed.

EU

(continued on page 8)

1730005

Reviewed on: 19.12.2022
Printing date: 19.12.2022

PRODUCT : LAVENDER 40/42 OIL

(continued of page 7)

SECTION 12: Ecological information

12.1 Toxicity

- Aquatic toxicity:

LAVENDER 40/42 OIL

CE50/48h: 21,995 mg/l (daphnia) (OECD 202)
ErC50(0-72h): 13 mg/l (algae) (OECD 201)

12.2 Persistence and degradability

No further relevant information available.

- Behaviour in environmental systems:
Not determined.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

- PBT:
Not applicable.
- vPvB:
Not applicable.

12.6 Endocrine disrupting properties

* The product does not contain substances with endocrine disrupting properties.

12.6 Other adverse effects

No further relevant information available.

- Ecotoxicological effects:
Not determined.
- Remark:
Harmful to fish
- Additional ecological information:
- General notes:
Harmful to aquatic organisms
The product contains materials that are harmful to the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Recommendation
Must be specially treated adhering to official regulations.
- Uncleaned packaging:
- Recommendation:
Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR Void

IMDG Void

IATA Void

14.2 UN proper shipping name

ADR Void

IMDG Void

IATA Void

14.3 Transport hazard class(es)

ADR

Class Void

IMDG

Class Void

(continued on page 9)

1730005

Reviewed on: 19.12.2022
Printing date: 19.12.2022

PRODUCT : LAVENDER 40/42 OIL

(continued of page 8)

IATA
Class Void
14.4 Packing group
ADR Void
IMDG Void
IATA Void

14.5 Environmental hazards:
Not applicable.

14.6 Special precautions for user
Not applicable.

14.7 Maritime transport in bulk according to IMO instruments
Not applicable.

- Transport/Additional information:
Not applicable.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II
* None of the ingredients is listed.
 - REGULATION (EU) 2019/1148
 - Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
* None of the ingredients is listed.
 - Annex II - REPORTABLE EXPLOSIVES PRECURSORS
* None of the ingredients is listed.
 - Regulation (EC) No 273/2004 on drug precursors
* 108-88-3 toluene : 3
 - Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
* 108-88-3 toluene : 3
- National regulations:
 - Technical instructions (air):
 - Class Share in %
* I 0,28
* III
 - Waterhazard class:
Water hazard class 2 (Self-assessment): hazardous for water.

15.2 Chemical safety assessment:
A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

- Relevant phrases

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.

(continued on page 10)

1730005

Reviewed on: 19.12.2022
Printing date: 19.12.2022

PRODUCT : LAVENDER 40/42 OIL

(continued of page 9)

H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
* H411	Toxic to aquatic life with long lasting effects.
* H412	Harmful to aquatic life with long lasting effects.

- **Training hints**

Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.

- **Abbreviations and acronyms:**

IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 IMDG: International Maritime Code for Dangerous Goods IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation DOT: US Department of Transportation
 IATA: International Air Transport Association IATA: International Air Transport Association
 ICAO: International Civil Aviation Organisation ICAO: International Civil Aviation Organisation
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society) CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative vPvB: very Persistent and very Bioaccumulative
 CE50: effective concentration at 50% ErC50:concentration of test substance which results in a 50 percent reduction in either growth rate (ErC50)relative to the control within 72hrs exposure.

- **Sources**

IFRA/IOFI Labelling Manual,REACH registration dossier,supplier information

- * **Data compared to the previous version altered.**