


2110002

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

> Reviewed on: 11.02.2025 Printing date: 11.02.2025





2110002

\*

0002		
		Reviewed on: 11.02.202 Printing date: 11.02.202
PRODUCT :	PETROSELINUM SATIVUM Feuille Organic Hydroalcoh	olic Extract
	ation of endocrine-disrupting properties e ingredients is listed.	(continued of page 1)
SECTION 03:	Composition/information on ingredients	
<ul> <li>3.2 Mixtu</li> <li>Description</li> <li>Mixture</li> </ul>		
-	is components:	0/
CAS Numbe <b>64-17-5</b>	r ALCOHOL EC number: 200-578-6 ◈ Flam. Liq. 2 - H225; ◊ Eye Irrit.	% 50,001-100
	2 - H319 I information: rding of the listed risk phrases refer to section 16.	
	First aid measures	
<ul> <li>General i Seek imme</li> <li>After inha Supply free</li> <li>After skir If skin irrit</li> <li>After eyee Rinse oper</li> <li>After swa Seek imme</li> <li>Informati</li> </ul>	ediate medical advice. alation: sh air and to be sure call for a doctor. n contact: ation continues, consult a doctor. contact: ned eye for several minutes under running water. If symptoms persist, illowing: ediate medical advice. on for doctor:	consult a doctor.
	portant symptoms and effects, both acute and delayed evant information available.	
	on of any immediate medical attention and special treatment evant information available.	needed
SECTION 05.	Firefighting measures	
5.1 Extingu • Suitable CO2, sand Use fire ex	ishing media extinguishing agents: , extinguishing powder. Do not use water. tinguishing methods suitable to surrounding conditions. y reasons unsuitable extinguishing agents:	
	hazards arising from the substance or mixture toxic gases is possible during heating or in case of fire.	
<ul> <li>Protective Do not inh</li> <li>Additiona</li> </ul>	or firefighters e equipment: ale explosion gases or combustion gases. I information ngered receptacles with water spray.	
— EU ———		(continued on page 3)

(continued on page 3)



2110002

Reviewed on: 11.02.2025 Printing date: 11.02.2025

PRODUCT :	PETROSELINUM SATIVUM Feuille Organic Hydroalcoholic Extract
	(continued of page 2
SECTION 06	Accidental release measures
6.1 Persona	I precautions, protective equipment and emergency procedures
Wear protect	ve equipment. Keep unprotected persons away.
	ate ventilation om ignition sources.
Reep undy h	
	mental precautions:
Do not allow	product to reach sewage system or any water course.
	s and material for containment and cleaning up:
	aminated material as waste according to item 13. ate ventilation.
	ce to other sections
	' for information on safe handling. B for information on personal protection equipment.
	3 for disposal information.
SECTION 07	Handling and storage
	ions for safe handling
Keep recepta	cles tightly sealed.
	om heat and direct sunlight. ventilation/exhaustion at the workplace.
5	are. Avoid jolting, friction and impact.
<ul> <li>Informat</li> </ul>	on about fire - and explosion protection:
	ion sources away - Do not smoke. ainst electrostatic charges.
i lottett ug	
	ons for safe storage, including any incompatibilities
<ul> <li>Storage:</li> <li>Require</li> </ul>	ients to be met by storerooms and receptacles:
	in the original receptacle.
	eceptacles specifically permitted for this substance/ product.
<ul> <li>Informat</li> <li>Not requir</li> </ul>	on about storage in one common storage facility: ed.
	nformation about storage conditions:
	ainer tightly sealed. m heat and direct sunlight.
	ptacle in a well ventilated area.
7 3 Specific	end use(s)
	evant information available.
SECTION 08	Exposure controls/personal protection
0 4 0 · · ·	
	parameters Its with limit values that require monitoring at the workplace:
	ct does not contain any relevant quantities of materials with critical values that have to be monitored
the workp	ace.
• DNELS	Alashal
64-17-5 Inhalative	Alcohol DNEL(ShortTerm): 1900 mg/m3 (human being)
Dermal, D	NEL(long term): 343 mg/kg (human being)
	. DNEL short term: 1000 ppm (human being) . DNEL long term: 500 ppm (human being)
	DNEL long term: 950 mg/m3 (human being)
<ul> <li>PNECs</li> </ul>	Alcohol
64-17-5	malka
64-17-5 Oral: 0,72 Soil: 0,63 STP: 580	mg/kg ng/l
64-17-5 Oral: 0,72 Soil: 0,63 STP: 580 Water Inte	mg/kg

(continued on page 4)



2110002

Reviewed on: 11.02.2025 Printing date: 11.02.2025

(continued on page 5)

PRODUCT : PETROSELINUM SATIV	UM Feuille Organic Hydroalcoholic Extract
	(continued of page 3)
Sediment freshW: 3,6 mg/kg	
<ul><li>Sediment Marine: 2,9 mg/kg</li><li>Additional information:</li></ul>	
The lists valid during the making were use	ed as basis.
5 5	
8.2 Exposure controls	
<ul> <li>Individual protection measures, such</li> <li>General protective and hygienic measures</li> </ul>	
The usual precautionary measures are to l	
Keep away from foodstuffs, beverages and	d feed.
Wash hands before breaks and at the end	of work.
<ul><li>Avoid contact with the eyes.</li><li>Respiratory protection:</li></ul>	
Use suitable respiratory protective device	in case of insufficient ventilation.
Protection of hands:	
Protective gloves	e and resistant to the product/ the substance/ the preparation.
	to the glove material can be given for the product/ the preparation.
chemical mixture.	· · · · · · · · · · · · · · · · · · ·
	ration of the penetration times, rates of diffusion and the degradation
<ul> <li>Material of gloves</li> <li>The selection of the suitable gloves does</li> </ul>	not only depend on the material, but also on further marks of quality and
	r. As the product is a preparation of several substances, the resistance of
the glove material can not be calculated in	n advance and has therefore to be checked prior to the application.
Penetration time of glove material	found on the the manufacture of the market in standard back to be
observed.	found out by the manufacturer of the protective gloves and has to be
Eye/face protection	
Safety glasses	
Body protection:	
Impervious protective clothing Boots	
SECTION 09: Physical and chemical	properties
9.1 Information on basic physical and chemic General Information	cal properties
	Fluid
Physical state	
Colour:	green
Odour:	characteristic
Odour threshold:	Not determined.
Delling a sint on initial balling a sint and	Not determined.
Boiling point or initial boiling point and boiling range	Not determined.

Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	20,0 °C NFT 60-103 CC	
Decomposition temperature:	Not determined.	
рН	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
Dynamic:	Not determined.	
Solubility		
water:	Not determined.	
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure: Not determined.		
Density and/or relative density		
Density:	Not determined.	
Relative density	0,8800 0.920 (D20/20)	



2110002

Reviewed on: 11.02.2025 Printing date: 11.02.2025

	(continuea	l of page 4)
Vapour density	Not determined.	
9.2 Other information	No further relevant information available.	
Appearance:		
Form:	fluid	
mportant information on protection of hea	Ith and environment, and on safety.	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Not determined.	
Solvent content:		
Solids content:	0,00 %	
Change in condition		
Evaporation rate	Not determined.	
nformation with regard to physical hazard	classes	
Explosives	not applicable	
Flammable gases	not applicable	
Aerosols	not applicable	
Oxidising gases	not applicable	
Gases under pressure	not applicable	
Flammable liquids	Highly flammable liquid and vapour.	
Flammable solids	not applicable	
Self-reactive substances and mixtures	not applicable	
Pyrophoric liquids	not applicable	
Pyrophoric solids	not applicable	
Self-heating substances and mixtures	not applicable	
Substances and mixtures, which emit flammable gases in contact with water	not applicable	
Oxidising liquids	not applicable	
Oxidising solids	not applicable	
Organic peroxides	not applicable	
Corrosive to metals	not applicable	

#### SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Not determined.

(continued on page 6)



2110002

Reviewed on: 11.02.2025 Printing date: 11.02.2025

PRODUCT :	PETROSELINUM SATIVUM Feuille Organic Hydroalcoholic Extr	ract
CECTION 1	1. Tovicological information	(continued of page 5)
	1: Toxicological information	
Acute		
• LD/LC:	50 values relevant for classification: ISO LD/LC	
64-17-5	Alcohol	
Inhalat	050: 6200-15000 mg/kg (rat) (OECD 401 equivalent) ve, LC50/4h: >50 mg/l (rat) (OECD 403 equivalent) y irritant effect:	
	orrosion/irritation	
	<b>Alcohol</b> n of skin, OECD 404 DRAIZE: NOT IRRITANT (Rabbit) (OECD 404) s eye damage/irritation	
64-17-5	Alcohol	
405) Irritatir	n of eyes, OECD 405 DRAIZE: CAT 2 IRRITANT (Rabbit) (OECD	
	serious eye irritation. atory or skin sensitisation	
64-17-5	Alcohol	
	, OECD 429 LLNA: NOT SENSITIZER (mouse) ation, OECD 406: NOT SENSITIZER (guinea Pig)	
	cell mutagenicity	
	<b>Alcohol</b> 71 AMES: NEGATIVE (in vitro) (OECD 471) 76 MLA TK: NOT CLASSIFIED (in vitro)	
Carcin	ogenicity	
OECD 4 • Reprov Not det • STOT-	Alcohol yau: NEGATIVE (mouse) .75: NEGATIVE (in vitro) Juctive toxicity ermined. single exposure ermined.	
<ul> <li>STOT- Not det</li> <li>Aspira</li> </ul>	repeated exposure ermined. tion hazard	
	ermined. ute to chronic toxicity:	
64-17-5	Alcohol	
Oral, N	OAEL: >3000 mg/kg (rat) (carcinogenicity) OAEL: >4400 mg/kg (mouse) (Female, >4250 mg/kg Male) onal toxicological information:	
	genic if inhaled. nformation on other hazards	
	ine disrupting properties	
	of the ingredients is listed.	
	2: Ecological information	
12.1 Tox • Aquati	icity c toxicity:	
,	Alcohol 8h: 12340 mg/l (daphnia) 50: 13000 mg/l (fish)	
No further	sistence and degradability relevant information available. Jour in environmental systems:	
	ermined.	

- Not determined.
- 12.3 Bioaccumulative potential No further relevant information available.



2110002

Reviewed on: 11 02 2025

PRODUCT :	PETROSELINUM SATIVUM Feuille Organic Hydroalcoholic Extract
12.4 Mobili No further re	(continued of page 6) ty in soil levant information available.
12.5 Result	s of PBT and vPvB assessment
<ul> <li>PBT: Not applic</li> </ul>	able
<ul> <li>vPvB:</li> </ul>	
Not applic	able. rine disrupting properties
	does not contain substances with endocrine disrupting properties.
12.6 Other	adverse effects
No further re	levant information available.
<ul> <li>Ecotoxica Not deterr</li> </ul>	
	Disposal considerations
SECTION 15.	
13.1 Waste	treatment methods
Recomm     Must be si	endation pecially treated adhering to official regulations.
	ed packaging:
Recomm	endation: nust be made according to official regulations.
SECTION 14	Transport information
	Transport information
	: Transport information Imber or ID number UN1993
14.1 UN nu	mber or ID number
14.1 UN nu . <b>ADR</b> . <b>IMDG</b> . <b>IATA</b>	UN1993 UN1993 UN1993 UN1993
14.1 UN nu . <b>ADR</b> . <b>IMDG</b> . <b>IATA</b> 14.2 UN pro	umber or ID number UN1993 UN1993 UN1993 oper shipping name
14.1 UN nu . <b>ADR</b> . <b>IMDG</b> . <b>IATA</b> 14.2 UN pro . <b>ADR</b>	oper shipping name 1993 FLAMMABLE LIQUID, N.O.S.
14.1 UN nu . <b>ADR</b> . <b>IMDG</b> . <b>IATA</b> 14.2 UN pro	umber or ID number UN1993 UN1993 UN1993 oper shipping name
14.1 UN nu . ADR . IMDG . IATA 14.2 UN pro . ADR . IMDG . IATA 14.3 Transp	oper shipping name 1993 FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S.
14.1 UN nu . ADR . IMDG . IATA 14.2 UN pro . ADR . IMDG . IATA 14.3 Transp . ADR	umber or ID number UN1993 UN1993 UN1993 oper shipping name 1993 FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. oport hazard class(es)
14.1 UN nu . ADR . IMDG . IATA 14.2 UN pro . ADR . IMDG . IATA 14.3 Transp	oper shipping name 1993 FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S.
14.1 UN nu ADR IMDG IATA 14.2 UN pro ADR IMDG IATA 14.3 Transp ADR Class	umber or ID number UN1993 UN1993 UN1993 oper shipping name 1993 FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. oport hazard class(es)
14.1 UN nu ADR IMDG IATA 14.2 UN pro ADR IMDG IATA 14.3 Transp ADR Class	umber or ID number UN1993 UN1993 UN1993 oper shipping name 1993 FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. oport hazard class(es)
14.1 UN nu ADR IMDG IATA 14.2 UN pro ADR IMDG IATA 14.3 Transp ADR Class	umber or ID number UN1993 UN1993 UN1993 oper shipping name 1993 FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. oport hazard class(es)
14.1 UN nu ADR IMDG IATA 14.2 UN pro ADR IMDG IATA 14.3 Transp ADR Class	umber or ID number UN1993 UN1993 UN1993 oper shipping name 1993 FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. oport hazard class(es)
14.1 UN nu ADR IMDG IATA 14.2 UN pro ADR IMDG IATA 14.3 Transp ADR Class	umber or ID number UN1993 UN1993 UN1993 oper shipping name 1993 FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. oport hazard class(es)
14.1 UN nu ADR IMDG IATA 14.2 UN pro ADR IMDG IATA 14.3 Transp ADR Class Label	umber or ID number UN1993 UN1993 UN1993 oper shipping name 1993 FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. oport hazard class(es)
14.1 UN nu ADR IMDG IATA 14.2 UN pro ADR IATA 14.3 Transp ADR Class Label IMDG	umber or ID number UN1993 UN1993 oper shipping name 1993 FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. bort hazard class(es) 3 (F1) Flammable liquids.
14.1 UN nu ADR IMDG IATA 14.2 UN pro ADR IMDG IATA 14.3 Transp ADR Class Label IMDG IMDG Class	imber or ID number UN1993 UN1993 oper shipping name 1993 FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. oort hazard class(es) 3 (F1) Flammable liquids. 3 (F1) Flammable liquids. 3 Flammable liquids.
14.1 UN nu ADR IMDG IATA 14.2 UN pro ADR IMDG IATA 14.3 Transp ADR Class Label IMDG IMDG Class	imber or ID number UN1993 UN1993 oper shipping name 1993 FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. oort hazard class(es) 3 (F1) Flammable liquids. 3 (F1) Flammable liquids. 3 Flammable liquids.
14.1 UN nu ADR IMDG IATA 14.2 UN pro ADR IMDG IATA 14.3 Transp ADR Class Label IMDG IMDG Class	imber or ID number UN1993 UN1993 oper shipping name 1993 FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. oort hazard class(es) 3 (F1) Flammable liquids. 3 (F1) Flammable liquids. 3 Flammable liquids.
14.1 UN nu ADR IMDG IATA 14.2 UN pro ADR IMDG IATA 14.3 Transp ADR Class Label IMDG IMDG Class	imber or ID number UN1993 UN1993 oper shipping name 1993 FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. oort hazard class(es) 3 (F1) Flammable liquids. 3 (F1) Flammable liquids. 3 Flammable liquids.
14.1 UN nu ADR IMDG IATA 14.2 UN pro ADR IMDG IATA 14.3 Transp ADR Class Label IMDG IMDG Class	imber or ID number UN1993 UN1993 oper shipping name 1993 FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. FLAMMABLE LIQUID, N.O.S. oort hazard class(es) 3 (F1) Flammable liquids. 3 (F1) Flammable liquids. 3 Flammable liquids.



2110002

Reviewed on: 11.02.2025 Printing date: 11.02.2025

. Label	3	(continued of page 7)
14.4 Packing group	3	
ADR	II	
IMDG	II	
. IATA	II	
14.5 Environmental hazards: Not applicable.		
Danger code (Kemler): EMS Number:	33 F-E.S-E	
Warning: Flammable liquids. 14.7 Maritime transport in bu Not applicable.	ulk according to IMO instruments	
<ul> <li>Transport/Additional inform</li> <li>ADR</li> </ul>	mation:	
. Excepted quantities (EQ):	E2	
Limited quantities (LQ)	1L	
. Transport category	2	
<b>Tunnel restriction code</b>	D/E	
IMDG		
Limited quantities (LQ)	1L	
Excepted quantities (EQ)	E2	
UN "Model Regulation": UN 1993 FLAMMABLE LIQUID,	, N.O.S., 3, II	

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
  DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II None of the ingredients is listed.
- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed.
- Annex II REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed.
- Regulation (EC) No 273/2004 on drug precursors
- None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed.
- National regulations:
- Waterhazard class: Generally not hazardous for water.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.



2110002

Reviewed on: 11.02.2025 Printing date: 11.02.2025

PRODUCT :	PETROSELINUM SATIVUM Feuille Organic Hydroalcoholic Extract
	(continued of page 8)
SECTION 16:	Other information
information in to be conside areas thereof. not be valid w of this docum. The required	information complies with EU regulations in force. It does not exempt the user from knowing and ne national regulations in force.
purpose of labeling of * • Date of pu * 16.12.2022	raining in occupational risk prevention is recommended for personnel who will handle this product, in the facilitating the understanding and interpretation of this form of safety data in the same way as the the product. revious version:
IFRA:Intern ADR: Accor the Interna RID: Règle Concerning IMDG: Inte DOT: US D IATA: Inter ICAO: Inte GHS: Globa EINECS: Et ELINCS: Et CAS: Cherr DNEL: Deri PNEC: Pred LC50: Leth LD50: Leth PBT: Persis vPvB: very	ions and acronyms: national Fragrance Association IOFI:International Organization of the Flavor Industry rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning tional Carriage of Dangerous Goods by Road) ment international concernant le transport des marchandises dangereuses par chemin de fer (Regulations the International Transport of Dangerous Goods by Rail) rmational Maritime Code for Dangerous Goods epartment of Transport Association mational Air Transport Association mational Civil Aviation Organisation ally Harmonised System of Classification and Labelling of Chemicals uropean Inventory of Existing Commercial Chemical Substances lical Abstracts Service (division of the American Chemical Society) ved No-Effect Level (REACH) licted No-Effect Concentration (REACH) al concentration, 50 percent al dose, 50 percent tent, Bioaccumulative and Toxic Persistent and very Bioaccumulative
• * Data co	mpared to the previous version altered.