


2234703

CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)





22

		Reviewed on: 07.10.2
PRODUCT :	CAMELLIA SINENSIS Feuille Organic Hydroalcoholic Ext	Printing date: 07.10.2
		(continued of page 1)
	able. nation of endocrine-disrupting properties ne ingredients is listed.	
SECTION 03	Composition/information on ingredients	
 3.2 Mixtu Descripti Mixture 		
Dangero	us components:	
CAS Numbe	-	%
64-17-5	ALCOHOL	20,001-50,00
	EC number: 200-578-6	
Addition	2 - H319 al information:	
For the w	ording of the listed risk phrases refer to section 16.	
SECTION 04	: First aid measures	
Seek imm After inh Supply fre After ski If skin irri After eye Rinse ope After swa Seek imm Informat 4.2 Most in No further re 4.3 Indicati No further re	esh air and to be sure call for a doctor. n contact: tation continues, consult a doctor. e contact: ned eye for several minutes under running water. If symptoms persist, con allowing: ediate medical advice. ion for doctor: nportant symptoms and effects, both acute and delayed levant information available. on of any immediate medical attention and special treatment ne levant information available.	
SECTION 05	Firefighting measures	
 Suitable CO2, sand Use fire et 	iishing media extinguishing agents: d, extinguishing powder. Do not use water. xtinguishing methods suitable to surrounding conditions. y reasons unsuitable extinguishing agents: h full jet	
	hazards arising from the substance or mixture toxic gases is possible during heating or in case of fire.	
 Protectiv Do not inl Additional 	for firefighters e equipment: ale explosion gases or combustion gases. al information ngered receptacles with water spray.	
- EU		(continued on page 3)

(continued on page 3)



2234703

	olic Extract (continued of page 2)
SECTION 06: Accidental release measures	
6.1 Personal precautions, protective equipment and emergency prov Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources.	cedures
6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.	
6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.	
 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 	
 7.1 Precautions for safe handling Keep receptacles tightly sealed. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. 	
 7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Use only receptacles specifically permitted for this substance/ product. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep container tightly sealed. Protect from heat and direct sunlight. Store receptacle in a well ventilated area. 	
7.3 Specific end use(s) No further relevant information available.	

- Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at
- the workplace. • DNELs
- 64-17-5

,

*

- Alcohol Action Action Action Inhalative, DNEL(ShortTerm): 1900 mg/m3 (human being) Dermal, DNEL(long term): 343 mg/kg (human being) Inhalative, DNEL short term: 1000 ppm (human being) Inhalative, DNEL long term: 500 ppm (human being) Inhalative, DNEL long term: 950 mg/m3 (human being) • PNECs
- - 64-17-5 Alcohol
 - Oral: 0,72 mg/kg Soil: 0,63 mg/kg STP: 580 mg/l Water Inter Rel: 2,75 mg/l Marine water: 0,79 mg/l Fresh water: 0,96 mg/l



2234703

Reviewed on: 07.10.2024 Printing date: 07.10.2024

(continued on page 5)

	Printing date: 07.10.		
PRODUCT : CAMELLIA SINENSIS F	euille Organic Hydroalcoholic Extract		
Sediment freshW: 3,6 mg/kg	(continued of page 3)		
Sediment Marine: 2,9 mg/kg			
 Additional information: 			
The lists valid during the making were use	ed as basis.		
8.2 Exposure controls			
 Individual protection measures, such Compared another time and business. 			
 General protective and hygienic mea The usual precautionary measures are to 			
Keep away from foodstuffs, beverages and	d feed.		
Wash hands before breaks and at the end Avoid contact with the eyes.	of work.		
 Respiratory protection: 			
Use suitable respiratory protective device	in case of insufficient ventilation.		
Protection of hands:			
Protective gloves The glove material has to be impermeable	e and resistant to the product/ the substance/ the preparation.		
Due to missing tests no recommendation	n to the glove material can be given for the product/ the preparation/ the		
chemical mixture.	eration of the penetration times, rates of diffusion and the degradation		
 Material of gloves 	eration of the penetration times, rates of timusion and the degradation		
The selection of the suitable gloves does	not only depend on the material, but also on further marks of quality and		
varies from manufacturer to manufacture	r. As the product is a preparation of several substances, the resistance of		
 Penetration time of glove material 	 the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material 		
The exact break through time has to be	e found out by the manufacturer of the protective gloves and has to be		
	observed.		
 Eye/face protection Safety glasses 			
Body protection:			
Impervious protective clothing			
Boots			
SECTION 09: Physical and chemical	properties		
9.1 Information on basic physical and chemi	cal properties		
General Information			
Physical state	Fluid		
Colour:	brown to dark brown		
Odour:	herbal		
Odour threshold:	Not determined.		
Boiling point or initial boiling point and boiling range	Not determined.		
Flammability	Not determined.		
Lower and upper explosion limit			
Lower:	Not determined.		
Upper:	Not determined.		
Flash point:	40,0 °C NFT 60-103 CC		
•			

Not determined. Not determined.

Not determined.

Not determined.

Not determined.

Not determined.

Not determined.

Not determined.

975,0000 0.995

*

pH Viscosity:

Dynamic:

Solubility water:

value)

Density:

Decomposition temperature:

Partition coefficient n-octanol/water (log

Density and/or relative density

Kinematic viscosity

Vapour pressure:

Relative density



2234703

Reviewed on: 07.10.2024 Printing date: 07.10.2024

		(continued of page 4,
apour density	Not determined.	
.2 Other information	No further relevant information available.	
Appearance:		
orm:	fluid	
nportant information on protection of heal	th and environment, and on safety.	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Not determined.	
Solvent content:		
Solids content:	0,00 %	
Change in condition		
Evaporation rate	Not determined.	
nformation with regard to physical hazard	classes	
Explosives	not applicable	
lammable gases	not applicable	
Aerosols	not applicable	
Dxidising gases	not applicable	
Gases under pressure	not applicable	
lammable liquids	Flammable liquid and vapour.	
lammable solids	not applicable	
Self-reactive substances and mixtures	not applicable	
Pyrophoric liquids	not applicable	
Pyrophoric solids	not applicable	
Self-heating substances and mixtures	not applicable	
Substances and mixtures, which emit lammable gases in contact with water	not applicable	
xidising liquids	not applicable	
Dxidising solids	not applicable	
Drganic peroxides	not applicable	
Corrosive to metals	not applicable	
Desensitised explosives	not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Not determined.

(continued on page 6)




2234703

	PRODUCT :	CAMELLIA SINENSIS Feuille Organic Hydroalcoholic Extract	
			(continued of page 5)
	SECTION 11:	Toxicological information	
	 Acute tox 	/	
	• LD/LC50	values relevant for classification: ISO LD/LC	
*	Inhalative Primary i	Alcohol : 6200-15000 mg/kg (rat) (OECD 401 equivalent) LC50/4h: >50 mg/l (rat) (OECD 403 equivalent) rritant effect: osion/irritation	
*		Alcohol If skin, OECD 404 DRAIZE: NOT IRRITANT (Rabbit) (OECD 404) ye damage/irritation	
*	405) Irritating e Causes ser	Alcohol f eyes, OECD 405 DRAIZE: CAT 2 IRRITANT (Rabbit) (OECD ffect. ious eye irritation. ry or skin sensitisation	
*	64-17-5 Dermal, O Sensitisati	Alcohol ECD 429 LLNA: NOT SENSITIZER (mouse) on, OECD 406: NOT SENSITIZER (guinea Pig) mutagenicity	
*		Alcohol AMES: NEGATIVE (in vitro) (OECD 471) MLA TK: NOT CLASSIFIED (in vitro) enicity	
*	OECD 475 • Reproduct Not detern • STOT-sin Not detern • STOT-rep Not detern • Aspiration Not detern	gle exposure nined. eated exposure nined. n hazard nined.	
*	64-17-5 Oral, NOA Oral, NOA Additiona Carcinoger 11.2 Info Endocrine	to chronic toxicity: Alcohol EL: >3000 mg/kg (rat) (carcinogenicity) EL: >4400 mg/kg (mouse) (Female, >4250 mg/kg Male) I toxicological information: nic if inhaled. rmation on other hazards a disrupting properties E the ingredients is listed.	
*	12.1 Toxicit • Aquatic t 64-17-5 CE50/48h: 96h-LC50: 12.2 Persist No further rel	Divicity: Alcohol 12340 mg/l (daphnia) 13000 mg/l (fish) ence and degradability evant information available. r in environmental systems:	

- Not determined.
- 12.3 Bioaccumulative potential No further relevant information available.



2234703





2234703

Reviewed on: 07.10.2024 Printing date: 07.10.2024

. Label	3	(continued of page 7)
14.4 Packing group		
. ADR	III	
. IMDG	III	
. IATA	III	
14.5 Environmental hazards	1	
Not applicable. . Danger code (Kemler):	30	
EMS Number:	F-E,S-E	
14.6 Special precautions for Warning: Flammable liquids.		
Not applicable.	ulk according to IMO instruments	
 Transport/Additional information . ADR 	mation:	
. Excepted quantities (EQ):	E1	
Limited quantities (LQ)	5L	
. Transport category	3	
. Tunnel restriction code	D/E	
IMDG		
Limited quantities (LQ)	5L	
. Excepted quantities (EQ)	E1	
 UN "Model Regulation": 		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II None of the ingredients is listed.
- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
- None of the ingredients is listed.
 Annex II REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed.
- Regulation (EC) No 273/2004 on drug precursors
- None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed.
- National regulations:
- Waterhazard class: Generally not hazardous for water.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.



2234703

	ODUCT : CAMELLIA SINENSIS Feuille Organic Hydroalcoh	olic Extract
		(continued of page 8)
[CTION 16: Other information	
	The information in this safety data sheet is based on the state of our H information in this sheet must be regarded as a description of the safety required to be considered a warranty or quality specification and have no contractu- areas thereof. The information contained in this safety data sheet relate to the not be valid with respect to the product associated with another product or p of this document. The required information complies with EU regulations in force. It does no applying all the national regulations in force. • Relevant phrases H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.	uirements for the product, they are not al value on properties and application e specific material designated and may process, unless it is specified in the text
* * *	 Training hints Minimum training in occupational risk prevention is recommended for pers purpose of facilitating the understanding and interpretation of this form labeling of the product. Date of previous version: 19.12.2022 Version number of previous version: 1.00 	connel who will handle this product, in the n of safety data in the same way as the
	 Abbreviations and acronyms: IFRA:International Fragrance Association IOFI:International Organization - ADR: Accord européen sur le transport des marchandises dangereuses pa the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises da Concerning the International Concernant le transport des marchandises da Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chem EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Socie DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Sources UDA(DEL Labelling Maguel DEACH registration degine supplier information 	r Route (European Agreement concerning ingereuses par chemin de fer (Regulations icals ty)
	 IFRA/IOFI Labelling Manual,REACH registration dossier,supplier informatio * Data compared to the previous version altered. 	n