


1682904

Reviewed on: 04.01.2023





1682904

Reviewed on: 04.01.2023 Printing date: 05.01.2023

- Signal word	YPRESS MOROCCO OIL	
- Signal word		(continued of page 1)
Danger		
- Hazard state	ments	
H226 Flammab	le liquid and vapour.	
H304 May be fa H315 Causes s	atal if swallowed and enters airways.	
	e an allergic skin reaction.	
	aquatic life with long lasting effects.	
 Precautionary P210 Keep awa 	/ statements ly from heat, hot surfaces, sparks, open flames and other ignitic	on sources. No smoking
P233 Keep con	tainer tightly closed.	Sourcest the stricking.
	nd bond container and receiving equipment. SWALLOWED: Immediately call a POISON CENTER/ doctor.	
	bre in a well-ventilated place. Keep cool.	
P501 Dispose o	of contents/container in accordance with local/regional/ national	/international regulations.
2.3 Other hazaı		
	T and vPvB assessment	
 PBT: Not applicable. 		
- vPvB:		
Not applicable.		
 Determinatio Substance is n 	n of endocrine-disrupting properties ot listed.	
	······	
SECTION 03: Co	omposition/information on ingredients	
3.1 Substances		
CAS No. 8013-86-3 Cupr	Description ressus sempervirens L.	
 Identification 		
 EC number: 		
283-626-9		
• Dangerous co	omponents:	
CAS Number		%
80-56-8	pin-2(3)-ene	
		50,001-100
	EC number: 201-291-9	50,001-100
	EC number: 201-291-9 Image: Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	50,001-100
	🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	50,001-100
	 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin 	50,001-100
12466 78 0	 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 	
13466-78-9	 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 delta-3-Carene 	50,001-100 10,001-20,00
13466-78-9	 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 delta-3-Carene EC number: 236-719-3 	
13466-78-9	 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 delta-3-Carene EC number: 236-719-3 Asp. Tox. 1 - H304; Flam. Liq. 3 	
13466-78- 9	 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 delta-3-Carene EC number: 236-719-3 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Skin 	
13466-78-9	 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 delta-3-Carene EC number: 236-719-3 Asp. Tox. 1 - H304; Flam. Liq. 3 	
13466-78-9 586-62-9	 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 delta-3-Carene EC number: 236-719-3 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Skin 	
	 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 delta-3-Carene EC number: 236-719-3 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Skin Sens. 1B - H317 Terpinolene EC number: 209-578-0 	10,001-20,00
	 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 delta-3-Carene EC number: 236-719-3 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Skin Sens. 1B - H317 Terpinolene 	10,001-20,00
	 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 delta-3-Carene EC number: 236-719-3 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Skin Sens. 1B - H317 Terpinolene EC number: 209-578-0 	10,001-20,00
	 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 delta-3-Carene EC number: 236-719-3 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Skin Sens. 1B - H317 Terpinolene EC number: 209-578-0 Asp. Tox. 1 - H304; Skin Sens. 1B - H317; Aquatic Acute 1 - H400, 	10,001-20,00
586-62-9	 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 delta-3-Carene EC number: 236-719-3 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Skin Sens. 1B - H317 Terpinolene EC number: 209-578-0 Asp. Tox. 1 - H304; Skin Sens. 1B - H317; Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410 	10,001-20,00 1,001- 5,00
	 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 delta-3-Carene EC number: 236-719-3 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Skin Sens. 1B - H317 Terpinolene EC number: 209-578-0 Asp. Tox. 1 - H304; Skin Sens. 1B - H317; Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410 Myrcene 	10,001-20,00
586-62-9	 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 delta-3-Carene EC number: 236-719-3 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Skin Sens. 1B - H317 Terpinolene EC number: 209-578-0 Asp. Tox. 1 - H304; Skin Sens. 1B - H317; Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410 Myrcene EC number: 204-622-5 	10,001-20,00 1,001- 5,00
586-62-9	 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 delta-3-Carene EC number: 236-719-3 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Skin Sens. 1B - H317 Terpinolene EC number: 209-578-0 Asp. Tox. 1 - H304; Skin Sens. 1B - H317; Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410 Myrcene EC number: 204-622-5 Asp. Tox. 1 - H304; Flam. Liq. 3 	10,001-20,00 1,001- 5,00
586-62-9	 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 delta-3-Carene EC number: 236-719-3 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Skin Sens. 1B - H317 Terpinolene EC number: 209-578-0 Asp. Tox. 1 - H304; Skin Sens. 1B - H317; Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410 Myrcene EC number: 204-622-5 Asp. Tox. 1 - H304; Skin Irrit. 2 - H315, Eye 	10,001-20,00 1,001- 5,00
586-62-9 123-35-3	 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 delta-3-Carene EC number: 236-719-3 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Skin Sens. 1B - H317 Terpinolene EC number: 209-578-0 Asp. Tox. 1 - H304; Skin Sens. 1B - H317; Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410 Myrcene EC number: 204-622-5 Asp. Tox. 1 - H304; Skin Irrit. 2 - H315, Eye Irrit. 2 - H319 	10,001-20,00 1,001- 5,00 1,001- 5,00
586-62-9	 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 delta-3-Carene EC number: 236-719-3 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Skin Sens. 1B - H317 Terpinolene EC number: 209-578-0 Asp. Tox. 1 - H304; Skin Sens. 1B - H317; Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410 Myrcene EC number: 204-622-5 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Eye Irrit. 2 - H319 d-limonene 	10,001-20,00 1,001- 5,00
586-62-9 123-35-3	 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Acute Tox. 4 - H302, Skin Irrit. 2 - H315, Skin Sens. 1B - H317 delta-3-Carene EC number: 236-719-3 Asp. Tox. 1 - H304; Flam. Liq. 3 - H226; Skin Irrit. 2 - H315, Skin Sens. 1B - H317 Terpinolene EC number: 209-578-0 Asp. Tox. 1 - H304; Skin Sens. 1B - H317; Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410 Myrcene EC number: 204-622-5 Asp. Tox. 1 - H304; Skin Irrit. 2 - H315, Eye Irrit. 2 - H319 	10,001-20,00 1,001- 5,00 1,001- 5,00



1682904

3 3

Reviewed on:	04.01.2023
Printing date:	05.01.2023

	PRODUCT :	CYPRESS MOROCCO OIL	
			(continued of page 2)
*		- H226; 🚸 Skin Irrit. 2 - H315, Skin	
*		Sens. 1B - H317; 🚸 Aquatic Acute 1 -	
*		H400; Aquatic Chronic 3 - H412	
*	127-91-3	beta-Pinene	1,001- 5,00
*		EC number: 204-872-5	
*		🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
*		- H226; 🚸 Skin Irrit. 2 - H315, Skin	
*		Sens. 1B - H317	
*	77-53-2	Cedrol	1,001- 5,00
*		EC number: 201-035-6	
*		Aquatic Chronic 2 - H411	
*	99-86-5	1-isopropyl-4-methylcyclohexa-1,3-diene	0,101-1,00
*		EC number: 202-795-1	
*		🚸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
*		- H226; 🚸 Acute Tox. 4 - H302, Skin	
*		Sens. 1 - H317; 🕸 Aquatic Chronic 2 -	
*		H411	
*		Oral: ATE = 1680 mg/kg	
*	469-61-4	alpha-Cedrene	0,101-1,00
*		EC number: 207-418-4	
*		🚸 Asp. Tox. 1 - H304; 🔅 Aquatic	
*		Acute 1 - H400 (M=10), Aquatic Chronic 1 -	
*		H410 (M=10)	
*	87-44-5	beta-Caryophyllene	0,101-1,00
*		EC number: 201-746-1	
*		🚸 Asp. Tox. 1 - H304; 🔅 Skin Sens.	
*		1B - H317	

SECTION 04: First aid measures

- 4.1 Description of first aid measures
- General information:
- Seek immediate medical advice.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- After skin contact: If skin irritation continues, consult a doctor. Immediately wash with water and soap and rinse thoroughly.
- After eye contact: . Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing:
- Seek immediate medical advice.
- Information for doctor:

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

ΕU

(continued on page 4)



1682904

Reviewed on: 04.01.2023

		Reviewed on: 04.01. Printing date: 05.01.
PRODUCT :	CYPRESS MOROCCO OIL	
		(continued of page 3)
SECTION 05	Firefighting measures	
5 1 Extina	lishing media	
	extinguishing agents:	
CO2, sand	l, extinguishing powder. Do not use water.	
	tinguishing methods suitable to surrounding conditions.	
 For safe Water wit 	y reasons unsuitable extinguishing agents:	
water wit		
	hazards arising from the substance or mixture	
Formation of	toxic gases is possible during heating or in case of fire.	
5.3 Advice	for firefighters	
	e equipment:	
	nale explosion gases or combustion gases.	
	al information	
Cool enda	ngered receptacles with water spray.	
SECTION 06	: Accidental release measures	
	al precautions, protective equipment and emergency procedures	5
	ive equipment. Keep unprotected persons away. Jate ventilation	
	om ignition sources.	
	imental precautions:	
	product to reach sewage system or any water course. ctive authorities in case of seepage into water course or sewage system.	
Inform (cope		
	s and material for containment and cleaning up:	
	aminated material as waste according to item 13.	
Ensure adeq	uate ventilation.	
6.4 Refere	nce to other sections	
	7 for information on safe handling.	
	8 for information on personal protection equipment. 13 for disposal information.	
3ee Section		
SECTION 07	: Handling and storage	
	tions for safe handling	
	cles tightly sealed.	
	om heat and direct sunlight.	
	ventilation/exhaustion at the workplace.	
	care. Avoid jolting, friction and impact. ion about fire - and explosion protection:	
	ion sources away - Do not smoke.	
	ainst electrostatic charges.	
7 2 Conditi	ons for safe storage, including any incompatibilities	
Storage:	she for sale storage, melading any meonpatismices	
-	nents to be met by storerooms and receptacles:	
	in the original receptacle.	
Store only	ny seepage into the ground.	
Prevent a	eceptacles specifically permitted for this substance/ product.	
Prevent a Use only		
Prevent a Use only • Informat	ion about storage in one common storage facility:	
Prevent a Use only Informat Not requi	ion about storage in one common storage facility:	
Prevent a Use only Informat Not requi Further i Keep cont	ion about storage in one common storage facility: ed. nformation about storage conditions: ainer tightly sealed.	
Prevent a Use only Informat Not requi Further i Keep cont Protect fro	ion about storage in one common storage facility: ed. nformation about storage conditions: ainer tightly sealed. om heat and direct sunlight.	
Prevent a Use only Informat Not requi Further i Keep cont Protect fro	ion about storage in one common storage facility: ed. nformation about storage conditions: ainer tightly sealed.	
Prevent a Use only Informat Not requi Further i Keep cont Protect fr Store reco 7.3 Specific	ion about storage in one common storage facility: ed. nformation about storage conditions: ainer tightly sealed. om heat and direct sunlight.	

(continued on page 5)



1682904

Reviewed on: 04.01.2023 Printing date: 05.01.2023

	(continued of page 4
SEC	TION 08: Exposure controls/personal protection
~	
	1 Control parameters Ingredients with limit values that require monitoring at the workplace:
•	Not required.
•	Additional information:
	The lists valid during the making were used as basis.
8	2 Exposure controls
٠	Individual protection measures, such as personal protective equipment
•	General protective and hygienic measures:
	The usual precautionary measures are to be adhered to when handling chemicals.
	Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing
	Wash hands before breaks and at the end of work.
	Avoid contact with the skin.
•	Respiratory protection:
	Use suitable respiratory protective device in case of insufficient ventilation.
•	Protection of hands:
	Protective gloves
	The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the
	chemical mixture.
	Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
•	Material of gloves
	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality an
	varies from manufacturer to manufacturer.
•	Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be
	observed.
•	Eye/face protection
	Safety glasses

SECTION 09: Physical and chemical properties

General Information		
Physical state	Fluid	
Colour:	colourless, yellow	
Odour:	terpenic	
Odour threshold:	Not determined.	
Melting point/freezing point:	< -20,0 °C	
Boiling point or initial boiling point and boiling range	176,8 °C	
Flammability	Not determined.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	36,5 °C NFT 60-103 CC	
Decomposition temperature:	Not determined.	
рН	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
Dynamic:	Not determined.	
Solubility		
water:	Not determined.	
Partition coefficient n-octanol/water (log value)	Not determined.	
Vapour pressure:	Not determined.	
Density and/or relative density		



1682904

Reviewed on: 04.01.2023 Printing date: 05.01.2023

Printing date: 05	.01.2023
-------------------	----------

	(continued c	of page 5
Density:	Not determined.	
Relative density	0,8630 0,8900 D20/20	
Vapour density	Not determined.	
9.2 Other information	No further relevant information available.	
Appearance:		
Form:	fluid	
Important information on protection of he	alth and environment, and on safety.	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Not determined.	
Solvent content:		
Solids content:	0,00 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical hazard	d classes	
Explosives	not applicable	
Flammable gases	not applicable	
Aerosols	not applicable	
Oxidising gases	not applicable	
Gases under pressure	not applicable	
Flammable liquids	Flammable liquid and vapour.	
Flammable solids	not applicable	
Self-reactive substances and mixtures	not applicable	
Pyrophoric liquids	not applicable	
Pyrophoric solids	not applicable	
Self-heating substances and mixtures	not applicable	
Substances and mixtures, which emit flammable gases in contact with water	not applicable	
Oxidising liquids	not applicable	
Oxidising solids	not applicable	
Organic peroxides	not applicable	
Corrosive to metals	not applicable	
Desensitised explosives	not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Not determined.

(continued on page 7)



1682904

Reviewed on: 04.01.2023 Printing date: 05.01.2023

			5
	PRODUCT :	CYPRESS MOROCCO OIL	
			(continued of page 6)
	SECTION 11:	Toxicological information	
		nation on hazard classes as defined in Regulation (EC) No 12	272/2008
	Acute tox	<pre>kicity values relevant for classification:</pre>	
	• LD/LC30		ISO LD/LC
	8013-86-3	Cupressus sempervirens L.	
		0: >5000 mg/kg (rat)	
	13466-78-9	delta-3-Carene	
		0: 4800 mg/kg (rat) (Moreno 1975)	
	5989-27-5 Oral, LD50	(R)-p-mentha-1,8-diene D: 4400 mg/kg (rat)	
*	77-53-2	Cedrol	
*		D50: >5000 mg/kg (Rabbit) (RIFM 1973)	
*	99-86-5	p-mentha-1,3-diene	
*	0ral, LD50 87-44-5	0: 1680 mg/kg (ATE) beta-Caryophyllene	
*	•••••	D: > 5000 mg/kg (rat) (Hart and Wong 1971)	
	,	rritant effect:	
		osion/irritation skin and mucous membranes.	
		in irritation.	
		eye damage/irritation	
	No irritatir	ng effect. Dry or skin sensitisation	
	Sensitizati	ion possible through skin contact.	
*		l mutagenicity	
*	87-44-5	beta-Caryophyllene AMES: NEGATIVE (in vitro) (Heck and al., 1989)	
	Carcinoge		
	Not detern		
	 Reproduce Not detern 	ctive toxicity	
		gle exposure	
	Not detern		
	 SIOI-rep Not detern 	peated exposure nined.	
	 Aspiration 		
		al if swallowed and enters airways. al if swallowed and enters airways.	
*	,	e to chronic toxicity:	
*	77-53-2	Cedrol	
*		EL: 8,4 mg/kg (rat) (28 days, RIFM 2006)	
		prmation on other hazards e disrupting properties	
		nce is not listed.	

SECTION 12: Ecological information

12.1 Toxicity • Aquatic toxicity: 8013-86-3 Cupressus sempervirens L. CE50/48h: 3 mg/l (daphnia) (OECD 202) ErC50(0-48h): 9,129 mg/l (algae) (OECD 201) 123-35-3 Myrcene LD50: 0,51 mg/l (fish) (OECD 203) CE50/48h: 0,65 mg/l (daphnia) 5989-27-5 (R)-p-mentha-1,8-diene LD50: 0,71 mg/l (fish) (OECD 203) 469-61-4 alpha-Cedrene LD50: 0,099 mg/l (daphnia) 12.2 Persistence and degradability No further relevant information available.

(continued on page 8)

*

*

*

*

*

*

*



1682904

Reviewed on: 04.01.2023 Printing date: 05.01.2023

	(continued of page 7)
Behaviour in environmental systems:	
Not determined.	
12.3 Bioaccumulative potential	
No further relevant information available.	
12.4 Mobility in soil	
No further relevant information available.	
12.5 Results of PBT and vPvB assessment	
• PBT:	
Not applicable.	
vPvB: Nationalizable	
Not applicable. 12.6 Endocrine disrupting properties	
The product does not contain substances with endocrine disrupting properties.	
12.6 Other adverse effects	
No further relevant information available.	
Ecotoxical effects:	
Not determined.	
Remark: Tavia fan fich	
Toxic for fish Additional ecological information: 	
General notes:	
Toxic for aquatic organisms	
The material is harmful to the environment.	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Recommendation
- Must be specially treated adhering to official regulations.
- Uncleaned packaging:
- Recommendation:
 - Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number of ADR	or ID number UN1993
IMDG	UN1993
ΙΑΤΑ	UN1993
14.2 UN proper sl	nipping name 1993 FLAMMABLE LIQUID, N.O.S. (CUPRESSUS SEMPERVIRENS L.)
IMDG	FLAMMABLE LIQUID, N.O.S. (CUPRESSUS SEMPERVIRENS L.)
ΙΑΤΑ	FLAMMABLE LIQUID, N.O.S. (CUPRESSUS SEMPERVIRENS L.)
14.3 Transport ha	zard class(es)
Class	3 (F1) Flammable liquids.
Label	
IMDG	▼ v
Class	3 Flammable liquids.
	(continued on page 9)



1682904

Reviewed on: 04.01.2023 Printing date: 05.01.2023

Label		(continued of page 8
ΙΑΤΑ		
Class	3 Flammable liquids.	
Label		
14.4 Packing group ADR	W	
IMDG	111	
ΙΑΤΑ	Ш	
14.5 Environmental hazard Marine pollutant:	s: Yes	
14.6 Special precautions for Warning: Flammable liquids. Danger code (Kemler):	r user 30	
EMS Number:	F-E,S-E	
Not applicable.	bulk according to IMO instruments	
 Transport/Additional info Not applicable. ADR 	rmation:	
Excepted quantities (EQ):	E1	
Limited quantities (LQ)	5L	
Transport category	3	
Tunnel restriction code	D/E	
Limited quantities (LQ)	5L	
Excepted quantities (EQ)	E1	
• UN "Model Regulation":	D, N.O.S. (CUPRESSUS SEMPERVIRENS L.), 3, III, DOUS	

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical

- DIRECTIVE 2011/65/EU on the restriction of the use c and electronic equipment - Annex II Substance is not listed.
- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) Substance is not listed.
- Annex II REPORTABLE EXPLOSIVES PRECURSORS Substance is not listed.
- Regulation (EC) No 273/2004 on drug precursors Substance is not listed.

(continued on page 10)



1682904

Reviewed on: 04.01.2023 Printing date: 05.01.2023

	Printing date: 05.01.2
PRODUC [®]	CYPRESS MOROCCO OIL
Con	<i>(continued of page 9)</i> tion (EC) No 111/2005 laying down rules for the monitoring of trade between the unity and third countries in drug precursors nee is not listed.
• Nati	al regulations:
	cal instructions (air): Share in % 0,05
	nazard class: nazard class 2 (Self-assessment): hazardous for water.
	mical safety assessment: I Safety Assessment has not been carried out.
SECTION	6: Other information
The information to be control areas the term of term o	nation in this safety data sheet is based on the state of our knowledge at the date indicated. The n in this sheet must be regarded as a description of the safety requirements for the product, they are not idered a warranty or quality specification and have no contractual value on properties and application eof. The information contained in this safety data sheet relate to the specific material designated and may d with respect to the product associated with another product or process, unless it is specified in the text
The rec applyin	ed information complies with EU regulations in force. It does not exempt the user from knowing and Il the national regulations in force. nt phrases
H22 H30 H30	Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways.
H31 H31	Causes skin irritation. May cause an allergic skin reaction.
H31 H40	Causes serious eye irritation. Very toxic to aquatic life.
H41 H41 H41	Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.
Mini purp labe • Date 19.1	Ig hints m training in occupational risk prevention is recommended for personnel who will handle this product, in the e of facilitating the understanding and interpretation of this form of safety data in the same way as the g of the product. f previous version: 1022 n number of previous version:
IFRA ADR the 1 RID Cond IMD DOT IATA ICAA GHS ELINE ELINE CAS LC50	viations and acronyms: tternational Fragrance Association IOFI:International Organization of the Flavor Industry ccord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning ernational Carriage of Dangerous Goods by Road) gelement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations ning the International Concernant le transport des marchandises dangereuses par chemin de fer (Regulations ning the International Transport of Dangerous Goods by Rail) International Maritime Code for Dangerous Goods S Department of Transportation nternational Air Transport Association nternational Civil Aviation Organisation lobally Harmonised System of Classification and Labelling of Chemicals : European Inventory of Existing Commercial Chemical Substances : European List of Notified Chemical Substances memical Abstracts Service (division of the American Chemical Society) ethal concentration, 50 percent ethal dose, 50 percent
PBT	ersistent, Bioaccumulative and Toxic ery Persistent and very Bioaccumulative
IFRA	OFI Labelling Manual,REACH registration dossier,supplier information (continued on page 11)
— FU —	



1682904

Reviewed on: 04.01.2023 Printing date: 05.01.2023

PRODUCT :	CYPRESS MOROCCO OIL	
		(continued of page 10)

• * Data compared to the previous version altered.