



#### according to 2020/878/EC (1907/2006/EC Article 31)

1658906

Reviewed on: 08.04.2024 Printing date: 08.04.2024

#### SECTION 01: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: OLIBANUM OIL
- Article number:
- F1248
- CAS Number: 8016-36-2
- EC Number:
- 946-037-4 No CAS EINECS:
- · Registration number 01-2120738865-41-0002
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Perfume ingredient Only for industrial use
- 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

BIOLANDES, BP2 2760 Route de Bélis 40420 LE SEN

TEL: +33(0)5.58.51.00.00 email: fds@biolandes.com

**FRANCE** 

1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1 45 42 59 59

#### SECTION 02: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS08

Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways.



GHS02

Flam. Liq. 3 - H226 Flammable liquid and vapour.



GHS07

Skin Irrit. 2 - H315 Causes skin irritation. Skin Sens. 1 - H317 May cause an allergic skin reaction.



GHS09

Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms









GHS08

GHS02

GHS07

GHS09

(continued on page 2)

#### Page: 2 / 12



#### CHEMICAL SAFETY DATA SHEET

#### according to 2020/878/EC (1907/2006/EC Article 31)

1658906

Reviewed on: 08.04.2024 Printing date: 08.04.2024

(continued of page 1)

1,001-5,000

(continued on page 3)

#### **PRODUCT: OLIBANUM OIL**

Signal word

Danger

Hazard statements

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

#### 2.3 Other hazards

- Results of PBT and vPvB assessment
- PBT:
- Not applicable.
- vPvB:
- Not applicable.
- Determination of endocrine-disrupting properties None of the ingredients is listed.

#### SECTION 03: Composition/information on ingredients

3.1 Substances

CAS No. Description

8016-36-2 Boswellia carteri Birdw. (syn Boswellia sacra

Flueck.)

p-cymene

EC number: 202-796-7

- Identification number(s)
- EC number: 946-037-4

540 057 4		
Dangerous co	omponents:	
CAS Number		%
80-56-8	ALPHA-PINENE	50,001-100
	EC number: 201-291-9	
	🕸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 💠 Acute Tox. 4 - H302, Skin	
	Irrit. 2 - H315, Skin Sens. 1B - H317	
5989-27-5	d-limonene	5,001-10,00
	EC number: 227-813-5	
	🕸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 💠 Skin Irrit. 2 - H315, Skin	
	Sens. 1B - H317; 🄄 Aquatic Acute 1 -	
	H400 (M=1); Aquatic Chronic 3 - H412	
123-35-3	Myrcene	1,001- 5,000
	EC number: 204-622-5	
	🕸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
	- H226; 💠 Skin Irrit. 2 - H315, Eye	
	Irrit. 2 - H319	
3387-41-5	sabinene	1,001- 5,000
	EC number: 222-212-4	
	♠ Acute Tox. 4 - H302	

99-87-6



# BIOLANDES

# CHEMICAL SAFETY DATA SHEET

according to 2020/878/EC (1907/2006/EC Article 31)

1658906

Reviewed on: 08.04.2024 Printing date: 08.04.2024

RODUCT :	OLIBANUM OIL	(continued of page 2)
	Acute Tox. 3 - H331;	(conunued of page 2,
	- H304; 🍪 Flam. Liq. 3 - H226; 🧐	
	Aquatic Chronic 2 - H411	
127-91-3	BETA-PINENE	1,001- 5,000
127-91-3	EC number: 204-872-5	1,001- 5,000
	Asp. Tox. 1 - H304; 🍪 Flam. Liq. 3	
	- H226; Skin Irrit. 2 - H315, Skin	
	Sens. 1B - H317	
99-83-2	Alpha phellandrene	1,001- 5,000
	EC number: 202-792-5	
	♦ Asp. Tox. 1 - H304; ♦ Flam. Liq. 3	
	- H226	
13466-78-9	delta-3-Carene	1,001- 5,000
	EC number: 236-719-3	
	♦ Asp. Tox. 1 - H304; ♦ Flam. Liq. 3	
	- H226; 💠 Skin Irrit. 2 - H315, Skin	
	Sens. 1B - H317	
562-74-3	4-Carvomenthenol	1,001- 5,000
	EC number: 209-235-5	
	Acute Tox. 4 - H302, Skin Irrit. 2 -	
	H315, Eye Irrit. 2 - H319	
1139-30-6	Caryophyllene oxide	1,001- 5,000
	EC number: 214-519-7	
	Aquatic Chronic 2 - H411	
87-44-5	BETA-CARYOPHYLLENE	1,001- 5,000
	EC number: 201-746-1	
	🚱 Asp. Tox. 1 - H304; 🔱 Skin Sens.	
	1B - H317	
79-92-5	camphene	0,101-1,000
	EC number: 201-234-8	
	Flam. Sol. 1 - H228; 🔱 Eye Irrit.	
	2 - H319; 🌜 Aquatic Acute 1 - H400 (M=1)	
	, Aquatic Chronic 1 - H410 (M=1)	
470-82-6	Eucalyptol	0,101-1,000
	EC number: 207-431-5	
	🍑 Flam. Liq. 3 - H226; 🔱 Skin Sens.	
	1B - H317	
99-86-5	1-isopropyl-4-methylcyclohexa-1,3-diene	0,101-1,000
	EC number: 202-795-1	
	🚱 Asp. Tox. 1 - H304; 🧇 Flam. Liq. 3	
	- H226; 💠 Acute Tox. 4 - H302, Skin	
	Sens. 1 - H317; 🔖 Aquatic Chronic 2 -	
	H411	
78-70-6	LINALOOL	0,101-1,000
	EC number: 201-134-4	2,101 1,000
	Skin Irrit. 2 - H315, Eye Irrit. 2 -	
	H319, Skin Sens. 1B - H317	
105-87-3	GERANYL ACETATE	0,101-1,000
	EC number: 203-341-5	2,101 1,000
	······	(continued on page 4

#### Page: 4 / 12



# CHEMICAL SAFETY DATA SHEET

#### according to 2020/878/EC (1907/2006/EC Article 31)

1658906

Reviewed on: 08.04.2024 Printing date: 08.04.2024

PRODUCT: OLIBANUM OIL

(continued of page 3)

Skin Irrit. 2 - H315, Skin Sens. 1B -

H317; Aquatic Chronic 3 - H412

586-62-9 TERPINOLENE 0,101-1,000

EC number: 209-578-0

♦ Asp. Tox. 1 - H304;
 ♦ Skin Sens.
 1B - H317;
 ♦ Aquatic Acute 1 - H400

(M=1), Aquatic Chronic 1 - H410 (M=1)

#### SECTION 04: First aid measures

- 4.1 Description of first aid measures
- General information:

Seek immediate medical advice.

- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- · After skin contact:
- If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

- After eye contact:
  - Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
- Seek immediate medical advice.
- Information for doctor:
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
  - CO2, sand, extinguishing powder. Do not use water.
- Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment:
- Do not inhale explosion gases or combustion gases.
- · Additional information
  - Cool endangered receptacles with water spray.

### SECTION 06: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

(continued on page 5)





#### according to 2020/878/EC (1907/2006/EC Article 31)

1658906

Reviewed on: 08.04.2024 Printing date: 08.04.2024

PRODUCT: OLIBANUM OIL

(continued of page 4)

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 07: Handling and storage

#### 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Handle with care. Avoid jolting, friction and impact.

• Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

# 7.2 Conditions for safe storage, including any incompatibilities Storage:

• Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/ product.

- Information about storage in one common storage facility:
  - Not required.
- Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

#### 7.3 Specific end use(s)

No further relevant information available.

# SECTION 08: Exposure controls/personal protection

#### 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information:

The lists valid during the making were used as basis.

#### 8.2 Exposure controls

- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection

Safety glasses

Body protection:

Impervious protective clothing

(continued on page 6)



# according to 2020/878/EC (1907/2006/EC Article 31)

1658906

Reviewed on: 08.04.2024 Printing date: 08.04.2024

PRODUCT: OLIBANUM OIL

Boots

(continued of page 5)

SECTION 09: Physical and chemical p	
9.1 Information on basic physical and chemic General Information	cal properties
Physical state	Fluid
Colour:	pale yellow
Odour:	olibanum
Odour threshold:	Not determined.
Melting point/freezing point:	< -20,0 °C
Boiling point or initial boiling point and	182,3 °C
boiling range	102,0
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	43,5 °C NFT 60-103 CC
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not determined.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	at 20,00 °C 29,1500 mbar
Density and/or relative density	
Density:	Not determined.
Relative density	0,8650 0,8800 D20/20
Vapour density	Not determined.
9.2 Other information	No further relevant information available.
Appearance:	
Form:	fluid
Important information on protection of health	-
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Solvent content:	0.00.0/
Solids content:	0,00 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard cl	
Explosives	not applicable
Flammable gases	not applicable
Aerosols	not applicable
Oxidising gases	not applicable
Gases under pressure	not applicable
Flammable liquids	Flammable liquid and vapour.
Flammable solids	not applicable
Self-reactive substances and mixtures	not applicable
Pyrophoric liquids	not applicable

#### Page: 7 / 12



#### CHEMICAL SAFETY DATA SHEET

#### according to 2020/878/EC (1907/2006/EC Article 31)

1658906

Reviewed on: 08.04.2024 Printing date: 08.04.2024

DDODUCT	_		
PRODUCT	: 0	LIBAN	IUM OIL

not applicable	
not applicable	
	not applicable not applicable not applicable not applicable not applicable

### SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions

No dangerous reactions known.

10.4 Conditions to avoid

No further relevant information available.

10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous decomposition products:

Not determined.

### SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity
- LD/LC50 values relevant for classification:

ISO LD/LC

8016-36-2 Boswellia carteri Birdw. (syn Boswellia sacra

Flueck.)

Oral, LD50: >5000 mg/kg (rat) (OECD 401, 1972)

5989-27-5 (R)-p-mentha-1,8-diene

Oral, LD50: 4400 mg/kg (rat)

99-83-2 Alpha phellandrene

Oral, LD50: > 5700 mg/kg (rat) (Moreno 1972)

13466-78-9 delta-3-Carene

Oral, LD50: 4800 mg/kg (rat) (Moreno 1975)

1139-30-6 Caryophyllene oxide

Oral, LD50: >5000 mg/kg (rat) (Moreno 1978)

**87-44-5 BETA-CARYOPHYLLENE**Oral, LD50: > 5000 mg/kg (rat) (Hart and Wong 1971)

79-92-5 camphene

Oral, LD50: 5000 mg/kg (rat) Dermal, LD50: 2500 mg/kg (Rabbit)

Dermai, LD50: 2500 mg/kg (Rabbit 170-82-6 Eucalyptol

Oral, LD50: 3849 mg/kg (mouse) (Jiao Xu, 2014)

99-86-5 ALPHA-TERPINENE

Oral, LD50: 1680 mg/kg (ATE)

78-70-6 LINALOOL

Oral, LD50: 2790 mg/kg (rat) Dermal, LD50: 5610 mg/kg (Rabbit)

105-87-3 GERANYL ACETATE

Oral, LD50: >4000 mg/kg (rat) (NTP 1987)

(continued on page 8)

#### Page: 8 / 12



# CHEMICAL SAFETY DATA SHEET

#### according to 2020/878/EC (1907/2006/EC Article 31)

1658906

Reviewed on: 08.04.2024 Printing date: 08.04.2024

(continued of page 7)

#### **PRODUCT: OLIBANUM OIL**

· Primary irritant effect:

Skin corrosion/irritation

Irritant to skin and mucous membranes.

Causes skin irritation.

Serious eye damage/irritation

8016-36-2 Boswellia carteri Birdw. (syn Boswellia sacra

Flueck.)

Irritation of eyes, OECD 492: NOT CLASSIFIED (in vitro) (Reach file, 2015)

Respiratory or skin sensitisation

Sensitization possible through skin contact.

• Germ cell mutagenicity

8016-36-2 Boswellia carteri Birdw. (syn Boswellia sacra

Flueck.)

OECD 471 AMES: NEGATIVE (in vitro) (OECD 471, 2016)

1139-30-6 Caryophyllene oxide

OECD 471 AMES: NEGATIVE (in vitro) (Richold and al, 1979)

**BETA-CARYOPHYLLENE** 87-44-5

OECD 471 AMES: NEGATIVE (in vitro) (Heck and al., 1989)

470-82-6 Eucalyptol

OECD 471 AMES: NEGATIVE (in vitro) (Haworth, 1983)

78-70-6 LINALOOL

OECD 471 AMES: NEGATIVE (in vitro) (Letizia and al., 2007)

**GERANYL ACETATE** 105-87-3

OECD 471 AMES: NEGATIVE (in vitro) (NTP 1987)

Carcinogenicity

LINALOOL

Micronoyau: NEGATIVE (mouse) (in vivo, Letizia and al., 2007)

Micronoyau: NEGATIVE (in vitro) (DiSotto and al., 2011)

**GERANYL ACETATE** 

Micronoyau: NEGATIVE (mouse) (in vivo, Shelby 1993)

Reproductive toxicity Not determined.

STOT-single exposure

Not determined.

STOT-repeated exposure

Not determined.

Aspiration hazard

May be fatal if swallowed and enters airways.

May be fatal if swallowed and enters airways.

Subacute to chronic toxicity:

**BETA-CARYOPHYLLENE** 

Oral, NOAEL: 700 mg/kg (rat) (90 days Schmitt 2016)

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

#### SECTION 12: Ecological information

#### 12.1 Toxicity

• Aquatic toxicity:

8016-36-2 Boswellia carteri Birdw. (syn Boswellia sacra

Flueck.)

CE50/48h: 4,6 mg/l (daphnia) (OECD 202) calculation method on constituents ErC50(0-72h): 5,5 mg/l (algae) (OECD 201)

5989-27-5 (R)-p-mentha-1,8-diene

LD50: 0,71 mg/l (fish) (OECD 203)

Myrcene

LD50: 0,51 mg/l (fish) (OECD 203) CE50/48h: 0,65 mg/l (daphnia)

99-87-6 p-cymene

LD50: 1,63 mg/l (fish) (OECD 203)

(continued on page 9)

Page: 9 / 12



#### CHEMICAL SAFETY DATA SHEET

#### according to 2020/878/EC (1907/2006/EC Article 31)

1658906

Reviewed on: 08.04.2024 Printing date: 08.04.2024

**PRODUCT: OLIBANUM OIL** 

(continued of page 8)

78-70-6 LINALOOL

LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991) ErC50(0-72h): 156,7 mg/l (algae)

ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202)

12.2 Persistence and degradability

No further relevant information available.

• Behaviour in environmental systems: Not determined.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

• PBT:

Not applicable.

vPvB:

Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

#### 12.6 Other adverse effects

No further relevant information available.

Ecotoxical effects:

Not determined.

Remark:

Toxic for fish

- Additional ecological information:
- General notes:

Toxic for aquatic organisms

Danger to drinking water if even extremely small quantities leak into the ground.

The material is harmful to the environment.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Recommendation

Must be specially treated adhering to official regulations.

- Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

#### SECTION 14: Transport information

14.1 UN number or ID number

. ADR UN1993 . IMDG UN1993 UN1993 . IATA

14.2 UN proper shipping name

. ADR 1993 FLAMMABLE LIQUID, N.O.S. (BOSWELLIA CARTERII) FLAMMABLE LIQUID, N.O.S. (BOSWELLIA CARTERII) . IMDG . IATA FLAMMABLE LIQUID, N.O.S. (BOSWELLIA CARTERII)

14.3 Transport hazard class(es)

. ADR

3 (F1) Flammable liquids. . Class

(continued on page 10)



Page: 10 / 12

## according to 2020/878/EC (1907/2006/EC Article 31)

1658906

Reviewed on: 08.04.2024 Printing date: 08.04.2024

**PRODUCT: OLIBANUM OIL** (continued of page 9) . Label IMDG 3 Flammable liquids. Class Label . IATA Class 3 Flammable liquids. Label 14.4 Packing group . ADR Ш . IMDG Ш IATA Ш 14.5 Environmental hazards: . Marine pollutant: Yes 14.6 Special precautions for user Warning: Flammable liquids. Danger code (Kemler): 30 . EMS Number: F-E,S-E 14.7 Maritime transport in bulk according to IMO instruments Not applicable. • Transport/Additional information: ADR Excepted quantities (EQ): E1 . Limited quantities (LQ) 5L . Transport category 3 . Tunnel restriction code D/E . IMDG . Limited quantities (LQ) 5L Excepted quantities (EQ) • UN "Model Regulation": UN 1993 FLAMMABLE LIQUID, N.O.S. (BOSWELLIA CARTERII), 3, III,

**ENVIRONMENTALLY HAZARDOUS** 



Page: 11 / 12

#### according to 2020/878/EC (1907/2006/EC Article 31)

1658906

Reviewed on: 08.04.2024 Printing date: 08.04.2024

PRODUCT: OLIBANUM OIL

#### SECTION 15: Regulatory information

(continued of page 10)

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II None of the ingredients is listed.
- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed.
- · National regulations:
- Technical instructions (air):
- Class Share in % I 0,03
- Waterhazard class:

Water hazard class 3 (Self-assessment): extremely hazardous for water.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

Relevant phrases

Flammable liquid and vapour. H226 H228 Flammable solid. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. May cause an allergic skin reaction. H317 H319 Causes serious eye irritation. H331 Toxic if inhaled. H400 Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. H410 H411 Toxic to aquatic life with long lasting effects.

Harmful to aquatic life with long lasting effects.

Training hints

H412

Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.

- Date of previous version:
  - 21.12.2023
- Version number of previous version:
  - 2.00
  - Abbreviations and acronyms:

IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(continued on page 12)



# CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

Page: 12 / 12

1658906

Reviewed on: 08.04.2024 Printing date: 08.04.2024

#### PRODUCT: OLIBANUM OIL

(continued of page 11)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations

Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Sources

IFRA/IOFI Labelling Manual, REACH registration dossier, supplier information

• \* Data compared to the previous version altered.