

2179300

Reviewed on: 17/05/18

Printing date: 29/07/2020 SECTION 01: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier Trade name: LEBANON CEDAR MACERATE Article number: MGD10044 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Only for industrial use 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: GOLGEMMA TEL: +33(0)4.75.21.09.09 Z.A. de Cocause email: fds@golgemma.com 26150 DIE www.golgemma.com FRANCE 1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1 45 42 59 59 SECTION 02: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 Flam. Liq. 3 - H226 Flammable liquid and vapour. GHS07 Eye Irrit. 2 - H319 Causes serious eye irritation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 ٠ Hazard pictograms GHS07 GHS02 Signal word Warning Hazard statements H226 Flammable liquid and vapour. H319 Causes serious eye irritation. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.



2179300

Reviewed on: 17/05/18 Printing date: 29/07/2020

		Printing date: 29
PRODUCT :	LEBANON CEDAR MACERATE	
SECTION 03:	Composition/information on ingredients	(continued of page
	al characterization: Mixtures	
	us components:	
CAS Numb		%
	Alcohol	20,001-50,00
	EC number: 200-578-6	
	 Flam. Liq. 2 - H225; Eye Irrit. 2 - H319 	
SECTION 04:	First aid measures	
	tion of first aid measures	
	nformation: ediate medical advice.	
 After inh 	alation:	
 After skir 		
If skin irri • After eye	tation continues, consult a doctor.	
	ned eye for several minutes under running water. If symptoms per	rsist, consult a doctor.
Seek imm	ediate medical advice.	
 Informat 	ion for doctor:	
4.2 Most in No further re	portant symptoms and effects, both acute and delayed levant information available.	
	on of any immediate medical attention and special treatm levant information available.	nent needed
SECTION 05:	Firefighting measures	
	ishing media extinguishing agents:	
CO2, sand	, extinguishing powder. Do not use water.	
	tinguishing methods suitable to surrounding conditions. y reasons unsuitable extinguishing agents: n full jet	
	hazards arising from the substance or mixture levant information available.	
	for firefighters	
 Protectiv Do not inh 	e equipment: ale explosion gases or combustion gases.	
 Additional 	al information ngered receptacles with water spray.	
SECTION 06:	Accidental release measures	
Wear protect	Il precautions, protective equipment and emergency proce ive equipment. Keep unprotected persons away. om ignition sources.	edures
	mental precautions: product to reach sewage system or any water course.	
6.3 Method	s and material for containment and cleaning up:	
	······································	(continued on page a



2179300

Reviewed on: 17/05/18 Printing date: 29/07/2020

PRODUCT: **LEBANON CEDAR MACERATE** (continued of page 2) Dispose of the material collected according to regulations. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. SECTION 07: Handling and storage Handling: 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles. Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Handle with care. Avoid jolting, friction and impact. • Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. 7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight. Store receptacle in a well ventilated area. 7.3 Specific end use(s) No further relevant information available. SECTION 08: Exposure controls/personal protection 8.1 Control parameters Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. **Designation of material** CAS No. % Type Value Unit The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Avoid contact with the eyes. Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed Eye protection: Safety glasses

(continued on page 4)



2179300

Reviewed on: 17/05/18

Printing date: 2	9/07/2020
------------------	-----------

	(continued	of page 3)
ECTION 09: Physical and chemic	al properties	
9.1 Information on basic physical and che	mical properties	
General Information		
Appearance:		
Form:	fluid	
Colour:	green-yellow, brown	
Odour:	sweetish	
Odour threshold:	Not determined.	
Change in condition		
Initial boiling point and boiling range:	Not determined.	
Flash point:	25 °C NFT 60-103 CC	
Flammability (solid, gas):	Not determined.	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Not determined.	
Vapour pressure:	Not determined.	
Density:	Not determined.	
Solubility in / Miscibility with		
water:	Not determined.	
Partition coefficient: n-octanol/water:	Not determined.	
Partition coefficient: n-octanol/water: 9.2 Other information		

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Thermal decomposition / conditions to be avoided: Not determined.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Not determined.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity:
- LD/LC50 values relevant for classification: •
- Not determined.
- Primary irritant effect:
- on the skin:
- No irritant effect. on the eye:
- Irritating effect.
- Sensitization:
- No sensitizing effects known.

(continued on page 5)



2179300

Reviewed on: 17/05/18 Printing date: 29/07/2020

RODUCT :	LEBANON CEDAR MACERATE (continued of page 4
 Subacut 	e to chronic toxicity:
Not deter	mined.
 Addition 	al toxicological information: uct shows the following dangers according to the calculation method of the General EU Classification
	is for Preparations as issued in the latest version:
Irritant	
ECTION 12	: Ecological information
12.1 Toxic	ity
Aquatic	
No furthe	r relevant information available.
	stence and degradability
Not determine Behavio	ned. ur in environmental systems:
 Benavio Not deter 	
12 3 Bioac	cumulative potential
	elevant information available.
12.4 Mobil	ity in soil
No further re	elevant information available.
Ecotoxic	
Not deter	mined.
	ts of PBT and vPvB assessment
PBT: Not appli	
 Not appli vPvB: 	נמטוב.
Not appli	cable.
	r adverse effects
12.6 Other No further re	
	elevant information available.
No further re	elevant information available.
No further re	
No further re	elevant information available.
No further re ECTION 13 13.1 Waste	elevant information available. : Disposal considerations e treatment methods
No further re ECTION 13 13.1 Waste • Recomm	elevant information available. : Disposal considerations e treatment methods
No further re ECTION 13 13.1 Waste • Recomm Must be s • Unclean	elevant information available.
No further re ECTION 13 13.1 Waste • Recomm Must be s • Unclean • Recomm	elevant information available. : Disposal considerations e treatment methods nendation specially treated adhering to official regulations. ed packaging: nendation:
No further re ECTION 13 13.1 Waste • Recomm Must be s • Unclean • Recomm	elevant information available.
No further re ECTION 13 13.1 Waste Recomm Must be s Unclean Recomm Disposal	e treatment methods te treatment methods hendation specially treated adhering to official regulations. ed packaging: hendation: must be made according to official regulations.
No further re CTION 13 13.1 Waste • Recomm Must be s • Unclean • Recomm Disposal	elevant information available.
No further ra CTION 13 13.1 Waste Recomm Must be s Unclean Recomm Disposal CTION 14 14.1 UN-N	elevant information available.
No further re CTION 13 13.1 Waste • Recomm Must be s • Unclean • Recomm Disposal CTION 14 14.1 UN-N ADR	elevant information available.
No further re CTION 13 13.1 Waste Recomm Must be s Unclean Recomm Disposal CTION 14 14.1 UN-N ADR IMDG	elevant information available.
No further re CTION 13 13.1 Waste Recomm Must be s Unclean Recomm Disposal CTION 14 14.1 UN-N ADR IMDG IATA	elevant information available.
No further re CTION 13 13.1 Waste Recomm Must be s Unclean Recomm Disposal CTION 14 14.1 UN-N ADR IMDG IATA 14.2 UN pr	elevant information available.
No further ra CTION 13 13.1 Waste • Recomm Must be s • Unclean • Recomm Disposal CTION 14 14.1 UN-N ADR IMDG IATA 14.2 UN pr ADR	e treatment methods e treatment methods hendation specially treated adhering to official regulations. ed packaging: hendation: must be made according to official regulations.
No further re CTION 13 13.1 Waste • Recomm Must be s • Unclean • Recomm Disposal CTION 14 14.1 UN-N ADR IMDG IATA 14.2 UN pr ADR IMDG	elevant information available.
No further re CTION 13 13.1 Waste Recomm Must be s Unclean Recomm Disposal CTION 14 14.1 UN-N ADR IMDG IATA 14.2 UN pr ADR IMDG IATA	e treatment methods e treatment methods nendation specially treated adhering to official regulations. ed packaging: nendation: must be made according to official regulations.
No further re CTION 13 13.1 Waste Recomm Must be s Unclean Recomm Disposal CTION 14 14.1 UN-N ADR IMDG IATA 14.2 UN pr ADR IMDG IATA 14.3 Trans	elevant information available.
No further re CTION 13 13.1 Waste Recomm Must be s Unclean Recomm Disposal CTION 14 14.1 UN-N ADR IMDG IATA 14.2 UN pr ADR IMDG IATA	e treatment methods e treatment methods nendation specially treated adhering to official regulations. ed packaging: nendation: must be made according to official regulations.



2179300

Reviewed on: 17/05/18 Printing date: 29/07/2020

(continued of page 5 iMDG Glass 3 Flammable liquids. Label 3 iATA Class 3 Flammable liquids. Label 3 iATA Class 3 Flammable liquids. Label 3 iATA Class 3 Flammable liquids. Label 1 iATA Class 3 Flammable liquids. Label 1 iATA Class 3 Flammable liquids. Label 1 iATA Class 3 Flammable liquids. Label 3 iATA Class 3 Flammable liquids. Label 5 iATA Class 3 Flammable liquids. Label 5 iATA Class 3 Flammable liquids. Label 5 iATA Class 3 Flammable liquids. Label 5 iATA Class 4 iATA Class 4 iATA iATA iATA Class 4 iATA	RODUCT : LEBANON CI	DAR MACERATE
IMDG Class 3 Flammable liquids. Label 3 Important Important Class 1 Flammable liquids. Lats Class Clas	Labal	(continued of page
Class 3 Flammable liquids. Label 3 IATA Simple service	Label	3
Class 3 Flammable liquids. Label 3 IATA Simple service		
Class 3 Flammable liquids. Label 3 IATA Simple service		
Class 3 Flammable liquids. Label 3 IATA Simple service		
Class 3 Flammable liquids. Label 3 IATA Simple service		
Label 3 ATA Class 3 Flammable liquids. Label 3 ADR 1 HU MDG 11 HATA 11 HATA 11 HATA 11 HATA 11 14.5 Environmental hazards: Net applicable. 14.6 Special precautions for user user user user user user user use	IMDG	
IATA Class 3 Flammable liquids. Label Joint Control Contecned Contecned Control Contecned Contecned Contecned	Class	3 Flammable liquids.
Class3 Flammable liquids.LabelImage: Class of the second of th	Label	3
Class3 Flammable liquids.LabelImage: Class of the second of th		
Class3 Flammable liquids.LabelImage: Class of the second of th		
Class3 Flammable liquids.LabelImage: Class of the second of th		
Class3 Flammable liquids.LabelImage: Class of the second of th		3
Class3 Flammable liquids.LabelImage: Class of the second of th	ΙΑΤΑ	▼
Label 3 ADR II ADR II IMDG III IATA III 14.5 Environmental hazards: III IATA III 14.5 Environmental hazards: III IATA III 14.5 Environmental hazards: III IATA III 2000 Environmental hazards: Varning: Flammable liquids. III Danger code (Kemler): 30 EMS Number: FE,S-E 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information III Excepted quantities (EQ): E1 Limited quantities (EQ): E1 Limited quantities (LQ) 5L Transport category 3 Tunnel restriction code D/E IMDG III Limited quantities (LQ) 5L Excepted quantities (LQ) 5L Imited quantities (LQ) 5L Imited quantities (EQ) 5L Imited quantities (EQ) 5L		3 Flammable liquids
14.4 Packing group ADR II MDG III IMDG III IATA III 14.5 Environmental hazards: Not applicable. III 14.6 Special precautions for user Warning: Flammable liquids. III Danger code (Kemler): 30 EMS Number: F-E,S-E 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: Not applicable. E Excepted quantities (LQ) 5L Transport category 3 Tunnel restriction code D/E IMDG III IMDG III Imited quantities (LQ) 5L Transport category 3 Tunnel restriction code D/E IMDG III Imited quantities (LQ) 5L Transport category 3 Tunnel restriction code D/E IMDG III IMOR IIII Imited quantities (EQ) 5L Transport category 3 IMDG IIIIIIII		
ADRIIIIMDGIIIIATAIII14.5 Environmental hazards: Not applicable.III14.6 Special precautions for user Warning: Flammable liquids. Danger code (Kemler):30EMS Number:Fe.S-E14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.Excepted quantities (EQ):Excepted quantities (EQ):E1Limited quantities (LQ)5LTransport category3Tunnel restriction codeD/EIMDGImited quantities (LQ)UN "Model Regulation":5L		Å
ADRIIIIMDGIIIIATAIII14.5 Environmental hazards: Not applicable.III14.6 Special precautions for user Warning: Flammable liquids. Danger code (Kemler):30EMS Number:Fe.S-E14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.Excepted quantities (EQ):Excepted quantities (EQ):E1Limited quantities (LQ)5LTransport category3Tunnel restriction codeD/EIMDGImited quantities (LQ)UN "Model Regulation":5L		
ADRIIIIMDGIIIIATAIII14.5 Environmental hazards: Not applicable.III14.6 Special precautions for user Warning: Flammable liquids. Danger code (Kemler):30EMS Number:Fe.S-E14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.Excepted quantities (EQ):Excepted quantities (EQ):E1Limited quantities (LQ)5LTransport category3Tunnel restriction codeD/EIMDGImited quantities (LQ)UN "Model Regulation":5L		
ADRIIIIMDGIIIIATAIII14.5 Environmental hazards: Not applicable.III14.6 Special precautions for user Warning: Flammable liquids. Danger code (Kemler):30EMS Number:Fe.S-E14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.Excepted quantities (EQ):Excepted quantities (EQ):E1Limited quantities (LQ)5LTransport category3Tunnel restriction codeD/EIMDGImited quantities (LQ)UN "Model Regulation":5L		
ADRIIIIMDGIIIIATAIII14.5 Environmental hazards: Not applicable.III14.6 Special precautions for user Warning: Flammable liquids. Danger code (Kemler):30EMS Number:Fe.S-E14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.Excepted quantities (EQ):Excepted quantities (EQ):E1Limited quantities (LQ)5LTransport category3Tunnel restriction codeD/EIMDGImited quantities (LQ)UN "Model Regulation":5L		
IMDGIIIATAII14.5 Environmental hazards: Not applicable.14.6 Special precautions for userVarning: Flammable liquids.Danger code (Kemler):30EMS Number:F-E,S-E14.7 Transport in bulk accord structureIA.7 Transport in bulk accord structureVarning: bulk accord structureVarning: bulk accord structureNot applicable.Excepted quantities (EQ):E1Limited quantities (LQ)5LTransport category3Tunnel restriction codeD/EIMDGLimited quantities (LQ)5LExcepted quantities (LQ)5LUN "Model Regulation":		
IATAII14.5 Environmental hazards: Not applicable		
14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Warning: Flammable liquids. Danger code (Kemler): 30 EMS Number: F-E,S-E 14.7 Transport in bulk accordims to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: Not applicable. Excepted quantities (EQ): E1 Limited quantities (LQ) 5L Transport category 3 Tunnel restriction code D/E IMDG Limited quantities (LQ) 5L Excepted quantities (EQ): E1 Limited quantities (LQ) 5L Fransport category 3 Tunnel restriction code D/E IMDG Limited quantities (EQ) E1 Limited quantities (EQ) 5L Excepted quantities (EQ) 5L		
Not applicable. 14.6 Special precautions for user Warning: Flammable liquids. Danger code (Kemler): 30 EMS Number: F-E,S-E 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. to Annex II of MARPOL73/78 and the IBC Code • Transport/Additional information: to Annex II of MARPOL73/78 and the IBC Code • Transport/Additional information: to Annex II of MARPOL73/78 and the IBC Code • Transport/Additional information: to Annex II of MARPOL73/78 and the IBC Code • Transport/Additional information: to Annex II of MARPOL73/78 and the IBC Code • Transport/Additional information: to Annex II of MARPOL73/78 and the IBC Code • Transport/Additional information: to Annex II of MARPOL73/78 and the IBC Code • Transport/Additional information: to Annex II of MARPOL73/78 and the IBC Code • Transport category 5L Transport category 3 Tunnel restriction code D/E IMDG timited quantities (LQ) 5L Excepted quantities (EQ) E1 • UN "Model Regulation": to Annex II of A	IATA	III
14.6 Special precautions for user Warning: Flammable liquids. Danger code (Kemler): 30 EMS Number: F-E,S-E 14.7 Transport in bulk accordure to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional informations Not applicable. Excepted quantities (EQ): E1 Limited quantities (LQ) 5L Transport category 3 Tunnel restriction code D/E IMDG 5L Excepted quantities (LQ) 5L Excepted quantities (LQ) 5L Imited quantities (LQ) 5L Imited quantities (LQ) 5L Excepted quantities (LQ) 5L Umited quantities (LQ) 5L Imited quantities (LQ) 5L Excepted quantities (EQ) E1 UN "Model Regulation": E1	14.5 Environmental hazard	5:
Warning: Flammable liquids. 30 Danger code (Kemler): 30 EMS Number: F-E,S-E 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: Not applicable. Excepted quantities (EQ): E1 Limited quantities (LQ) 5L Transport category 3 Tunnel restriction code D/E IMDG 5L Excepted quantities (LQ) 5L Excepted quantities (LQ) 5L Imited quantities (LQ) 5L Iumited quantities (LQ) 5L VE IMDG Limited quantities (EQ) E1 • UN "Model Regulation": E1	Not applicable.	
Warning: Flammable liquids. 30 Danger code (Kemler): 30 EMS Number: F-E,S-E 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: Not applicable. Excepted quantities (EQ): E1 Limited quantities (LQ) 5L Transport category 3 Tunnel restriction code D/E IMDG 5L Excepted quantities (LQ) 5L Excepted quantities (LQ) 5L Imited quantities (LQ) 5L Iumited quantities (LQ) 5L VE IMDG Limited quantities (EQ) E1 • UN "Model Regulation": E1	14.6 Special precautions fo	r user
EMS Number: F-E,S-E 14.7 Transport in bulk accordire to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: Not applicable. Excepted quantities (EQ): E1 Limited quantities (LQ) 5L Transport category 3 Tunnel restriction code D/E IMDG 5L Limited quantities (LQ) 5L VIN "Model Regulation": E1	Warning: Flammable liquids.	
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. • Transport/Additional information: Not applicable. Excepted quantities (EQ): E1 Limited quantities (LQ) 5L Transport category 3 Tunnel restriction code D/E IMDG Excepted quantities (LQ) Limited quantities (LQ) 5L Imited quantities (LQ) 5L IMDG E1 Limited quantities (LQ) 5L IV MOG IV You when the top of top of the top of the top of		
Not applicable. • Transport/Additional information: Not applicable. Excepted quantities (EQ): E1 Limited quantities (LQ) 5L Transport category 3 Tunnel restriction code D/E IMDG JL Limited quantities (LQ) 5L Excepted quantities (LQ) 5L IMDG E1 • UN "Model Regulation": E1	EMS Number:	F-E,S-E
Not applicable. • Transport/Additional information: Not applicable. Excepted quantities (EQ): E1 Limited quantities (LQ) 5L Transport category 3 Tunnel restriction code D/E IMDG JL Limited quantities (LQ) 5L Excepted quantities (LQ) 5L IMDG E1 • UN "Model Regulation": E1	14 7 Transport in bulk acco	rding to Anney II of MARPOL 73/78 and the IBC Code
Not applicable. Excepted quantities (EQ): E1 Limited quantities (LQ) 5L Transport category 3 Tunnel restriction code D/E IMDG 5L Limited quantities (LQ) 5L Excepted quantities (LQ) 5L Excepted quantities (EQ) E1 • UN "Model Regulation": E1		
Not applicable. Excepted quantities (EQ): E1 Limited quantities (LQ) 5L Transport category 3 Tunnel restriction code D/E IMDG 5L Limited quantities (LQ) 5L Excepted quantities (LQ) 5L Excepted quantities (EQ) E1 • UN "Model Regulation": E1	 Transport/Additional info 	rmation
Excepted quantities (EQ):E1Limited quantities (LQ)5LTransport category3Tunnel restriction codeD/EIMDGIMDGLimited quantities (LQ)5LExcepted quantities (EQ)E1• UN "Model Regulation":	Not applicable.	ווומנוטוו.
Transport category 3 Tunnel restriction code D/E IMDG Junited quantities (LQ) Limited quantities (LQ) 5L Excepted quantities (EQ) E1 • UN "Model Regulation": E1	Excepted quantities (EQ):	E1
Tunnel restriction code D/E IMDG Imited quantities (LQ) Excepted quantities (EQ) 5L Excepted quantities (EQ) E1 • UN "Model Regulation":	Limited quantities (LQ)	5L
IMDG Limited quantities (LQ) 5L Excepted quantities (EQ) E1 • UN "Model Regulation": E1	Transport category	3
Limited quantities (LQ) 5L Excepted quantities (EQ) E1 • UN "Model Regulation": E1	Tunnel restriction code	D/E
Excepted quantities (EQ) E1 UN "Model Regulation":	IMDG	
UN "Model Regulation":	Limited quantities (LQ)	5L
UN "Model Regulation":	Excepted quantities (EQ)	E1
	• UN "Model Regulation":	

(continued on page 7)



2179300

Reviewed on: 17/05/18 Printing date: 29/07/2020

(continued of page 6) SECTION 15: Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out. SECTION 16: Other information The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this safety data sheet is based on the state of the specific material designated and may not be considered a warrany or quality specification and have no contractual value on properties and application areas thereof. The information complexes with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force. • Relevant phrases H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. • Training hints Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of the Flavor Industry ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Concernant le transport des marchandises dangereuses par chemin de fer (Regulation: Concerning the International Congensus Goods by Rold) RDC: International Arisport d Sangerous Goods DOT: US Department of Transport Association GAS: Globally Harmonised System of Classification and Labeling of Chemicals ELNCC: European List of Notified Chemical Substances ELNCC: European International regulations of the American Chemical Substances ELNCS: European List of N	PRODUCT :	LEBANON CEDAR MACERATE
 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out. Section 16: Other information The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document. The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force. Relevant phrases H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. • Training hints Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product. • Abbreviations and acronyms: IFRA:International Crange of Dangerous Goods by Road) RDD: Reglement international concernation DOT: US Department of Transport das marchandises dangereuses par chemin de fer (Regulation: Concerning the International Concernation DOT: US Department of Transport Association IGA: Globally Harmonised System of Classification and Labelling of Chemicals EINCE: European Inventory of		
 REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out. SECTION 16: Other information The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document. The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force. Relevant phrases H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. Training hints Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product. Abbreviations and acronyms: IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry ADR: Accord europeen sure transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods DOT: US Department of Transport Association ICA0: International Arrite Code for Dangerous Goods DOT: US Department of Transport Association ICA0: International Arritesport of Dangerous Goods DOT: US Department of Transport Association ICA0: International Arritesport of Sustit	SECTION 15:	Regulatory information
A Chemical Safety Assessment has not been carried out. ECTION 16: Other information The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document. The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force. Relevant phrases H225 H Highly flammable liquid and vapour. H319 Causes serious eye irritation. Training hints Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product. Abbreviations and acronyms: IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Concernant le transport des marchandises dangereuses par chemin de fer (Regulation: Concerning the International Concernant le transport des marchandises dangereuses par chemin de fer (Regulation: Concerning the International Concernant le transport des marchandises dangereuses par chemin de fer (Regulation: Concerning the International Concernant le transport des marchandises dangereuses par chemin de fer (Regulation: Concerning the International Concernant le transport des marchandises dangereuses par chemin de fer (Regulation: Concerning the International Concernant te transport des m	REGULATI	ON (EC) No 1907/2006 ANNEX XVII
 The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document. The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force. Relevant phrases H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. Training hints Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product. Abbreviations and acronyms: IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Concernant le transport des marchandises dangereuses par chemin de fer (Regulation Concerning the International Transport Abcord Dangerous Goods by Road) RID: Règlement international Transport of Dangerous Goods by Roal) IMDG: International Aritime Code for Dangerous Goods by Rail) IMDG: International Aritime Code for Dangerous Goods by Rail) IMDG: International Aritime Code for Dangerous Goods by Rail) IMDG: International Aritime Code for Dangerous Goods by Rail) IMDG: International Aritimes of Association ICAO: International Aritime Code for		
 information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document. The required information compiles with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force. Relevant phrases H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. Training hints Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product. Abbreviations and acronyms: IFRA:International Fragmec Association IOFI:International Organization of the Flavor Industry ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulation: Concerning the International Transport of Dangerous Goods DOT: US Department of Transport association IAAA: International Air Transport Association IAAA:	SECTION 16:	Other information
 Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product. Abbreviations and acronyms: IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulation: Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods by Rail) IMDG: International Air Transport Association IATA: International Air Transport Association IATA: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EIINECS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal dose, 50 percent DD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic 	information in to be consider areas thereof. not be valid w of this docume knowing and a • Relevant H225	this sheet must be regarded as a description of the safety requirements for the product, they are not ed a warranty or quality specification and have no contractual value on properties and application The information contained in this safety data sheet relate to the specific material designated and may ith respect to the product associated with another product or process, unless it is specified in the text ent. The required information complies with EU regulations in force. It does not exempt the user from pplying all the national regulations in force. highly flammable liquid and vapour.
IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ICAO: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic	Minimum tr purpose of	aining in occupational risk prevention is recommended for personnel who will handle this product, in the facilitating the understanding and interpretation of this form of safety data in the same way as the
	IFRA:Interr ADR: Accor the Interna RID: Règle Concerning IMDG: Inte DOT: US D IATA: Inter ICAO: Intel GHS: Globa EINECS: EL ELINCS: EL CAS: Chem LC50: Letha LD50: Letha	national Fragrance Association IOFI:International Organization of the Flavor Industry d européen sur le transport des marchandises dangereuses par Route (European Agreement concerning tional Carriage of Dangerous Goods by Road) ment international concernant le transport des marchandises dangereuses par chemin de fer (Regulation the International Transport of Dangerous Goods by Rail) rnational Maritime Code for Dangerous Goods by Rail) rnational Maritime Code for Dangerous Goods epartment of Transportation national Air Transport Association national Civil Aviation Organisation illy Harmonised System of Classification and Labelling of Chemicals iropean Inventory of Existing Commercial Chemical Substances ropean List of Notified Chemical Substances ical Abstracts Service (division of the American Chemical Society) al concentration, 50 percent al dose, 50 percent

• * Data compared to the previous version altered.