

1729604

Reviewed on: 05.04.2023 Printing date: 09.05.2023

	Printing date: 09.05.202
SE	CTION 01: Identification of the substance/mixture and of the company/undertaking
	1.1 Product identifier
	 Trade name: Mate absolute Article number: P00548655000
	 CAS Number: 68916-96-1 EC Number:
	277-364-4 • No CAS EINECS: 73296-98-7
	1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Perfume ingredient Flavouring agent Only for industrial use
	1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: BIOLANDES, BP2 TEL: +33(0)5.58.51.00.00 2760 Route de Bélis email: fds@biolandes.com 40420 LE SEN FRANCE
	1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1 45 42 59 59
CE	CTION 02: Hazards identification
	 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Void
	 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms
	Void - Signal word Void - Hazard statements
	Void
	 2.3 Other hazards Results of PBT and vPvB assessment PBT:
	Not applicable. - vPvB: Not applicable.
	Determination of endocrine-disrupting properties Substance is not listed.

SECTION 03: Composition/information on ingredients 3.1 Substances

CAS No. Description

- 68916-96-1 Mate absolute
- Identification number(s) EC number:
- 277-364-4
- Dangerous components:
- * CAS Number * 58-08-2
 - 58-08-2 caffeine

- EU -

*

% **10,001-20,00** (continued on page 2)



1729604

Reviewed on: 05.04.2023 Printing date: 09.05.2023

EC number: 200-362-1 Actute Tox. 4 - H302 ECTION 04: First aid measures 9. General information: 9. Seek immediate medical advice. 9. After inhalation: 9. Supply fresh air and to be sure call for a doctor. 9. After skin contact: 11. Supply fresh air and to be sure call for a doctor. 9. After swallowing: 12. Supply resh air and to be sure call for a doctor. 13. After swallowing: 13. Beak immediate medical advice. 14. After swallowing: 15. Beak immediate medical advice. 14. Most important symptoms and effects, both acute and delayed 15. And the relevant information available. 15. And the relevant information available. 16. Suitable extinguishing agents: 16. Copy and, extinguishing agents: 16. Suitable extinguishing agents: 16. Suitable extinguishing agents: 17. Copy and, extinguishing agents: 17. Copy and extinguishing agents: 17. Copy and the substable extinguishing agents: 17. Water with full jet 17. So pocial hazards arising from the substance or mixture 17. Formation of toxic gases is possible during heating or in case of fire. 17. So Advice for firefighters 18. Protective equipment: 19. Dont inhale explosion gases or combustion gases. 19. Advitional information 10. Collandarger receptacles with water spray.	PRODUCT : Mate absolute	· · · · · ·
	EC number: 200.262.4	(continued of page 1
 Section 04: First aid measures 1.1 Description of first aid measures 3.2 General Information: Seek immediate medical advice. 4.1 After inhalation: Supply fresh air and to be sure call for a doctor. 4.1 After skin contact: If skin intration continues, consult a doctor. 4.1 After symptoms persist, consult a doctor. 4.1 After symptoms are and solve. 5.2 After swallowing: Seek immediate medical advice. 4.1 Information for doctor: 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. 5.1 Extinguishing media 5.1 Extinguishing media 5.1 Extinguishing media 5.1 Extinguishing media 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosing ages or combustion gases. 4.3 diditional information Col endangered neceptacles with water spray. 		
 4.1 Description of first aid measures General information: Seek immediate medical advice. After inhalation: Supply fresh air and to be sure call for a doctor. After skin contact: If skin initiation continues, consult a doctor. After eye contact: Rines opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Seek immediate medical advice. Information for doctor: A Most important symptoms and effects, both acute and delayed No further relevant information available. A Most important symptoms and effects, both acute and delayed No further relevant information available. Suitable extinguishing mediate Suitable extinguishing agents: CO2, sand, extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing media Suitable extinguishing mediase to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full get S.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. S.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. 		
 General information: Seek immediate medical advice. After inhalation: Supply fresh air and to be sure call for a doctor. After skin contact: If skin initiation continues, consult a doctor. After swallowing: Seek immediate medical advice. After swallowing: Seek immediate medical advice. Information for doctor: 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. 5.1 Extinguishing media Suitable extinguishing agents: CO2, sand, extinguishing agents: CO2, sand, extinguishing agents: CO2, sand, extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. 	SECTION 04: First aid measures	
 Seek immediate medical advice. After inhalation: Supply fresh air and to be sure call for a doctor. After skin irritation contact: If skin irritation continues, consult a doctor. After eye contact: Rine opende eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Seek immediate medical advice. Information for doctor: A Substitution of any immediate medical attention and special treatment needed No further relevant information available. Set Terfighting media Suitable extinguishing agents: Co2, sand, extinguishing agents: Water with full jet Suitable extinguishing media Suitable extinguishing from the substance or mixture Formation for taxic gases is possible during heating or in case of fire. S. Advice for firefighters Protective equipment: Do not inflere specifies Additional information Suitable extinguishing specifies Protective equipment: Do not infle explosion gases or combustion gases. Additional information Additional information Coll endangered receptacles with water spray. 		
 Supply fresh air and to be sure call for a doctor. After skin contact: If skin irritation continues, consult a doctor. After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Seek immediate medical advice. Information for doctor: 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. ECTION 05: Firefighting measures 5.1 Extinguishing media Suitable extinguishing agents: CO2, sand, extinguishing agents: CO2, sand, extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases. Additional information Cool endangered receptacles with water spray. ECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Water protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.3 Methods and material for containment and cleaning up: Prick up mechanically. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on safe handling. See Section 7 for information on safe handling. See Section 7 for information on gase handling. See Section 7 for information on safe handling. See Section 7 for information on personal protection equipment.		
 After skin contact: If skin initiation continues, consult a doctor. After eye contact: Rinse opende eye for several minutes under running water. If symptoms persist, consult a doctor. After swailowing: Seek immediate medical advice. Information for doctor: 2.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. 5.1 Extinguishing media Suitable extinguishing agents: CO2, sand, extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not indue explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. 		
If skin irritation continues, consult a doctor. After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Seek immediate medical advice. Information for doctor: 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. 5.1 Extinguishing media Suitable extinguishing agents: CO2, sand, extinguishing agents: CO2, sand, extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not infale explosion gases. Additional information Cool endangered receptacles with water spray. ECTION OS: Accidential release measures 6.1 Personal precautions, protective equipment and emergency procedures Water protective equipment: Bo not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: Prick up mechanically. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.		
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Seek immediate medical advice. Information for doctor: A.2 Most important symptoms and effects, both acute and delayed No further relevant information available. A.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. ECTION 05: Firefighting measures S.1 Extinguishing media Suitable extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet S.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. S.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. ECTION 06: Accidental release measures Additional information Cool endangered receptacles with water spray. ECTION 06: Accidental release measures S.1 Personal precautions, protective equipment and emergency procedures Water protective equipment: Do not allow product to reach sewage system or any water course. S.3 Methods and material for containment and cleaning up: Pick up mechanically. S.4 Reference to other sections See Section 7 for information on presonal protection equipment.	If skin irritation continues, consult a doctor.	
 After sivallowing: Seek immediate medical advice. Information for doctor: 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. ECTION 05: Firefighting measures 5.1 Extinguishing media Suitable extinguishing agents: CO2, sand, extinguishing agents: CO2, sand, extinguishing puedods ou use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. ECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. 6.4 Reference to other sections See Section 7 for information on parsonal protection equipment.		persist consult a doctor
 Information for doctor: 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. 5.1 Extinguishing media 5.2 Sintable extinguishing agents: C02, sand, extinguishing powder. Do not use water. Use fire extinguishing methods surbable to surrounding conditions. For safety reasons unsuitable to surrounding conditions. For safety reasons unsuitable to surrounding conditions. For safety reasons unsuitable to surrounding conditions. 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. ErctION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on safe handling. See Section 7 for information on senal protection equipment.	After swallowing:	
 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. ECTION 05: Firefighting measures 5.1 Extinguishing media Suitable extinguishing agents: (20,2 sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. ECTION 06: Accidental release measures Keep away from ignition sources. 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment: Bo not induite applications. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on safe handling. See Section 7 for information on personal precedution equipment.		
No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. ECTION 05: Firefighting media • Suitable extinguishing agents: C02, sand, extinguishing powder. Do not use water. Use fire extinguishing media builtable to surrounding conditions. • For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters • Protective equipment: Do not inhale explosion gases or combustion gases. • Additional information Cool endangered receptacles with water spray. ECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on personal precedutions equipment.		
 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. ECTION 05: Firefighting measures 5.1 Extinguishing media Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. ECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on personal protection equipment.		d
No further relevant information available. ECTION 05: Firefighting measures 5.1 Extinguishing media • Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. • For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters • Protective equipment: Do not inhale explosion gases or combustion gases. • Additional information Cool endangered receptacles with water spray. ECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on safe handling.		
 ECTION 05: Firefighting measures 5.1 Extinguishing media Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. ECTION 06: Accidental release measures Additional precautions, protective equipment and emergency procedures Wear protective equipment: Expression gases. 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Expression gases. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on safe handling. 		atment needed
 5.1 Extinguishing media Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. ECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. 6.4 Reference to other sections See Section 7 for information on personal protection equipment.		
 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. ECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. 	5.1 Extinguishing media	
Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters • Protective equipment: Do not inhale explosion gases or combustion gases. • Additional information Cool endangered receptacles with water spray. ECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.	 Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: 	
 Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. ECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.	 Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 	
 Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. ECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.	 Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture 	
 Additional information Cool endangered receptacles with water spray. ECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.	 Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 	
 SECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. 	 Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: 	
 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. 	 Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. 	
 Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. 	 Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information 	
 Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. 	 Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. 	
 Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. 	 Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. 	rocedures
 Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. 	 Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet S.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. S.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. ECTION 06: Accidental release measures 1 Personal precautions, protective equipment and emergency proveer protective equipment. Keep unprotected persons away. 	rocedures
 Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. 	 Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. ECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency prove adequate ventilation 	rocedures
 6.3 Methods and material for containment and cleaning up: Pick up mechanically. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. 	 Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. ECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 	rocedures
Pick up mechanically. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.	 Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. ECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. Environmental precautions: 	rocedures
6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.	 Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. 5.2 Fection 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. 	rocedures
See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.	 Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. ECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: 	rocedures
See Section 8 for information on personal protection equipment.	 Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. ECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency prevent wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. 	rocedures
	 Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. Use fire extinguishing methods suitable to surrounding conditions. For safety reasons unsuitable extinguishing agents: Water with full jet 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. SECTION 06: Accidental release measures 6.1 Personal precautions, protective equipment and emergency protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course. 6.3 Methods and material for containment and cleaning up: Pick up mechanically. 6.4 Reference to other sections 	rocedures



1729604

Reviewed on: 05.04.2023 Printing date: 09.05.2023

	Mate absolute
	(continued of page 2
	: Handling and storage
	tions for safe handling
	acles tightly sealed. rom heat and direct sunlight.
Ensure good	ventilation/exhaustion at the workplace.
	care. Avoid jolting, friction and impact.
	ion about fire - and explosion protection: tion sources away - Do not smoke.
	jainst electrostatic charges.
7.2 Conditi	ons for safe storage, including any incompatibilities
Storage:	······································
	nents to be met by storerooms and receptacles:
	y in the original receptacle. receptacles specifically permitted for this substance/ product.
 Information 	ion about storage in one common storage facility:
Not requi	red. Information about storage conditions:
	tainer tightly sealed.
	om heat and direct sunlight. eptacle in a well ventilated area.
5016160	
	c end use(s) elevant information available.
	: Exposure controls/personal protection
8.1 ControIngredie Not requi	l parameters nts with limit values that require monitoring at the workplace: red.
8.1 ControIngredie Not requiAddition	l parameters nts with limit values that require monitoring at the workplace:
 8.1 Contro Ingredie Not requi Addition The lists 8.2 Exposu 	l parameters nts with limit values that require monitoring at the workplace: red. al information: valid during the making were used as basis. ure controls
 8.1 Contro Ingredie Not requi Addition The lists 8.2 Exposu Individu 	l parameters nts with limit values that require monitoring at the workplace: red. al information: valid during the making were used as basis. ure controls al protection measures, such as personal protective equipment
 8.1 Contro Ingredie Not requi Addition The lists 8.2 Exposu Individu General 	l parameters nts with limit values that require monitoring at the workplace: red. al information: valid during the making were used as basis. ure controls
 8.1 Contro Ingredie Not requi Addition The lists 8.2 Exposu Individu General The usual Wash har 	I parameters nts with limit values that require monitoring at the workplace: red. al information: valid during the making were used as basis. Irre controls al protection measures, such as personal protective equipment protective and hygienic measures: precautionary measures are to be adhered to when handling chemicals. ids before breaks and at the end of work.
 8.1 Contro Ingredie Not requi Addition The lists 8.2 Expost Individu General The usual Wash har Respirat 	I parameters nts with limit values that require monitoring at the workplace: red. al information: valid during the making were used as basis. al controls al protection measures, such as personal protective equipment protective and hygienic measures: precautionary measures are to be adhered to when handling chemicals.
 8.1 Contro Ingredie Not requi Addition The lists 8.2 Expost Individu General The usual Wash har Respirat Use suita Protectio 	l parameters nts with limit values that require monitoring at the workplace: red. al information: valid during the making were used as basis. al protection measures, such as personal protective equipment protective and hygienic measures: precautionary measures are to be adhered to when handling chemicals. ds before breaks and at the end of work. ory protection: ble respiratory protective device in case of insufficient ventilation. on of hands:
 8.1 Contro Ingredie Not requi Addition The lists 8.2 Expost Individu General The usual Wash har Respirat Use suita Protective Protective 	I parameters nts with limit values that require monitoring at the workplace: red. al information: valid during the making were used as basis. Irre controls al protection measures, such as personal protective equipment protective and hygienic measures: precautionary measures are to be adhered to when handling chemicals. ds before breaks and at the end of work. ory protection: ble respiratory protective device in case of insufficient ventilation. on of hands: e gloves
 8.1 Contro Ingredie Not requi Addition The lists 8.2 Exposu Individu General The usual Wash har Respirat Use suitai Protective The glove Due to m 	I parameters nts with limit values that require monitoring at the workplace: red. al information: valid during the making were used as basis. ure controls al protection measures, such as personal protective equipment protective and hygienic measures: precautionary measures are to be adhered to when handling chemicals. ds before breaks and at the end of work. ory protection: ble respiratory protective device in case of insufficient ventilation. on of hands: e gloves material has to be impermeable and resistant to the product/ the substance/ the preparation. issing tests no recommendation to the glove material can be given for the product/ the preparation/ the
 8.1 Contro Ingredie Not requi Addition The lists 8.2 Exposu Individu General The usual Wash har Respirat Use suital Protection Protection The glove Due to m chemical 	I parameters nts with limit values that require monitoring at the workplace: red. al information: valid during the making were used as basis. ure controls al protection measures, such as personal protective equipment protective and hygienic measures: precautionary measures are to be adhered to when handling chemicals. ds before breaks and at the end of work. ory protection: ble respiratory protective device in case of insufficient ventilation. on of hands: e gloves material has to be impermeable and resistant to the product/ the substance/ the preparation. issing tests no recommendation to the glove material can be given for the product/ the preparation/ the
 8.1 Contro Ingredie Not requi Addition The lists 8.2 Expost Individu General The usual Wash har Respirat Use suita Protective The glove Due to m chemical Selection Material 	I parameters nts with limit values that require monitoring at the workplace: red. al information: valid during the making were used as basis. Irre controls al protection measures, such as personal protective equipment protective and hygienic measures: precautionary measures are to be adhered to when handling chemicals. ds before breaks and at the end of work. ory protection: ble respiratory protective device in case of insufficient ventilation. on of hands: a gloves material has to be impermeable and resistant to the product/ the substance/ the preparation. issing tests no recommendation to the glove material can be given for the product/ the preparation/ the mixture. of the glove material on consideration of the penetration times, rates of diffusion and the degradation of gloves
 8.1 Contro Ingredie Not requi Addition The lists 8.2 Exposu Individu General The usual Wash har Respirat Use suital Protection Protection The glove Due to m chemical Selection Material The selection varies fro 	I parameters nts with limit values that require monitoring at the workplace: red. al information: valid during the making were used as basis. I're controls al protection measures, such as personal protective equipment protective and hygienic measures: precautionary measures are to be adhered to when handling chemicals. ds before breaks and at the end of work. ory protection: ble respiratory protective device in case of insufficient ventilation. on of hands: e gloves material has to be impermeable and resistant to the product/ the substance/ the preparation. issing tests no recommendation to the glove material can be given for the product/ the preparation/ the mixture. of the glove material on consideration of the penetration times, rates of diffusion and the degradation of gloves tion of the suitable gloves does not only depend on the material, but also on further marks of quality an m manufacturer to manufacturer.
 8.1 Contro Ingredie Not requi Addition The lists 8.2 Expost Individu General The usual Wash har Respirat Use suital Protection Protection The glove Due to m chemical Selection Material The selec varies fro Penetrat 	I parameters nts with limit values that require monitoring at the workplace: red. al information: valid during the making were used as basis. Irre controls al protection measures, such as personal protective equipment protective and hygienic measures: precautionary measures are to be adhered to when handling chemicals. ds before breaks and at the end of work. ory protection: ble respiratory protective device in case of insufficient ventilation. on of hands: e gloves material has to be impermeable and resistant to the product/ the substance/ the preparation. issing tests no recommendation to the glove material can be given for the product/ the preparation/ the mixture. of the glove material on consideration of the penetration times, rates of diffusion and the degradation of gloves tion of the suitable gloves does not only depend on the material, but also on further marks of quality an
 8.1 Contro Ingredie Not requi Addition The lists 8.2 Expost Individu General The usual Wash har Respirat Use suital Protection Protection The glove Due to m chemical Selection Material The selec varies fro Penetrat The exact observed 	I parameters nts with limit values that require monitoring at the workplace: red. al information: valid during the making were used as basis. In controls al protection measures, such as personal protective equipment protective and hygienic measures: precautionary measures are to be adhered to when handling chemicals. dis before breaks and at the end of work. ory protection: ble respiratory protective device in case of insufficient ventilation. on of hands: e gloves i material has to be impermeable and resistant to the product/ the substance/ the preparation. issing tests no recommendation to the glove material can be given for the product/ the preparation/ the mixture. of the glove material on consideration of the penetration times, rates of diffusion and the degradation of gloves tion of the suitable gloves does not only depend on the material, but also on further marks of quality an m manufacturer to manufacturer. ion time of glove material break through time has to be found out by the manufacturer of the protective gloves and has to be
 8.1 Contro Ingredie Not requi Addition The lists 8.2 Expost Individu. General The usual Wash har Respirat Use suita Protection Protective Due to m chemical Selection Material The selec varies fro Penetrat The exact observed Eye/face 	I parameters nts with limit values that require monitoring at the workplace: red. al information: valid during the making were used as basis. The controls al protection measures, such as personal protective equipment protective and hygienic measures: precautionary measures are to be adhered to when handling chemicals. ds before breaks and at the end of work. ory protection: ble respiratory protective device in case of insufficient ventilation. on of hands: e gloves e material has to be impermeable and resistant to the product/ the substance/ the preparation. issing tests no recommendation to the glove material can be given for the product/ the preparation/ the mixture. of the glove material on consideration of the penetration times, rates of diffusion and the degradation of gloves tion of the suitable gloves does not only depend on the material, but also on further marks of quality an m manufacturer to manufacturer. ion time of glove material break through time has to be found out by the manufacturer of the protective gloves and has to be protection
 8.1 Contro Ingredie Not requi Addition The lists 8.2 Expost Individu General The usual Wash har Respirat Use suital Protection Protection The glove Due to m chemical Selection Material The selec varies fro Penetrat The exact observed 	I parameters nts with limit values that require monitoring at the workplace: red. al information: valid during the making were used as basis. The controls al protection measures, such as personal protective equipment protective and hygienic measures: precautionary measures are to be adhered to when handling chemicals. ds before breaks and at the end of work. ory protection: ble respiratory protective device in case of insufficient ventilation. on of hands: e gloves e material has to be impermeable and resistant to the product/ the substance/ the preparation. issing tests no recommendation to the glove material can be given for the product/ the preparation/ the mixture. of the glove material on consideration of the penetration times, rates of diffusion and the degradation of gloves tion of the suitable gloves does not only depend on the material, but also on further marks of quality an m manufacturer to manufacturer. ion time of glove material break through time has to be found out by the manufacturer of the protective gloves and has to be protection

*



1729604

Reviewed on: 05.04.2023 Printing date: 09.05.2023

Printing	date:	09.05.2023

	(continued of page
Boiling point or initial boiling point and boiling range	Not determined.
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	> 93,0 °C NFT 60-103 CC
Decomposition temperature:	Not determined.
рН	Not applicable.
Viscosity:	
Kinematic viscosity	Not applicable.
Dynamic:	Not applicable.
Solubility	
water:	Not determined.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not applicable.
Density and/or relative density	
Density:	Not determined.
Relative density	not available
Vapour density	Not applicable.
9.2 Other information	No further relevant information available.
Appearance:	
Form:	semi-solid
Important information on protection of hea	Ith and environment, and on safety.
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Solvent content:	
Solids content:	0,00 %
Change in condition	
Evaporation rate	Not applicable.
Information with regard to physical hazard	••
Explosives	not applicable
Flammable gases	not applicable
Aerosols	not applicable
Oxidising gases	not applicable
Gases under pressure	not applicable
Flammable liquids	not applicable
Flammable solids	not applicable
Self-reactive substances and mixtures	not applicable
Pyrophoric liquids	not applicable
Pyrophoric solids	not applicable
Self-heating substances and mixtures	not applicable
	not applicable
-	
Substances and mixtures, which emit flammable gases in contact with water	
Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	not applicable
Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	not applicable
Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	

(continued on page 5)



1729604

Reviewed on: 05.04.2023

Printing date:	09.05.2023
----------------	------------

	(continued of page
CTION 10: Stability and reactivity	
10.1 Reactivity No further relevant information available.	
10.2 Chemical stability	
10.3 Possibility of hazardous reactions No dangerous reactions known.	
10.4 Conditions to avoid No further relevant information available.	
10.5 Incompatible materials: No further relevant information available.	
10.6 Hazardous decomposition products: Not determined.	
ECTION 11: Toxicological information	
11.1 Information on hazard classes as defined in Regulation (EC) No	1272/2008
Acute toxicity	
Acute toxicityLD/LC50 values relevant for classification:	
LD/LC50 values relevant for classification:	ISO LD/LC
 LD/LC50 values relevant for classification: 58-08-2 caffeine 	ISO LD/LC
LD/LC50 values relevant for classification:	ISO LD/LC
 LD/LC50 values relevant for classification: 58-08-2 caffeine Oral, LD50: 192 mg/kg (rat) Primary irritant effect: Skin corrosion/irritation 	ISO LD/LC
 LD/LC50 values relevant for classification: 58-08-2 caffeine Oral, LD50: 192 mg/kg (rat) Primary irritant effect: Skin corrosion/irritation No irritant effect. 	ISO LD/LC
 LD/LC50 values relevant for classification: 58-08-2 caffeine Oral, LD50: 192 mg/kg (rat) Primary irritant effect: Skin corrosion/irritation No irritant effect. Serious eye damage/irritation 	ISO LD/LC
 LD/LC50 values relevant for classification: 58-08-2 caffeine Oral, LD50: 192 mg/kg (rat) Primary irritant effect: Skin corrosion/irritation No irritant effect. Serious eye damage/irritation No irritating effect. 	ISO LD/LC
 LD/LC50 values relevant for classification: 58-08-2 caffeine Oral, LD50: 192 mg/kg (rat) Primary irritant effect: Skin corrosion/irritation No irritant effect. Serious eye damage/irritation No irritating effect. Respiratory or skin sensitisation No sensitizing effects known. 	ISO LD/LC
 LD/LC50 values relevant for classification: 58-08-2 caffeine Oral, LD50: 192 mg/kg (rat) Primary irritant effect: Skin corrosion/irritation No irritant effect. Serious eye damage/irritation No irritating effect. Respiratory or skin sensitisation No sensitizing effects known. Germ cell mutagenicity 	ISO LD/LC
 LD/LC50 values relevant for classification: 58-08-2 caffeine Oral, LD50: 192 mg/kg (rat) Primary irritant effect: Skin corrosion/irritation No irritant effect. Serious eye damage/irritation No irritating effect. Respiratory or skin sensitisation No sensitizing effects known. Germ cell mutagenicity Not determined. 	ISO LD/LC
 LD/LC50 values relevant for classification: 58-08-2 caffeine Oral, LD50: 192 mg/kg (rat) Primary irritant effect: Skin corrosion/irritation No irritant effect. Serious eye damage/irritation No irritating effect. Respiratory or skin sensitisation No sensitizing effects known. Germ cell mutagenicity Not determined. Carcinogenicity Not determined. 	ISO LD/LC
 LD/LC50 values relevant for classification: 58-08-2 caffeine Oral, LD50: 192 mg/kg (rat) Primary irritant effect: Skin corrosion/irritation No irritant effect. Serious eye damage/irritation No irritating effect. Respiratory or skin sensitisation No sensitizing effects known. Germ cell mutagenicity Not determined. Carcinogenicity Not determined. Reproductive toxicity 	ISO LD/LC
 LD/LC50 values relevant for classification: 58-08-2 caffeine Oral, LD50: 192 mg/kg (rat) Primary irritant effect: Skin corrosion/irritation No irritant effect. Serious eye damage/irritation No irritating effect. Respiratory or skin sensitisation No sensitizing effects known. Germ cell mutagenicity Not determined. Carcinogenicity Not determined. Reproductive toxicity Not determined. 	ISO LD/LC
 LD/LC50 values relevant for classification: 58-08-2 caffeine Oral, LD50: 192 mg/kg (rat) Primary irritant effect: Skin corrosion/irritation No irritant effect. Serious eye damage/irritation No irritating effect. Respiratory or skin sensitisation No sensitizing effects known. Germ cell mutagenicity Not determined. Carcinogenicity Not determined. Reproductive toxicity 	ISO LD/LC
 LD/LC50 values relevant for classification: 58-08-2 caffeine Oral, LD50: 192 mg/kg (rat) Primary irritant effect: Skin corrosion/irritation No irritant effect. Serious eye damage/irritation No irritating effect. Respiratory or skin sensitisation No sensitizing effects known. Germ cell mutagenicity Not determined. Carcinogenicity Not determined. Reproductive toxicity Not determined. STOT-single exposure Not determined. STOT-repeated exposure 	ISO LD/LC
 LD/LC50 values relevant for classification: 58-08-2 caffeine Oral, LD50: 192 mg/kg (rat) Primary irritant effect: Skin corrosion/irritation No irritant effect. Serious eye damage/irritation No irritating effect. Respiratory or skin sensitisation No sensitizing effects known. Germ cell mutagenicity Not determined. Carcinogenicity Not determined. Reproductive toxicity Not determined. STOT-single exposure Not determined. STOT-repeated exposure Not determined. 	ISO LD/LC
 LD/LC50 values relevant for classification: 58-08-2 caffeine Oral, LD50: 192 mg/kg (rat) Primary irritant effect: Skin corrosion/irritation No irritant effect. Serious eye damage/irritation No irritating effect. Respiratory or skin sensitisation No sensitizing effects known. Germ cell mutagenicity Not determined. Carcinogenicity Not determined. Reproductive toxicity Not determined. STOT-single exposure Not determined. STOT-repeated exposure 	ISO LD/LC
 LD/LC50 values relevant for classification: 58-08-2 caffeine Oral, LD50: 192 mg/kg (rat) Primary irritant effect: Skin corrosion/irritation No irritant effect. Serious eye damage/irritation No irritating effect. Respiratory or skin sensitisation No sensitizing effects known. Germ cell mutagenicity Not determined. Carcinogenicity Not determined. Reproductive toxicity Not determined. STOT-single exposure Not determined. STOT-repeated exposure Not determined. Aspiration hazard Not determined. Subacute to chronic toxicity: 	ISO LD/LC
 LD/LC50 values relevant for classification: 58-08-2 caffeine Oral, LD50: 192 mg/kg (rat) Primary irritant effect: Skin corrosion/irritation No irritant effect. Serious eye damage/irritation No irritating effect. Respiratory or skin sensitisation No sensitizing effects known. Germ cell mutagenicity Not determined. Carcinogenicity Not determined. Reproductive toxicity Not determined. STOT-single exposure Not determined. STOT-repeated exposure Not determined. Aspiration hazard Not determined. Subacute to chronic toxicity: Not determined. 	ISO LD/LC
 LD/LC50 values relevant for classification: 58-08-2 caffeine Oral, LD50: 192 mg/kg (rat) Primary irritant effect: Skin corrosion/irritation No irritant effect. Serious eye damage/irritation No irritating effect. Respiratory or skin sensitisation No sensitizing effects known. Germ cell mutagenicity Not determined. Carcinogenicity Not determined. Reproductive toxicity Not determined. STOT-single exposure Not determined. STOT-repeated exposure Not determined. Aspiration hazard Not determined. Subacute to chronic toxicity: Not determined. Additional toxicological information: 	
 LD/LC50 values relevant for classification: 58-08-2 caffeine Oral, LD50: 192 mg/kg (rat) Primary irritant effect: Skin corrosion/irritation No irritant effect. Serious eye damage/irritation No irritating effect. Respiratory or skin sensitisation No sensitizing effects known. Germ cell mutagenicity Not determined. Carcinogenicity Not determined. Reproductive toxicity Not determined. STOT-single exposure Not determined. STOT-repeated exposure Not determined. StoT-repeated exposure Not determined. Subacute to chronic toxicity: Not determined. Subacute to chronic toxicity: Not determined. Additional toxicological information: The substance is not subject to classification according to the latest version of the substance is not subject to classification according to the latest version of the substance is not subject to classification according to the latest version of the substance is not subject to classification according to the latest version of the substance is not subject to classification according to the latest version of the substance is not subject to classification according to the latest version of the substance is not subject to classification according to the latest version of the substance is not subject to classification according to the latest version of the substance is not subject to classification according to the latest version of the substance is not subject to classification according to the latest version of the substance is not subject to classification according to the latest version of the substance is not subject to classification according to the latest version of the substance is not subject to classification according to the latest version of the substance is not subject to classification according to the latest version of the substance is not subject to classification according to the substance is not subject to classification according to the substance	
 LD/LC50 values relevant for classification: 58-08-2 caffeine Oral, LD50: 192 mg/kg (rat) Primary irritant effect: Skin corrosion/irritation No irritant effect. Serious eye damage/irritation No irritating effect. Respiratory or skin sensitisation No sensitizing effects known. Germ cell mutagenicity Not determined. Carcinogenicity Not determined. Reproductive toxicity Not determined. STOT-single exposure Not determined. STOT-repeated exposure Not determined. Aspiration hazard Not determined. Subacute to chronic toxicity: Not determined. Additional toxicological information: 	

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradabilityNo further relevant information available.Behaviour in environmental systems: Not determined.



1729604

Reviewed on: 05.04.2023 Printing date: 09.05.2023

I	PRODUCT : Mate absolute	
	12.3 Bioaccumulative potential No further relevant information available.	(continued of page 5)
	12.4 Mobility in soil No further relevant information available.	
	 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 	
	 12.6 Other adverse effects No further relevant information available. Ecotoxical effects: Not determined. Additional ecological information: General notes: Do not allow product to reach ground water, water course or sewage system. 	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

• Recommendation

Must be specially treated adhering to official regulations.

- Uncleaned packaging:
- Recommendation:
 - Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number ADR IMDG IATA	Void Void Void
14.2 UN proper shipping name ADR IMDG IATA	Void Void Void
14.3 Transport hazard class(es))
Class IMDG	Void
Class IATA	Void
Class 14.4 Packing group	Void
ADR IMDG IATA	Void Void Void

14.5 Environmental hazards: Not applicable.

14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to IMO instruments



1729604

Reviewed on: 05.04.2023

_	PRODUCT : Mate absolute
	Not applicable. (continued of page 6)
	SECTION 15: Regulatory information
	 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II Substance is not listed. REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) Substance is not listed. Annex II - REPORTABLE EXPLOSIVES PRECURSORS Substance is not listed. Regulation (EC) No 273/2004 on drug precursors Substance is not listed. Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors Substance is not listed. National regulations:
	 Technical instructions (air): Class Share in % I
	 Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.
	SECTION 16: Other information
	The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document. The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force. • Relevant phrases H302 Harmful if swallowed.
	 Training hints Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.
	 Abbreviations and acronyms: IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Air Transport Association ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

(continued on page 8)



1729604

Reviewed on: 05.04.2023 Printing date: 09.05.2023

PRODUCT : Mate absolute	
vPvB: very Persistent and very Bioaccumulative	(continued of page 7)
 Sources IFRA/IOFI Labelling Manual,REACH registration dossier,supplier information 	
• * Data compared to the previous version altered.	