Page: 1 / 10



CHEMICAL SAFETY DATA SHEET

according to 2020/878/EC (1907/2006/EC Article 31)

1707103

Reviewed on: 04.05.2023 Printing date: 07.06.2023

SECTION 01: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Trade name: MASTIC OIL
- Article number: P82411502000
- CAS Number: 68991-39-9
- EC Number:
- 263-098-6 • No CAS EINECS: 61789-92-2
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Perfume ingredient Flavouring agent Only for industrial use
- 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:

BIOLANDES, BP2 TEL: +33(0)5.58.51.00.00 2760 Route de Bélis email: fds@biolandes.com 40420 LE SEN FRANCE

1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1 45 42 59 59

SECTION 02: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08

Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways.



GHS02

Flam. Liq. 3 - H226 Flammable liquid and vapour.



GHS07

Acute Tox. 4 - H302 Harmful if swallowed. Skin Irrit. 2 - H315 Causes skin irritation. Skin Sens. 1 - H317 May cause an allergic skin reaction.



Aquatic Acute 1 - H400 Very toxic to aquatic life. Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms

(continued on page 2)

Page: 2 / 10



CHEMICAL SAFETY DATA SHEET

according to 2020/878/EC (1907/2006/EC Article 31)

1707103

Reviewed on: 04.05.2023 Printing date: 07.06.2023

(continued of page 1)

0,101-1,00

(continued on page 3)

PRODUCT: MASTIC OIL









GHS08

GHS02

GHS07

Signal word

Danger

Hazard statements

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

2.3 Other hazards

- Results of PBT and vPvB assessment
- Not applicable.
- vPvB:
- Not applicable.
- Determination of endocrine-disrupting properties Substance is not listed.

SECTION 03: Composition/information on ingredients

Eucalyptol

EC number: 207-431-5

3.1 Substances

CAS No. Description

68991-39-9 Pistacia lentiscus L.

- Identification number(s)
- EC number: 263-098-6

	203-096-0		
	Dangerous co	omponents:	
*	CAS Number		%
	80-56-8	pin-2(3)-ene	50,001-100
		EC number: 201-291-9	
		🕸 Asp. Tox. 1 - H304; 👲 Flam. Liq. 3	
		- H226; 💠 Acute Tox. 4 - H302, Skin	
		Irrit. 2 - H315, Skin Sens. 1B - H317	
	127-91-3	beta-Pinene	1,001- 5,00
		EC number: 204-872-5 Asp. Tox. 1 - H304; 🇆 Flam. Liq. 3	
		- H226; 💠 Skin Irrit. 2 - H315, Skin	
		Sens. 1B - H317	
*	5989-27-5	d-limonene	0,101-1,00
*		EC number: 227-813-5	
		🕸 Asp. Tox. 1 - H304; 🚸 Flam. Liq. 3	
*		- H226; 💠 Skin Irrit. 2 - H315, Skin	
*		Sens. 1B - H317; 🌣 Aquatic Acute 1 -	
*		H400; Aquatic Chronic 3 - H412	

470-82-6

Page: 3 / 10



CHEMICAL SAFETY DATA SHEET

according to 2020/878/EC (1907/2006/EC Article 31)

1707103

Reviewed on: 04.05.2023 Printing date: 07.06.2023

	PRODUCT:	MASTIC OIL	
		A A	(continued of page 2)
*		🚸 Flam. Liq. 3 - H226; 안 Skin Sens.	
*		1B - H317	
*	78-70-6	LINALOOL	0,101-1,00
*		EC number: 201-134-4	
*		Skin Irrit. 2 - H315, Eye Irrit. 2 -	
*		H319, Skin Sens. 1B - H317	

SECTION 04: First aid measures

- 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Seek immediate medical advice.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

• After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Call for a doctor immediately.

· Information for doctor:

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, sand, extinguishing powder. Do not use water.

Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents:
 Water with full jet

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:
- Do not inhale explosion gases or combustion gases.
- Additional information

Cool endangered receptacles with water spray.

SECTION 06: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

(continued on page 4)

Page: 4 / 10



CHEMICAL SAFETY DATA SHEET

according to 2020/878/EC (1907/2006/EC Article 31)

1707103

Reviewed on: 04.05.2023 Printing date: 07.06.2023

(continued of page 3)

PRODUCT: MASTIC OIL

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 07: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Handle with care. Avoid jolting, friction and impact.

• Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities Storage:

• Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Prevent any seepage into the ground.

Use only receptacles specifically permitted for this substance/ product.

Information about storage in one common storage facility:

Not required.

• Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

7.3 Specific end use(s)

No further relevant information available.

SECTION 08: Exposure controls/personal protection

8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information:

The lists valid during the making were used as basis.

8.2 Exposure controls

- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter P3

• Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye/face protection
- Safety glasses
 - Body protection:

(continued on page 5)





CHEMICAL SAFETY DATA SHEET

according to 2020/878/EC (1907/2006/EC Article 31)

1707103

Reviewed on: 04.05.2023 Printing date: 07.06.2023

PRODUCT: **MASTIC OIL**

(continued of page 4)

Impervious protective clothing Boots

9.1 Information on basic physical and chemic	al properties
General Information	-
Physical state	Fluid
Colour:	colourless to pale yellow
Odour:	terpenic
Odour threshold:	Not determined.
Boiling point or initial boiling point and boiling range	Not determined.
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	47,0 °C NFT 60-103 CC
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not determined.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	rect dote.
Density:	Not determined.
Relative density	0,8620 0,8740 (D20/20)
Vapour density	Not determined.
9.2 Other information	No further relevant information available.
	No further relevant information available.
Appearance:	fluid
Form:	fluid
Important information on protection of health	
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Solvent content:	0.00.07
Solids content:	0,00 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard cla	asses
Explosives	not applicable
Flammable gases	not applicable
Aerosols	not applicable
Oxidising gases	not applicable
Gases under pressure	not applicable
Flammable liquids	Flammable liquid and vapour.
Flammable solids	not applicable
Self-reactive substances and mixtures	not applicable
Pyrophoric liquids	not applicable
.) F o. 10 11 qui uo	not applicable

Page: 6 / 10



CHEMICAL SAFETY DATA SHEET

according to 2020/878/EC (1907/2006/EC Article 31)

1707103

Reviewed on: 04.05.2023 Printing date: 07.06.2023

PRODUCT: MASTIC OIL

		(continued of page 5)
Self-heating substances and mixtures	not applicable	
Substances and mixtures, which emit flammable gases in contact with water	not applicable	
Oxidising liquids	not applicable	
Oxidising solids	not applicable	
Organic peroxides	not applicable	
Corrosive to metals	not applicable	
Desensitised explosives	not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions

No dangerous reactions known.

10.4 Conditions to avoid

No further relevant information available.

10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous decomposition products:

Not determined.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

Harmful if swallowed.

• LD/LC50 values relevant for classification:

ISO LD/LC

5989-27-5 (R)-p-mentha-1,8-diene

Oral, LD50: 4400 mg/kg (rat)
470-82-6 Eucalyptol

Oral, LD50: 3849 mg/kg (mouse) (Jiao Xu, 2014)

78-70-6 LINALOOL

Oral, LD50: 2790 mg/kg (rat) Dermal, LD50: 5610 mg/kg (Rabbit)

• Primary irritant effect:

Skin corrosion/irritation

Irritant to skin and mucous membranes.

Causes skin irritation.

• Serious eye damage/irritation

No irritating effect.

• Respiratory or skin sensitisation Sensitization possible through skin contact.

• Germ cell mutagenicity

470-82-6 Eucalyptol

OECD 471 AMES: NEGATIVE (in vitro) (Haworth, 1983)

78-70-6 LINALOOL

OECD 471 AMES: NEGATIVE (in vitro) (Letizia and al., 2007)

Carcinogenicity

78-70-6 LINALOOL

Micronoyau: NEGATIVE (mouse) (in vivo, Letizia and al., 2007) Micronoyau: NEGATIVE (in vitro) (DiSotto and al., 2011)

Reproductive toxicity

Not determined.

STOT-single exposure

(continued on page 7)



CHEMICAL SAFETY DATA SHEET

Page: 7 / 10

according to 2020/878/EC (1907/2006/EC Article 31)

1707103

Reviewed on: 04.05.2023 Printing date: 07.06.2023

(continued of page 6)

PRODUCT: MASTIC OIL

Not determined.

• STOT-repeated exposure

Not determined.

Aspiration hazard

May be fatal if swallowed and enters airways. May be fatal if swallowed and enters airways.

- Subacute to chronic toxicity:
 - Not determined. 11.2 Information on other hazards
- Endocrine disrupting properties

Substance is not listed.

SECTION 12: Ecological information

12.1 Toxicity

- Aquatic toxicity:
- Aquatic toxicity

5989-27-5 (R)-p-mentha-1,8-diene

LD50: 0,71 mg/l (fish) (OECD 203)

78-70-6 LINALOOL

* LD50: 27,8 mg/l (fish) ((OECD 203) RIFM 1991)

ErC50(0-72h): 156,7 mg/l (algae)

ErC50(0-48h): 59 mg/l (daphnia) ((OECD 202)

12.2 Persistence and degradability

No further relevant information available.

 Behaviour in environmental systems: Not determined.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

• PBT:

Not applicable.

vPvB:

Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.6 Other adverse effects

No further relevant information available.

- Ecotoxical effects:
- Not determined.
- Remark:
 - Very toxic for fish
- Additional ecological information:
- General notes:
- Very toxic for aquatic organisms
- * The material is harmful to the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Recommendation
 - Must be specially treated adhering to official regulations.
- Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

ΕU

(continued on page 8)

Page: 8 / 10



CHEMICAL SAFETY DATA SHEET

according to 2020/878/EC (1907/2006/EC Article 31)

1707103

Reviewed on: 04.05.2023 Printing date: 07.06.2023

PRODUCT: MASTIC OIL

SECTION 14: Transport information

(continued of page 7)

14.1 UN number or ID number

ADR UN1993IMDG UN1993IATA UN1993

14.2 UN proper shipping name

. ADR 1993 FLAMMABLE LIQUID, N.O.S. (PISTACIA LENTISCUS L.)
. IMDG FLAMMABLE LIQUID, N.O.S. (PISTACIA LENTISCUS L.)
. IATA FLAMMABLE LIQUID, N.O.S. (PISTACIA LENTISCUS L.)

14.3 Transport hazard class(es)

. ADR

Class 3 (F1) Flammable liquids.

Label





. IMDG

. Class 3 Flammable liquids.

Label





. IATA

Class 3 Flammable liquids.

Label



14.4 Packing group

14.5 Environmental hazards:

. Marine pollutant: Yes

14.6 Special precautions for user

Warning: Flammable liquids.

Danger code (Kemler):

Danger code (Kemler): 30EMS Number: F-E,S-E

14.7 Maritime transport in bulk according to IMO instruments Not applicable.

• Transport/Additional information:

ADR

. Excepted quantities (EQ): E1
. Limited quantities (LQ) 5L
. Transport category 3
. Tunnel restriction code D/E

(continued on page 9)





CHEMICAL SAFETY DATA SHEET

according to 2020/878/EC (1907/2006/EC Article 31)

1707103

Reviewed on: 04.05.2023 Printing date: 07.06.2023

(continued of page 8)

PRODUCT: MASTIC OIL

. IMDG

Limited quantities (LQ)Excepted quantities (EQ)

• UN "Model Regulation":

UN 1993 FLAMMABLE LIQUID, N.O.S. (PISTACIA LENTISCUS L.), 3, III,

ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II Substance is not listed.
- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) Substance is not listed.
- Annex II REPORTABLE EXPLOSIVES PRECURSORS Substance is not listed.
- Regulation (EC) No 273/2004 on drug precursors Substance is not listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors Substance is not listed.
- · National regulations:
- Technical instructions (air):
- Class Share in %
- I 0,13
 - Waterhazard class:
 - Water hazard class 2 (Self-assessment): hazardous for water.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document.

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Training hints

Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.

- Date of previous version:
- 23.12.2022
- Version number of previous version:

1.0

(continued on page 10)



CHEMICAL SAFETY DATA SHEET according to 2020/878/EC (1907/2006/EC Article 31)

Page: 10 / 10

1707103

Reviewed on: 04.05.2023 Printing date: 07.06.2023

PRODUCT: MASTIC OIL

• Abbreviations and acronyms:

(continued of page 9)

IFRA:International Fragrance Association IOFI:International Organization of the Flavor Industry

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations

Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation
GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Sources

IFRA/IOFI Labelling Manual, REACH registration dossier, supplier information

• * Data compared to the previous version altered.