



2072105

Reviewed on: 07.10.2024 Printing date: 07.10.2024

### SECTION 01: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name:

SOLIDAGO VIRGAUREA SFL Organic Hydroalcoholic Extract

- · Article number:
- EPF20143
- UFI:
- \* 7N81-50JW-D006-PET8
  - 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Only for industrial use

Only for industrial use

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

**GOLGEMMA** 

115, Chemin des Oliviers
Z.A. de Cocause
26150 DIE, FRANCE

Tel: +33(0)4.75.21.09.09
Mail: fds@golgemma.com
www.golgemma.com

1.4 Emergency telephone number: FR-ORFILA (INRS):+33(0)1 45 42 59 59

### SECTION 02: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS02

Flam. Liq. 2 - H225 Highly flammable liquid and vapour.



GHS07

Eye Irrit. 2 - H319 Causes serious eye irritation.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms





GHS02 GHS07

- Signal word Danger
- Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

- Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.

### 2.3 Other hazards

- Results of PBT and vPvB assessment
- PBT:

Not applicable.

vPvB:

Not applicable.

(continued on page 2)



Page: 2/9

2072105

Reviewed on: 07.10.2024 Printing date: 07.10.2024

#### **PRODUCT: SOLIDAGO VIRGAUREA SFL Organic Hydroalcoholic Extract**

(continued of page 1)

· Determination of endocrine-disrupting properties None of the ingredients is listed.

### SECTION 03: Composition/information on ingredients

- 3.2 Mixtures
- Description: Mixture

64-17-5

· Dangerous components:

**CAS Number** 

ALCOHOL 50,001-100

EC number: 200-578-6

Flam. Liq. 2 - H225; 😲 Eye Irrit.

2 - H319

· Additional information:

For the wording of the listed risk phrases refer to section 16.

### SECTION 04: First aid measures

- 4.1 Description of first aid measures
- General information:
  - Seek immediate medical advice.
- After inhalation:
- Supply fresh air and to be sure call for a doctor. After skin contact:
- - If skin irritation continues, consult a doctor.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
- Seek immediate medical advice.
- Information for doctor:
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, sand, extinguishing powder. Do not use water.

- Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment:
  - Do not inhale explosion gases or combustion gases.
- Additional information Cool endangered receptacles with water spray.

ΕU





2072105

Reviewed on: 07.10.2024 Printing date: 07.10.2024

### PRODUCT: SOLIDAGO VIRGAUREA SFL Organic Hydroalcoholic Extract

(continued of page 2)

### SECTION 06: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

### 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

### 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 07: Handling and storage

### 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Handle with care. Avoid jolting, friction and impact.

• Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

### 7.2 Conditions for safe storage, including any incompatibilities

### Storage:

• Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Use only receptacles  $\bar{\text{specifically permitted}}$  for this substance/ product.

Information about storage in one common storage facility:

Not required.

• Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

### 7.3 Specific end use(s)

No further relevant information available.

### SECTION 08: Exposure controls/personal protection

### 8.1 Control parameters

• Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs

### 64-17-5 Alcohol

Inhalative, DNEL(ShortTerm): 1900 mg/m3 (human being) Dermal, DNEL(long term): 343 mg/kg (human being) Inhalative, DNEL short term: 1000 ppm (human being) Inhalative, DNEL long term: 500 ppm (human being) Inhalative, DNEL long term: 950 mg/m3 (human being)

PNECs

### 64-17-5 Alcohol

Oral: 0,72 mg/kg Soil: 0,63 mg/kg STP: 580 mg/l Water Inter Rel: 2,75 mg/l Marine water: 0,79 mg/l Fresh water: 0,96 mg/l

(continued on page 4)





## CHEMICAL SAFETY DATA SHEET

### according to 2020/878/EC (1907/2006/EC Article 31)

2072105

Reviewed on: 07.10.2024 Printing date: 07.10.2024

#### **PRODUCT: SOLIDAGO VIRGAUREA SFL Organic Hydroalcoholic Extract**

(continued of page 3)

Sediment freshW: 3,6 mg/kg Sediment Marine: 2,9 mg/kg Additional information:

The lists valid during the making were used as basis.

### 8.2 Exposure controls

- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Safety glasses

Body protection:

Impervious protective clothing

**Boots** 

### SECTION 09: Physical and chemical properties

9.1 Information on basic physical and chemical properties

**General Information** 

Physical state Fluid Colour: areen-brown Odour: characteristic **Odour threshold:** Not determined. Boiling point or initial boiling point and Not determined.

boiling range

**Flammability** Not determined

Lower and upper explosion limit

Not determined. Lower: Upper: Not determined

Flash point: 21,0 °C NFT 60-103 CC

**Decomposition temperature:** Not determined. Not determined Ηα

Viscosity:

Kinematic viscosity Not determined. **Dvnamic:** Not determined.

Solubility

water: Not determined. Partition coefficient n-octanol/water (log Not determined

value)

Not determined Vapour pressure:

Density and/or relative density

Density: Not determined. Relative density 0,9000 0,9200 (D20/20)

(continued on page 5)



Page: 5 / 9

2072105

Reviewed on: 07.10.2024 Printing date: 07.10.2024

#### **PRODUCT: SOLIDAGO VIRGAUREA SFL Organic Hydroalcoholic Extract**

(continued of page 4)

Vapour density Not determined.

9.2 Other information No further relevant information available

Appearance:

Important information on protection of health and environment, and on safety.

Auto-ignition temperature: Not determined. **Explosive properties:** Not determined.

Solvent content:

Solids content: 0.00 %

Change in condition

**Evaporation rate** Not determined.

Information with regard to physical hazard classes

not applicable **Explosives** Flammable gases not applicable **Aerosols** not applicable Oxidising gases not applicable Gases under pressure not applicable

Flammable liquids Highly flammable liquid and vapour.

Flammable solids not applicable Self-reactive substances and mixtures not applicable **Pyrophoric liquids** not applicable Pyrophoric solids not applicable Self-heating substances and mixtures not applicable Substances and mixtures, which emit not applicable

flammable gases in contact with water

**Oxidising liquids** not applicable Oxidising solids not applicable Organic peroxides not applicable Corrosive to metals not applicable **Desensitised explosives** not applicable

### SECTION 10: Stability and reactivity

10.1 Reactivity

No further relevant information available.

10.2 Chemical stability

10.3 Possibility of hazardous reactions

No dangerous reactions known.

10.4 Conditions to avoid

No further relevant information available.

10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous decomposition products:

Not determined.

ΕU

(continued on page 6)





2072105

Reviewed on: 07.10.2024 Printing date: 07.10.2024

**PRODUCT: SOLIDAGO VIRGAUREA SFL Organic Hydroalcoholic Extract** 

(continued of page 5)

### SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- · Acute toxicity
- LD/LC50 values relevant for classification:

ISO LD/LC

#### 64-17-5 Alcohol

Oral, LD50: 6200-15000 mg/kg (rat) (OECD 401 equivalent) Inhalative, LC50/4h: >50 mg/l (rat) (OECD 403 equivalent)

- Primary irritant effect:
- Skin corrosion/irritation

#### 64-17-5 Alcohol

Irritation of skin, OECD 404 DRAIZE: NOT IRRITANT (Rabbit) (OECD 404)

Serious eye damage/irritation

### Alcohol

Irritation of eyes, OECD 405 DRAIZE: CAT 2 IRRITANT (Rabbit) (OECD 405)

Irritating effect.

Causes serious eye irritation.

· Respiratory or skin sensitisation

### Alcohol

Dermal, OECD 429 LLNA: NOT SENSITIZER (mouse) Sensitisation, OECD 406: NOT SENSITIZER (guinea Pig)

· Germ cell mutagenicity

#### 64-17-5 Alcohol

OECD 471 AMES: NEGATIVE (in vitro) (OECD 471) OECD 476 MLA TK: NOT CLASSIFIED (in vitro)

Carcinogenicity

#### 64-17-5 Alcohol

Micronoyau: NEGATIVE (mouse) OECD 475: NEGATIVE (in vitro)

- Reproductive toxicity
  - Not determined.
- STOT-single exposure
  - Not determined.
- STOT-repeated exposure
- Not determined.
- Aspiration hazard
- Not determined
- Subacute to chronic toxicity:

### Alcohol

Oral, NOAEL: >3000 mg/kg (rat) (carcinogenicity)
Oral, NOAEL: >4400 mg/kg (mouse) (Female, >4250 mg/kg Male)

- Additional toxicological information:
- Carcinogenic if inhaled.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

### SECTION 12: Ecological information

### 12.1 Toxicity

· Aquatic toxicity:

64-17-5 Alcohol CE50/48h: 12340 mg/l (daphnia) 96h-LC50: 13000 mg/l (fish)

### 12.2 Persistence and degradability

No further relevant information available.

• Behaviour in environmental systems:

Not determined.

### 12.3 Bioaccumulative potential

No further relevant information available.

(continued on page 7)





2072105

Reviewed on: 07.10.2024 Printing date: 07.10.2024

### PRODUCT: SOLIDAGO VIRGAUREA SFL Organic Hydroalcoholic Extract

(continued of page 6)

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

• PBT:

Not applicable.

vPvB:

Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.6 Other adverse effects

No further relevant information available.

• Ecotoxical effects: Not determined.

### SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

- Recommendation
  - Must be specially treated adhering to official regulations.
- Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

### SECTION 14: Transport information

14.1 UN number or ID number

ADR UN1993IMDG UN1993IATA UN1993

14.2 UN proper shipping name

ADR
 1993 FLAMMABLE LIQUID, N.O.S.
 IMDG
 FLAMMABLE LIQUID, N.O.S.
 IATA
 FLAMMABLE LIQUID, N.O.S.

14.3 Transport hazard class(es)

. ADR

. Class 3 (F1) Flammable liquids.

. Label



. IMDG

Class 3 Flammable liquids.

. Label



. IATA

. Class 3 Flammable liquids.

(continued on page 8)



Page: 8 / 9

2072105

Reviewed on: 07.10.2024 Printing date: 07.10.2024

(continued of page 7)

### PRODUCT: SOLIDAGO VIRGAUREA SFL Organic Hydroalcoholic Extract

. Label



14.4 Packing group

. ADR || . IMDG || . IATA || .

### 14.5 Environmental hazards:

Not applicable.

Danger code (Kemler): 33
EMS Number: F-E,S-E

### 14.6 Special precautions for user

Warning: Flammable liquids.

14.7 Maritime transport in bulk according to IMO instruments Not applicable.

- Transport/Additional information:
- . ADR

Excepted quantities (EQ):
Limited quantities (LQ)
Transport category
Tunnel restriction code

. IMDG

Limited quantities (LQ)Excepted quantities (EQ)E2

• UN "Model Regulation":

UN 1993 FLAMMABLE LIQUID, N.O.S., 3, II

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- REGULATION (EC) No 1907/2006 ANNEX XVII

Conditions of restriction: 3

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II None of the ingredients is listed.
- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed.
- National regulations:
- Waterhazard class: Generally not hazardous for water.

### 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

ΕU





2072105

Reviewed on: 07.10.2024 Printing date: 07.10.2024

PRODUCT: SOLIDAGO VIRGAUREA SFL Organic Hydroalcoholic Extract

(continued of page 8)

### SECTION 16: Other information

The information in this safety data sheet is based on the state of our knowledge at the date indicated. The information in this sheet must be regarded as a description of the safety requirements for the product, they are not to be considered a warranty or quality specification and have no contractual value on properties and application areas thereof. The information contained in this safety data sheet relate to the specific material designated and may not be valid with respect to the product associated with another product or process, unless it is specified in the text of this document

The required information complies with EU regulations in force. It does not exempt the user from knowing and applying all the national regulations in force.

### · Relevant phrases

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

### • Training hints

Minimum training in occupational risk prevention is recommended for personnel who will handle this product, in the purpose of facilitating the understanding and interpretation of this form of safety data in the same way as the labeling of the product.

- · Date of previous version:
- 04.03.2024
- Version number of previous version:
- 2.0

### Abbreviations and acronyms:

IFRA: International Fragrance Association IOFI: International Organization of the Flavor Industry

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

### Sources

IFRA/IOFI Labelling Manual, REACH registration dossier, supplier information

• \* Data compared to the previous version altered.